

ACCELERATED DOCUMENT DISTRIBUTION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9309140272 DOC. DATE: 93/09/08 NOTARIZED: NO DOCKET #
 FACIL: 50-220 Nine Mile Point Nuclear Station, Unit 1, Niagara Powe 05000220
 AUTH. NAME AUTHOR AFFILIATION
 SYLVIA, B.R. Niagara Mohawk Power Corp. *see Reports*
 RECIP. NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Forwards response to NRC 930722 RAI addressing util 921217
 submittal for Svc Level A & B loadings & util 930226
 submittal for Svc Level C & D loadings, in ref to GL 92-01,
 "Reactor Vessel Structural Integrity."

DISTRIBUTION CODE: A028D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 1 + 66
 TITLE: Generic Letter 92-01 Responses (Reactor Vessel Structural Integrity) 1

NOTES:

	RECIPIENT ID CODE/NAME	COPIES		RECIPIENT ID CODE/NAME	COPIES	
		LTR	ENCL		LTR	ENCL
	PDI-1 PD	1	1	BRINKMAN, D.	2	2
INTERNAL:	ACRS	6	6	NRR/DE/EMCB	2	2
	NRR/DORS/OGCB	1	1	NRR/DRPE/PDI-1	1	1
	NRR/DRPW	1	1	NUDOCS-ABSTRACT	1	1
	OC/LEDGB	1	0	OGC/HDSL	1	0
	<u>REG FILE</u> 01	1	1	RES/DE/MEB	1	1
EXTERNAL:	NRC PDR	1	1 <i>NP</i>	NSIC	1	1 <i>NP</i>

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,
 ROOM P1-37 (EXT. 504-2065) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
 LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTR 21 ENCL 19

1943
1944



NIAGARA MOHAWK POWER CORPORATION/NINE MILE POINT, P.O. BOX 63, LYCOMING, NY 13093/TELEPHONE (315) 349-2882

B. Ralph Sylvia
Executive Vice President
Nuclear

September 8, 1993
NMP1L 0779

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555

Re: Nine Mile Point Unit 1
Docket No. 50-220
DPR-63
TAC No. M83486

SUBJECT: GENERIC LETTER 92-01, REVISION 1, REACTOR VESSEL
STRUCTURAL INTEGRITY, REQUEST FOR ADDITIONAL INFORMATION

Gentlemen:

By letters dated December 17, 1992 (NMP1L 0723) and February 26, 1993 (NMP1L 0739), Niagara Mohawk provided elastic-plastic fracture mechanics assessments for Nine Mile Point Unit 1 beltline plates for Service Level A and B loadings and Service Level C and D loadings, respectively. These reports demonstrate that a margin of safety exists against fracture equivalent to that required by Appendix G of ASME Code Section III, for beltline plates having upper-shelf energy values below the screening criterion of 50 ft-lb. By letter dated July 22, 1993, the NRC Staff requested that Niagara Mohawk submit additional information for each of the above submittals, as identified in Enclosures 1 and 2 of their letter.

Enclosed is Niagara Mohawk's response to the Staff's July 22, 1993 request for additional information. The Enclosure 1 responses address our December 17, 1992 submittal for Service Level A and B loadings and the Enclosure 2 responses address our February 26, 1993 submittal for Service Level C and D loadings.

Very truly yours,

B. Ralph Sylvia
Exec. Vice President-Nuclear

AER/mls
004283GG
Enclosure

pc: Mr. T. T. Martin, Regional Administrator
Mr. R. A. Capra, Director, Project Directorate I-1, NRR
Mr. D. S. Brinkman, Senior Project Manager, NRR
Mr. W. L. Schmidt, Senior Resident Inspector

Records Management

9309140272 930908
PDR ADDCK 05000220
PDR

Change: NRC PAR NSIC } w/out CF level containing copy sent 9/11
Al 28
11

