

FEDERAL NOTIFICATION LETTER

Tuesday, December 12, 2017

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Tallahasee FCI/FDC
501 Capitol Cir NE
Tallahassee, FL 32301

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2

Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	1-22-2018
--	-----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	Stephen Musgrove
Signature:	<i>Stephen Musgrove</i>
Phone Number:	(850) 878-2173 ext 1458

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

SALES ORDER: 1977164

CASE: 35100

VEOLIA USE ONLY

RGA #: 996882
RGA # Expiration Date: 3/8/18
UCN: 5S51389T-1U54167V
FedEx Tracking #: 691191700045081
Box # of #: 1 of 3

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. NRD Inc.	T-4001	83694	6/92	25
2. NRD Inc	T-4001	83695	6/92	25
3. NRD Inc.	T-4001	83708	6/92	25
4. Isolite	2000	291162	10/2004	9.5
5. Isolite	2000	A751431	5/97	7.5
6. Isolite	2000	288825	9/2004	9.5
7. Isolite	2000	291151	10/2004	9.5
8. Isolite	2000	298590	12/2004	9.5
9. Isolite	2000	291150	10/2004	9.5
10. Isolite	2000	291158	10/2004	9.5

Describe any damaged units:
 Please email pictures of damaged signs to pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: Stephen Musgrove Title: Electrician

Print Name: Stephen Musgrove Date: 12/6/2017 | 1:55 PM EST

VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX

Date Received: 12/7/2017 | 10:51 AM EST Checked in by: Angela Kury

34E89CE0E7D7429...



VEOLIA USE ONLY

SALES ORDER: 1977164**CASE:** 35100

VEOLIA USE ONLY

RGA #: 996882**RGA # Expiration Date:** 3/8/18**UCN:** 5W51382X-8Y54176Z**FedEx Tracking #:** 691191700045074**Box # of #:** 2 of 3**TRITIUM EXIT SIGN INVENTORY FORM**

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Isolite	2000	291161	10/2004	9.5
2. Isolite	2000	291163	10/2004	9.5
3. Isolite	2000	291163 288828	10/2004 9/2004	9.5
4. NRD Inc.	T-4001	88709	6/92	25
5. NRD Inc.	T-4001	83679	6/92	25
6. NRD Inc.	T-4001	83685	6/92	25
7. NRD Inc.	T-4001	85678	1992	25
8. SRB Technologies Inc.	B-100	676381	2002	20
9. SRB Technologies Inc.	B-100	676373	NA	20
10. SRB Technologies Inc.	B-100	676381	7/2002	20

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

DocuSigned by:
Stephen Musgrave

Title: Electrician

Print Name:

435E27FE0804CA
Stephen Musgrave

Date: 12/6/2017 | 1:55 PM EST

VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX

Date Received:

12/7/2017 | 10:51 AM EST

Checked in by:

DocuSigned by:
Angela Kung

34E89CE0E7D7429...

VEOLIA USE ONLY

SALES ORDER: 1977164

CASE: 35100

VEOLIA USE ONLY

RGA #: 996882
RGA # Expiration Date: 3/8/18
UCN: 1A51389B-6C54185D
FedEx Tracking #: 691191700045067
Box # of #: 3 of 3

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	SRB Technologies Inc.	B-100	666266	3/2001	20
2.	SRB Technologies Inc.	B-100	676380	7/2002	20
3.	Safty Light Corp.	SLX-60	439079	12/2007	11.5
4.	SRB Technologies Inc.	B-100	676374	NA	20
5.	SRB Technologies Inc.	B-100	667926	5/2001	20
6.					
7.					
8.					
9.					
10.					

Describe any damaged units;
 Please email pictures of damaged signs to pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>Stephen Musgrave</u>	Title: <u>Electrician</u>
Print Name: <u>Stephen Musgrave</u>	Date: <u>12/6/2017 1:55 PM EST</u>

VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX	
Date Received: <u>12/7/2017 10:51 AM EST</u>	Checked in by: <u>Angela Kung</u>

