

RECORDS CONTROL FORM
EMERGENCY IMPLEMENTATION PROCEDURES

57-235
Date 6-11-82

- | | | | |
|-------------------|--------------------------------|----------------------------------|---------------------------------|
| 1) G.O. DCC | 11) Power Control | 21) S.H. Ambulance | 39-41) Oper. Support |
| 2) Plant Manager | 12) Maint. Supt. | 22) Covert Ambulance | |
| 3) Control Room | 13) Oper. Supt. | 23) MEDIC I Ambulance | 43) G.O. DCC |
| 4) Chem/HP Office | 14) Emer. Kit/CR | 24) Op/Maint. Supt. | 44) G.O. DCC |
| 5) Chem/HP Office | 15) Emer. Kit/SS | 25) Security Office | 45) Emer. Operations |
| 6) Training | 16) Emer. Kit/Training | 26) NRC-JGKeppler | Facility -KJRidley |
| 7) Master File | 17) WWMiller | 27) NRC-JGKeppler | 46) US NRC- Washington |
| 8) WMHodge | 18) Rad Pro Office | 28) Shift Technical Adv. | 47) Clare Hall |
| 9) RWSinderman | 19) Mersey Hospital | 29) Gen. Health Physicist | |
| 10) Shift Supv. | 20) S.H. Hospital | 30-38) Tech. Support | |

To: _____

Notice of New/Revised TEMPORARY CHANGE EI-82-019

Number(s) EI-15 TRAINING AND DRILLS

Title PALISADES PLANT EMERGENCY IMPLEMENTATION PROCEDURES

I have received the above document(s) and have destroyed all previous issues, or as delineated below.

1. Insert Temporary Change EI-82-019 prior to Revision Sheet 1 of EI-15.
2. Please Sign, Date and Return this form to Palisades Plant Document Control.

X005

Palisades Plant
Return to: Document Control

Signature or Initials

File: QA-02 Book

Date

8206300088 820622
PDR ADOCK 05000255
F PDR