

From: Chen, Yen-Ju
Sent: Thursday, March 08, 2018 9:55 AM
To: Royston Ngwayah <R.Ngwayah@holtec.com>
Subject: FW: RE: RE: RE: Question on Irradiated Dummy Rods Analysis

Royston:

Thank you for the information. Since you did not submit any proprietary information, I will put this email and the attachments in ADAMS for docketing. I will let you know whether we need additional information within a week.

Thanks,
Yen

From: Royston Ngwayah [<mailto:R.Ngwayah@holtec.com>]
Sent: Thursday, March 08, 2018 9:08 AM
To: Chen, Yen-Ju <Yen-Ju.Chen@nrc.gov>
Subject: [External_Sender] RE: RE: RE: Question on Irradiated Dummy Rods Analysis

Yen,

Attached are proposed revisions to the SAR (Sections 2.1.2 and 5.4.10) and CoC (Appendix B, Table 2.1-2 new Note 11 and Table 2.1-3 new Note 20) based on SS replacement rods discussion from the Holtec-NRC call on Monday (3/5/18). Track changes are used from the previous version of each document submitted to NRC. Based on the change to Section 5.4.10 no change is required to the radiation protection chapter.

Please let me know if this is ok.

Also, in terms of the review process, how do you want to proceed if we agree on the attached proposed changes? Would you prefer that these changes to the SAR and CoC are also submitted formally?

Royston