



**Missouri Baptist**  
MEDICAL CENTER

3015 N. Ballas Road  
St. Louis, Missouri 63131

314-996-5000  
[www.missouribaptist.org](http://www.missouribaptist.org)

March 13, 2018

Colleen Carol Casey, Material License Reviewer  
Nuclear Regulatory Commission, Region III  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

Re: License Number 24-11128-02  
Additional information to Control Number 601896

Dear Colleen Casey,

Enclosed please find requested additional information as requested from the fax dated February 2, 2018.

Form 313A (RSO) Radiation Safety Officer Training and Experience and Preceptor Attestation.

If you require further information on this manor do not hesitate to call me, Tom Moenster, Radiation Safety Officer, at 314-996-5397. My email address is [Thomas.moenster@bjc.org](mailto:Thomas.moenster@bjc.org).

Sincerely,

Thomas J. Moenster

NRC FORM 313A (RSO)  
(06-2016)

U.S. NUCLEAR REGULATORY COMMISSION



**RADIATION SAFETY OFFICER TRAINING  
AND EXPERIENCE AND PRECEPTOR ATTESTATION  
[10 CFR 35.50]**

APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 06/30/2019

Name of Proposed Radiation Safety Officer

Thomas Mocnster

Requested Authorization(s) *The license authorizes the following medical uses (check all that apply):*

- 35.100   
  35.200   
  35.300   
  35.400   
  35.500   
  35.600 (remote afterloader)  
 35.600 (teletherapy)   
  35.600 (gamma stereotactic radiosurgery)   
 35.1000 ( Y-90 microspheres )

**PART I -- TRAINING AND EXPERIENCE**  
*(Select one of the four methods below)*

\*Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

**1. Board Certification**

- a. Provide a copy of the board certification.
- b. Use Table 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.
- c. Skip to and complete Part II Preceptor Attestation.

OR

**2. Current Radiation Safety Officer Seeking Authorization to Be Recognized as a Radiation Safety Officer for the Additional Medical Uses Checked Above**

- a. Use the table in section 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for the additional types of medical use for which recognition as RSO is sought.
- b. Skip to and complete Part II Preceptor Attestation.

OR

**3. Structured Educational Program for Proposed Radiation Safety Officer**

a. Classroom and Laboratory Training

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Radiation biology			
Radiation dosimetry			

Total Hours of Training:

NRC FORM 313A (RSO)  
(08-2018)

U.S. NUCLEAR REGULATORY COMMISSION

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Structured Educational Program for Proposed Radiation Safety Officer (continued)**

**b. Supervised Radiation Safety Experience**

*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Description of Experience	Location of Training/ License or Permit Number of Facility	Dates of Training*
Shipping, receiving, and performing related radiation surveys		
Using and performing checks for proper operation of instruments used to determine the activity of dosages, survey meters, and instruments used to measure radionuclides		
Securing and controlling byproduct material		
Using administrative controls to avoid mistakes in administration of byproduct material		
Using procedures to prevent or minimize radioactive contamination and using proper decontamination procedures		
Using emergency procedures to control byproduct material		
Disposing of byproduct material		
Licensed Material Used (e.g., 35.100, 35.200, etc.)+ <div style="border: 1px solid black; height: 40px; width: 100%; margin-top: 5px;"></div>		

+ Choose all applicable sections of 10 CFR Part 35 to describe radionuclides and quantities used: 35.100, 35.200, 35.300, 35.400, 35.500, 35.600 remote afterloader units, 35.600 teletherapy units, 35.600 gamma stereotactic radiosurgery units, emerging technologies (provide list of devices).

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Structured Educational Program for Proposed Radiation Safety Officer (continued)**

**b. Supervised Radiation Safety Experience (continued)**

*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Supervising Individual	License/Permit Number listing supervising individual as a Radiation Safety Officer
This license authorizes the following medical uses:	
<input type="checkbox"/> 35.100	<input type="checkbox"/> 35.200
<input type="checkbox"/> 35.300	<input type="checkbox"/> 35.400
<input type="checkbox"/> 35.500	<input type="checkbox"/> 35.600 (remote afterloader)
<input type="checkbox"/> 35.600 (gamma stereotactic radiosurgery)	<input type="checkbox"/> 35.600 (teletherapy)
	<input type="checkbox"/> 35.1000 ( <u>Y-90 microspheres</u> )

**c. Describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.**

Description of Training	Training Provided By	Dates of Training*
Radiation safety, regulatory issues, and emergency procedures for 35.100, 35.200, and 35.500 uses		
Radiation safety, regulatory issues, and emergency procedures for 35.300 uses		
Radiation safety, regulatory issues, and emergency procedures for 35.400 uses		
Radiation safety, regulatory issues, and emergency procedures for 35.600 - teletherapy uses		
Radiation safety, regulatory issues, and emergency procedures for 35.600 - remote afterloader uses		
Radiation safety, regulatory issues, and emergency procedures for 35.600 - gamma stereotactic radiosurgery uses		
Radiation safety, regulatory issues, and emergency procedures for 35.1000, specify use(s):	SirTEX Medical Limited for yttrium-90 microspheres.	February 13, 2018

NRC FORM 313A (RSO) (06-2016)

U.S. NUCLEAR REGULATORY COMMISSION

RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Structured Educational Program for Proposed Radiation Safety Officer (continued)

c. Training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license (continued)

<p>Supervising Individual <i>If training was provided by supervising RSO, AU, AMP, or ANP. (If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.)</i></p>	<p>License/Permit Number listing supervising individual</p>
<p>License/Permit lists supervising individual as:</p> <p><input type="checkbox"/> Radiation Safety Officer    <input type="checkbox"/> Authorized User    <input type="checkbox"/> Authorized Nuclear Pharmacist</p> <p><input type="checkbox"/> Authorized Medical Physicist</p> <p>Authorized as RSO, AU, ANP, or AMP for the following medical uses:</p> <p><input type="checkbox"/> 35.100    <input type="checkbox"/> 35.200    <input type="checkbox"/> 35.300    <input type="checkbox"/> 35.400</p> <p><input type="checkbox"/> 35.500    <input type="checkbox"/> 35.600 (remote afterloader)    <input type="checkbox"/> 35.600 (teletherapy)</p> <p><input type="checkbox"/> 35.600 (gamma stereotactic radiosurgery)    <input type="checkbox"/> 35.1000 (Y-90 microspheres )</p>	

d. Skip to and complete Part II Preceptor Attestation.

OR

4. Authorized User, Authorized Medical Physicist, or Authorized Nuclear Pharmacist Identified on the licensee's license

- a. Provide license number.
- b. Use the table in section 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.
- c. Skip to and complete Part II Preceptor Attestation.

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

First Section

Check one of the following:

1. Board Certification

I attest that \_\_\_\_\_ has satisfactorily completed the requirements in

Name of Proposed Radiation Safety Officer

10 CFR 35.50(a)(1)(i) and (a)(1)(ii); or 35.50 (a)(2)(i) and (a)(2)(ii); or 35.50(c)(1).

OR

2. Structured Educational Program for Proposed Radiation Safety Officers

I attest that \_\_\_\_\_ has satisfactorily completed a structural educational

Name of Proposed Radiation Safety Officer

program consisting of both 200 hours of classroom and laboratory training and one year of full-time radiation safety experience as required by 10 CFR 35.50(b)(1).

OR

NRC FORM 313A (RSO)  
(06-2016)

U.S. NUCLEAR REGULATORY COMMISSION

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**Preceptor Attestation (continued)**

**First Section (continued)**

Check one of the following:

3. **Additional Authorization as Radiation Safety Officer**

I attest that Thomas Moenster is an RSO is an  
Name of Proposed Radiation Safety Officer

Authorized User

Authorized Nuclear Pharmacist

Authorized Medical Physicist

identified on the Licensees license and has experience with the radiation safety aspects of similar type of use of byproduct material for which the individual has Radiation Safety Officer responsibilities

**AND**

**Second Section**

Complete for all (check all that apply):

I attest that Thomas Moenster has training in the radiation safety, regulatory issues, and  
Name of Proposed Radiation Safety Officer

emergency procedures for the following types of use:

35.100

35.200

35.300 oral administration of less than or equal to 33 millicuries of sodium iodide I-131, for which a written directive is required

35.300 oral administration of greater than 33 millicuries of sodium iodide I-131

35.300 parenteral administration of any beta-emitter, or a photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

35.300 parenteral administration of any other radionuclide for which a written directive is required

35.400

35.500

35.600 remote afterloader units

35.600 teletherapy units

35.600 gamma stereotactic radiosurgery units

35.1000 emerging technologies, including:

yttrium-90 microspheres

NRC FORM 313A (RSO)  
(06-2016)

U.S. NUCLEAR REGULATORY COMMISSION

RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

AND

Third Section  
Complete for ALL

I attest that Thomas Moenster has achieved a level of radiation safety knowledge  
Name of Proposed Radiation Safety Officer  
sufficient to function independently as a Radiation Safety Officer for a medical use licensee.

Fourth Section  
Complete the following for Preceptor Attestation and signature

I am the Radiation Safety Officer for Mercy Hospital - ST. Louis  
Name of Facility

License/Permit Number: 24-00794-03

Name of Preceptor	Signature	Telephone Number	Date
Robert F. Turco	Robert F. Turco	314-251-6844	3/12/19

3016 N. Ballas Road  
St. Louis, MO 63131  
Phone: (314) 998-5535  
Fax: (314) 996-6643

**Missouri Baptist Medical  
Center**

# Fax

To: Colleen Carol Casey From: Nuclear Medicine  
 Fax #: 630 - 515 - 1078 Date: March 13, 2018  
 Pages: 8

**Comments:**

To: Colleen Casey, Materials Licensing Reviewer

Subj: Form 313A (RSO)

From Tom Moenster

Phone number: 314-996-5397

Fax number: 314-996-5643

**NOTICE:**

THIS FACSIMILE CONTAINS PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THE FACSIMILE IS NOT THE INTENDED RECIPIENT OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION OR COPYING OF THIS FACSIMILE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE AND RETURN THE ORIGINAL FACSIMILE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE.