

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Tel: (314)298-8566

TestAmerica Job ID: 160-11761-2
Client Project/Site: HDP

For:
Perma-Fix Environmental Services Inc.
2800 Solway Road
Knoxville, Tennessee 37931

Attn: Brian Miller

Elizabeth M. Hoerchler

Authorized for release by:
6/4/2015 3:06:43 PM
Elizabeth Hoerchler, Project Mgmt. Assistant
elizabeth.hoerchler@testamericainc.com

Designee for
Ivan Vania, Project Manager II
(314)298-8566
ivan.vania@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Chain of Custody	4
Receipt Checklists	5
Definitions/Glossary	6
Method Summary	7
Sample Summary	8
Detection Summary	9
Client Sample Results	10
QC Sample Results	12
QC Association Summary	14

Case Narrative

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Job ID: 160-11761-2

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

Client: Perma-Fix Environmental Services Inc.

Project: HDP

Report Number: 160-11761-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica St. Louis attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results for Chemistry analyses are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header. All soil/sediment sample results for radiochemistry analyses are based upon sample as dried and disaggregated with the exception of tritium, carbon-14, and iodine-129 by gamma spectroscopy unless requested as wet weight by the client."

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 05/08/2015; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the coolers at receipt was 20.0 C.

RADIUM-226 BY GAMMA SPEC (21 DAY INGROWTH)

Samples L10-04-15-B-E-B-00 (160-11761-1), L10-04-16-B-E-B-00 (160-11761-2), L10-12-15-B-E-B-00 (160-11761-3) and L10-12-16-B-E-B-00 (160-11761-4) were analyzed for Radium-226 by gamma spec (21 day ingrowth) in accordance with EPA GA_01_R. The samples were leached on 05/11/2015, prepared on 05/13/2015 and analyzed on 06/03/2015.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TestAmerica St. Louis

13715 Rider Trail North

Chain of Custody Record




THE LEADER IN ENVIRONMENTAL TESTING

Earth City, MO 63045
phone 314.298.8566 fax

Regulatory Program: DW NPDES RCRA Other:

TestAmerica Laboratories, Inc.

Client Contact		Project Manager: Brian Miller		Site Contact: Ellen Jakub		Date: 05/08/2015		COC No: 050815-FSS1			
Perma-Fix Environmental Services		Tel/Fax: (314) 810-3333		Lab Contact: Ivan Vanya		Carrier: Courier		1 of 1 COCs			
2800 Solway Road		Analysis Turnaround Time									
Knoxville, TN 37931		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below _____ <input type="checkbox"/> 2 weeks <input checked="" type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day									
(865) 690-0501 Phone		Filtered Sample (Y/N) Perform MS / MSD (Y/N) Gamma Spec Westinghouse Hematite Library Alpha Spec ICP/MS (Tc-99) Gamma Spec (With post-21 day ingrowth)									
(865) 539-9868 FAX											
Project Name: Hematite Decommissioning Project											
Site: Westinghouse Hematite, MO											
P O # 832953		Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:									
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes:				
L10-04-15-B-E-B-00		5/8/15	0900	G	Soil	1	N	X	X	X	Matt Cushman
L10-04-16-B-E-B-00		5/8/15	0905	G	Soil	1	N	X	X	X	Matt Cushman
L10-12-15-B-E-B-00		5/8/15	0925	G	Soil	1	N	X	X	X	Matt Cushman
L10-12-16-B-E-B-00		5/8/15	0930	G	Soil	1	N	X	X	X	Brian Miller
N / A											
Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other None											
Possible Hazard Identification:						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input checked="" type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months					
Special Instructions/QC Requirements & Comments: Potential for Radiological Contamination											
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.:			
Relinquished by: <i>[Signature]</i>		Company: PERMAFIX		Date/Time: 5/8/15 1651		Received by: <i>[Signature]</i>		Company: TA 572		Date/Time: 5-8-15 1651	
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:		Date/Time:	



Page 4 of 14

6/4/2015

Hematite Decommissioning Project

Permafix (for Westinghouse) Non-Proprietary Class 3

Procedure: HDP-PR-QA-006, Chain of Custody

Revision: 3



Login Sample Receipt Checklist

Client: Perma-Fix Environmental Services Inc.

Job Number: 160-11761-2

Login Number: 11761

List Source: TestAmerica St. Louis

List Number: 1

Creator: Daniels, Brian J

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Definitions/Glossary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Method Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Method	Method Description	Protocol	Laboratory
GA-01-R	Radium-226 & Other Gamma Emitters (GS)	DOE	TAL SL

Protocol References:

DOE = U.S. Department of Energy

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-11761-1	L10-04-15-B-E-B-00	Solid	05/08/15 09:00	05/08/15 16:51
160-11761-2	L10-04-16-B-E-B-00	Solid	05/08/15 09:05	05/08/15 16:51
160-11761-3	L10-12-15-B-E-B-00	Solid	05/08/15 09:25	05/08/15 16:51
160-11761-4	L10-12-16-B-E-B-00	Solid	05/08/15 09:30	05/08/15 16:51

1

2

3

4

5

6

7

8

9

10

11

12

Detection Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Client Sample ID: L10-04-15-B-E-B-00

Lab Sample ID: 160-11761-1

No Detections.

Client Sample ID: L10-04-16-B-E-B-00

Lab Sample ID: 160-11761-2

No Detections.

Client Sample ID: L10-12-15-B-E-B-00

Lab Sample ID: 160-11761-3

No Detections.

Client Sample ID: L10-12-16-B-E-B-00

Lab Sample ID: 160-11761-4

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica St. Louis

1

2

3

4

5

6

7

8

9

10

11

12

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Client Sample ID: L10-04-15-B-E-B-00

Lab Sample ID: 160-11761-1

Date Collected: 05/08/15 09:00

Matrix: Solid

Date Received: 05/08/15 16:51

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.495		0.0815	0.0958		0.0569	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Bismuth 212	0.617		0.228	0.237		0.199	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Bismuth 214	0.734		0.0661	0.101		0.0349	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Lead 212	0.418		0.0516	0.0747		0.0502	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Lead 214	0.811		0.0659	0.107		0.0468	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Potassium 40	7.29		0.603	0.959		0.166	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Protactinium 231	0.232	U	0.132	0.134		0.698	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Radium 226	0.734		0.0661	0.101	1.00	0.0349	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Thorium 232	0.495		0.0815	0.0958		0.0569	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Thorium 234	0.805		0.210	0.226		0.591	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Uranium 235	0.0826	U	0.101	0.102		0.171	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Americium 241	-0.0155	U	0.0459	0.0459		0.0767	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Protactinium 234m	2.22	U	1.55	1.56		3.43	pCi/g	05/13/15 12:41	06/03/15 16:39	1
Other Detected Radionuclides			Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.160		0.0249	0.0300		0.0174	pCi/g	05/13/15 12:41	06/03/15 16:39	1

Client Sample ID: L10-04-16-B-E-B-00

Lab Sample ID: 160-11761-2

Date Collected: 05/08/15 09:05

Matrix: Solid

Date Received: 05/08/15 16:51

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.03		0.113	0.153		0.0823	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Bismuth 212	1.48		0.382	0.411		0.313	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Bismuth 214	1.16		0.0976	0.154		0.0558	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Lead 212	0.959		0.0849	0.151		0.0771	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Lead 214	1.22		0.0942	0.159		0.0774	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Potassium 40	16.8		1.06	2.00		0.337	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Protactinium 231	0.428	U	0.199	0.204		1.21	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Radium 226	1.16		0.0976	0.154	1.00	0.0558	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Thorium 232	1.03		0.113	0.153		0.0823	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Thorium 234	2.05		0.555	0.595		0.846	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Uranium 235	0.336		0.149	0.153		0.229	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Americium 241	-0.00654	U	0.251	0.251		0.111	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Protactinium 234m	3.65	U	3.05	3.07		4.82	pCi/g	05/13/15 12:42	06/03/15 16:40	1
Other Detected Radionuclides			Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.339		0.0429	0.0553		0.0313	pCi/g	05/13/15 12:42	06/03/15 16:40	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Client Sample ID: L10-12-15-B-E-B-00

Lab Sample ID: 160-11761-3

Date Collected: 05/08/15 09:25

Matrix: Solid

Date Received: 05/08/15 16:51

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.29		0.139	0.191		0.118	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Bismuth 212	1.33		0.356	0.382		0.436	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Bismuth 214	1.46		0.117	0.192		0.0680	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Lead 212	1.25		0.0844	0.183		0.0694	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Lead 214	1.56		0.0962	0.188		0.0714	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Potassium 40	16.7		1.06	2.01		0.202	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Protactinium 231	0.661	U	0.292	0.301		1.16	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Radium 226	1.46		0.117	0.192	1.00	0.0680	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Thorium 232	1.29		0.139	0.191		0.118	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Thorium 234	0.746	U	0.304	0.314		0.993	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Uranium 235	0.0639	U	0.141	0.141		0.254	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Americium 241	0.0518	U	0.0563	0.0566		0.0804	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Protactinium 234m	6.45		3.11	3.18		5.12	pCi/g	05/13/15 12:42	06/03/15 16:34	1
Other Detected Radionuclides			Count	Total						
	Result	Qualifier	Uncert.	Uncert.	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.414		0.0525	0.0679		0.0381	pCi/g	05/13/15 12:42	06/03/15 16:34	1

Client Sample ID: L10-12-16-B-E-B-00

Lab Sample ID: 160-11761-4

Date Collected: 05/08/15 09:30

Matrix: Solid

Date Received: 05/08/15 16:51

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Actinium 228	0.962		0.131	0.163		0.0839	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Bismuth 212	1.57		0.309	0.349		0.202	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Bismuth 214	1.01		0.0872	0.136		0.0499	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Lead 212	0.833		0.0634	0.125		0.0525	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Lead 214	1.07		0.0776	0.135		0.0578	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Potassium 40	16.1		0.903	1.88		0.181	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Protactinium 231	0.191	U	0.167	0.168		0.871	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Radium 226	1.01		0.0872	0.136	1.00	0.0499	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Thorium 232	0.962		0.131	0.163		0.0839	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Thorium 234	0.706		0.256	0.266		0.685	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Uranium 235	0.0727	U	0.119	0.119		0.199	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Americium 241	0.0140	U	0.0525	0.0525		0.0878	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Protactinium 234m	0.751	U	2.02	2.02		3.56	pCi/g	05/13/15 12:42	06/03/15 16:36	1
Other Detected Radionuclides			Count	Total						
	Result	Qualifier	Uncert.	Uncert.	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.256		0.0351	0.0440		0.0275	pCi/g	05/13/15 12:42	06/03/15 16:36	1

TestAmerica St. Louis

QC Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Lab Sample ID: MB 160-190688/1-A
Matrix: Solid
Analysis Batch: 193451

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 190688

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert.	Uncert.						
Actinium 228	0.008805	U	0.0249	0.0249		0.0322	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Bismuth 212	-0.04411	U	0.141	0.141		0.255	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Bismuth 214	0.002276	U	0.0198	0.0198		0.0420	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Lead 212	-0.01256	U	0.0748	0.0748		0.0271	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Lead 214	0.0004683	U	0.0156	0.0156		0.0320	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Potassium 40	-0.01361	U	0.232	0.232		0.344	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Protactinium 231	-0.05504	U	0.200	0.201		0.361	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Radium 226	0.002276	U	0.0198	0.0198	1.00	0.0420	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Thorium 232	0.008805	U	0.0249	0.0249		0.0322	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Thorium 234	0.006057	U	0.132	0.132		0.264	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Uranium 235	0.01145	U	0.0147	0.0147		0.0616	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Americium 241	0.01004	U	0.0121	0.0121		0.0197	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Protactinium 234m	-0.3118	U	1.28	1.28		2.42	pCi/g	05/13/15 12:27	06/03/15 18:19	1
Other Detected Radionuclides	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Other Detected Radionuclide	None						pCi/g	05/13/15 12:27	06/03/15 18:19	1

Lab Sample ID: LCS 160-190688/2-A
Matrix: Solid
Analysis Batch: 193452

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 190688

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Americium 241	101	105.0		10.9		0.568	pCi/g	104	87 - 116
Cesium 137	34.7	37.07		3.83		0.187	pCi/g	107	87 - 120
Cobalt 60	35.4	37.11		3.68		0.133	pCi/g	105	87 - 115

Lab Sample ID: 160-11778-A-21-J DU
Matrix: Solid
Analysis Batch: 193451

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 190688

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total	RL	MDC	Unit	RER	RER Limit
					Uncert. (2σ+/-)					
Actinium 228	0.988		0.9792		0.160		0.112	pCi/g	0.03	1
Bismuth 212	0.874		1.002		0.327		0.377	pCi/g	0.19	1
Bismuth 214	0.848		1.036		0.150		0.0633	pCi/g	0.70	1
Lead 212	0.820		0.9062		0.139		0.0621	pCi/g	0.32	1
Lead 214	1.08		1.074		0.137		0.0595	pCi/g	0.01	1
Potassium 40	14.3		14.33		1.78		0.214	pCi/g	0.02	1
Protactinium 231	0.320	U	0.3595	U	0.228		0.980	pCi/g	0.1	1
Radium 226	0.848		1.036		0.150	1.00	0.0633	pCi/g	0.70	1
Thorium 232	0.988		0.9792		0.160		0.112	pCi/g	0.03	1
Thorium 234	0.955		0.9203		0.541		0.729	pCi/g	0.03	1
Uranium 235	0.0860	U	0.004210	U	0.128		0.218	pCi/g	0.32	1
Americium 241	-0.0130	U	0.01468	U	0.0491		0.0824	pCi/g	0.29	1

TestAmerica St. Louis

QC Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS) (Continued)

Lab Sample ID: 160-11778-A-21-J DU
Matrix: Solid
Analysis Batch: 193451

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 190688

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER
										Limit
Protactinium 234m	5.40		0.7161	U	2.84		4.98	pCi/g	1.00	1
<i>Total</i>										
<i>Other Detected Radionuclides</i>	<i>Sample Result</i>	<i>Sample Qual</i>	<i>DU Result</i>	<i>DU Qual</i>	<i>Total Uncert. (2σ+/-)</i>	<i>RL</i>	<i>MDC</i>	<i>Unit</i>	<i>RER</i>	<i>RER Limit</i>
<i>Tl-208</i>	<i>0.268</i>		<i>0.2824</i>		<i>0.0494</i>		<i>0.0279</i>	<i>pCi/g</i>	<i>0.15</i>	<i>1</i>

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

QC Association Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11761-2

Rad

Leach Batch: 190248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11761-1	L10-04-15-B-E-B-00	Total/NA	Solid	Dry and Grind	
160-11761-2	L10-04-16-B-E-B-00	Total/NA	Solid	Dry and Grind	
160-11761-3	L10-12-15-B-E-B-00	Total/NA	Solid	Dry and Grind	
160-11761-4	L10-12-16-B-E-B-00	Total/NA	Solid	Dry and Grind	

Leach Batch: 190284

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11778-A-21-J DU	Duplicate	Total/NA	Solid	Dry and Grind	

Prep Batch: 190688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11761-1	L10-04-15-B-E-B-00	Total/NA	Solid	Fill_Geo-21	190248
160-11761-2	L10-04-16-B-E-B-00	Total/NA	Solid	Fill_Geo-21	190248
160-11761-3	L10-12-15-B-E-B-00	Total/NA	Solid	Fill_Geo-21	190248
160-11761-4	L10-12-16-B-E-B-00	Total/NA	Solid	Fill_Geo-21	190248
160-11778-A-21-J DU	Duplicate	Total/NA	Solid	Fill_Geo-21	190284
LCS 160-190688/2-A	Lab Control Sample	Total/NA	Solid	Fill_Geo-21	
MB 160-190688/1-A	Method Blank	Total/NA	Solid	Fill_Geo-21	

