

From: Scott Schierman (USA - Casper)
To: [Striz, Elise](#)
Cc: [Greg Kruse \(USA - Casper\)](#); [Donna Wichers \(USA - Casper\)](#); [Brown, David](#); [Mandeville, Douglas](#)
Subject: [External_Sender] RE: Action Item: Proposed Ludeman LC 10.2 and 10.24 revisions
Date: Thursday, March 15, 2018 7:37:39 PM
Attachments: [Feb. 22 Ludeman Public Meeting Revised License Conditions 2_26_18.docx](#)

Hi Elise,

The proposed language for license conditions 10.2 and 10.24 are acceptable to Uranium One.

Thanks for all your efforts.

Regards,

Scott Schierman | HSE Manager
Uranium One Americas, Inc. (U1 Americas)
907 N Poplar | Suite 260 | Casper, WY 82601 | USA
Office: [307.234.8235 ext 330](tel:307.234.8235) | Cell: [307.840.1157](tel:307.840.1157)
scott.schierman@uranium1.com
www.Uranium1.com



This email, including any attachments, is confidential and may be privileged. Please check any attachments for viruses before opening them. If you are not the intended recipient, then any disclosure, copying, distribution or use of this email or any attachment, other than to or by the sender, is prohibited. If you received this email in error, please notify us immediately by returning it to the sender and delete this copy from your system.

From: Striz, Elise <Elise.Striz@nrc.gov>
Sent: Tuesday, February 27, 2018 6:44 AM
To: Scott Schierman (USA - Casper) <Scott.Schierman@uranium1.com>
Cc: Greg Kruse (USA - Casper) <Greg.Kruse@uranium1.com>; Donna Wichers (USA - Casper) <Donna.Wichers@uranium1.com>; Brown, David <David.Brown@nrc.gov>; Mandeville, Douglas <Douglas.Mandeville@nrc.gov>
Subject: Action Item: Proposed Ludeman LC 10.2 and 10.24 revisions

Hi Scott,

Thank you for the suggested revision. Based on this suggestion and our discussion at the public meeting held on Feb. 22, 2018, please see attached the proposed revised license

conditions 10.2 and 10.24 for the Ludeman Draft License.

Please let me know if these are acceptable.

If you have any questions, please let me know. I will be in the office all day.

Thanks,
Elise

Elise A. Striz, Ph.D.
Hydrogeologist
US Nuclear Regulatory Commission
11545 Rockville Pike
MS T8F5
Rockville, MD 20852

email:elise.striz@nrc.gov
Phone:301-415-0708

From: Scott Schierman (USA - Casper) [<mailto:Scott.Schierman@uranium1.com>]
Sent: Thursday, February 22, 2018 1:04 PM
To: Striz, Elise <Elise.Striz@nrc.gov>
Cc: Greg Kruse (USA - Casper) <Greg.Kruse@uranium1.com>; Donna Wichers (USA - Casper) <Donna.Wichers@uranium1.com>
Subject: [External_Sender] License Condition 10.24

Elise

Proposed language for LC 10.24:

The licensee will install three downgradient and one upgradient ground water monitoring wells of at least 50 foot depth in the 110 sand aquifer at both the evaporation and permeate ponds shown in Figure 1 of Addendum 4-A of the Ludeman Project Revised Technical Report . **The monitoring wells will be completed at a depth sufficient to obtain ground water adequate to monitor and** The licensee will monitor these wells to meet the requirements in License Conditions 10.4 and 11.2 with the exception that the licensee will monitor the wells at least quarterly. If an excursion is verified the licensee will not be required to implement immediate corrective actions, but will inform the NRC in 60 days of the actions it will take to determine if the excursion is associated with leaks from the evaporation pond.

I also have a question on the language in LC 10.24 that was caught during the phone discussion that Greg, Donna and myself noticed and want to verify. I believe you are at home today still recovering but would you have time to discuss? Let me know what time works best with your schedule.

Thanks,

Scott Schierman | HSE Manager

Uranium One Americas, Inc. (U1 Americas)

907 N Poplar | Suite 260 | Casper, WY 82601 | USA

Office: [307.234.8235 ext 330](tel:307.234.8235) | Cell: [307.840.1157](tel:307.840.1157)

scott.schierman@uranium1.com

www.Uranium1.com



This email, including any attachments, is confidential and may be privileged. Please check any attachments for viruses before opening them. If you are not the intended recipient, then any disclosure, copying, distribution or use of this email or any attachment, other than to or by the sender, is prohibited. If you received this email in error, please notify us immediately by returning it to the sender and delete this copy from your system.