

NRR-DMPSPEm Resource

From: Vaidya, Bhalchandra
Sent: Monday, March 19, 2018 9:31 AM
To: 'lisa.simpson@exeloncorp.com'; 'david.gullott@exeloncorp.com'
Subject: ACCEPTANCE FOR REVIEW OF APPLICATION - License Amendment Request to Revise the TS SR 3.4.4.1 to Revise the Lower Setpoint Tolerances for Safety/Relief Valves (S/RVs) (EPID-L-2018-LLA-0052)

SUBJECT: LaSalle County Station, Units 1 and 2, Renewed Facility Operating License Nos. NPF-11 and NPF-18, NRC Docket Nos. 50-373 and 50-374,

ACCEPTANCE FOR REVIEW OF APPLICATION - License Amendment Request to Revise the Technical Specifications (TS) Surveillance Requirement (SR) 3.4.4.1 to Revise the Lower Setpoint Tolerances for Safety/Relief Valves (S/RVs) (EPID-L-2018-LLA-0052)

Dear Lisa and David:

By letter dated February 27, 2018 (ADAMS Accession No. ML18058A257), Exelon Generation Company, LLC (EGC) submitted an amendment to Renewed Facility Operating License Nos. NPF-11 and NPF-18 for LaSalle County Station (LSCS), Units 1 and 2, respectively.

The proposed change will modify LSCS Technical Specifications (TS) 3.4.4, "Safety/Relief Valves (S/RVs). 11 Specifically, the proposed amendments would expand the safety function lift setpoint tolerances for the Safety/Relief Valves (S/RVs) that are listed in the TS. This change would be limited to the lower tolerances and would not affect the upper tolerances. The tolerance band for these valves would be changed from $\pm 3\%$ to $+3\%$, -5% of the setpoint.

The purpose of this letter is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of the proposed license amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

Consistent with Section 50.90 of Title 10 of the *Code of Federal Regulations* (10 CFR), an amendment to the license (including the technical specifications) must fully describe the changes requested, and following as far as applicable, the form prescribed for original applications. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 286 hours to complete. The NRC staff expects to complete this review by the requested date of January 21, 2019. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates will be communicated, during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities. Additional delay may occur if the submittal is provided to the NRC in advance or in parallel with industry program initiatives or pilot applications.

If you have any questions, please contact me at (301) 415-3308.

Docket Nos. 50-373 and 50-374

Bhalchandra K. Vaidya
Licensing Project Manager
NRC/NRR/DORL/LPL3
(301)-415-3308 (O)
bhalchandra.vaidya@nrc.gov

Hearing Identifier: NRR_DMPS
Email Number: 249

Mail Envelope Properties (Bhalchandra.Vaidya@nrc.gov20180319093100)

Subject: ACCEPTANCE FOR REVIEW OF APPLICATION - License Amendment
Request to Revise the TS SR 3.4.4.1 to Revise the Lower Setpoint Tolerances for Safety/Relief Valves
(S/RVs) (EPID-L-2018-LLA-0052)

Sent Date: 3/19/2018 9:31:26 AM

Received Date: 3/19/2018 9:31:00 AM

From: Vaidya, Bhalchandra

Created By: Bhalchandra.Vaidya@nrc.gov

Recipients:

"lisa.simpson@exeloncorp.com" <lisa.simpson@exeloncorp.com>

Tracking Status: None

"david.gullott@exeloncorp.com" <david.gullott@exeloncorp.com>

Tracking Status: None

Post Office:

Files	Size	Date & Time
MESSAGE	4282	3/19/2018 9:31:00 AM

Options

Priority: Standard

Return Notification: No

Reply Requested: No

Sensitivity: Normal

Expiration Date:

Recipients Received: