Facility: Three Mile Island Date of Exam: 06/26/17 Exam Level: RO ⊠ SRO ⊠									
							Initial		
Item Description						а	b*	c [#]	
Questions and answers are technically accurate and applicable to the facility.						18	1	0	
2.							0	0	
	b. Facility learning objectives are referenced as available.						1	 	
3.							<u> </u>	7	
4.	The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last 2 NRC licensing exam, consult the NRR OL program office).								
5.	Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: X the audit exam was systematically and randomly developed; or the audit exam was completed before the license exam was started; or the examinations were developed independently; or the licensee certifies that there is no duplication; or other (explain)						<u></u>	Л	
6.	Bank use meets limits (no more than 75 percent	Bank	Mod	ified	New				
	from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.	31/14	19	/3	25/8	TB	8	1	
7.	Between 50 and 60 percent of the questions on the RO	Memory			C/A				
	exam are written at the comprehension /analysis level; the SRO exam may exceed 60 percent if the randomly selected KAs support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	34 / 7		41 / 18		TB	\$	1	
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.	S				13	8	1	
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the Tier to which they are assigned; deviations are justified						13	1	N	
10.	Question psychometric quality and format meet the guidelines in ES Appendix B.						X	p	
11.	,						1	N	
Printed Name / Signature							D	ate	
a. Author b. Facility Reviewer (*) c. NRC Chief Examiner (#) d. NRC Regional Supervisor Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations.							4/25/17 4/25/17 6/19/1) 6/11/17		
# Independent NRC reviewer initial items in Column "c": chief examiner concurrence required									