



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

April 12, 2018

ANO Site Vice President  
Arkansas Nuclear One  
Entergy Operations, Inc.  
N-TSB-58  
1448 S.R. 333  
Russellville, AR 72802

SUBJECT: REQUEST TO EXTEND ENFORCEMENT DISCRETION PROVIDED IN ENFORCEMENT GUIDANCE MEMORANDUM 15-002 FOR TORNADO-GENERATED MISSILE PROTECTION NON CONFORMANCES IDENTIFIED IN RESPONSE TO REGULATORY ISSUE SUMMARY 2015-06, "TORNADO MISSILE PROTECTION" (EPID: L-2018-LLL-0009)

Dear Sir or Madam:

By letter dated March 19, 2018 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML18078B016), Entergy Operations, Inc. (Entergy), requested the U.S. Nuclear Regulatory Commission (NRC, the Commission) to extend the expiration date for the period of enforcement for Arkansas Nuclear One, Units 1 and 2 (ANO-1 and ANO-2), from June 10, 2018, to June 10, 2020, in accordance with information provided in Enforcement Guidance Memorandum (EGM) 15-002, Revision 1, "Enforcement Discretion for Tornado Generated Missile Protection Non-Compliance," dated February 7, 2017 (ADAMS Accession No. ML16355A286).

Subsequently, the NRC staff has reviewed your letter in accordance with Commission direction as provided in EGM 15-002, Revision 1, and staff guidance provided in NRC Interim Staff Guidance, DSS-ISG-2016-01, Revision 1, "Clarification of Licensee Actions in Receipt of Enforcement Discretion [per EGM 15-002]." dated November 2017 (ADAMS Accession No. ML17128A344).

The NRC staff reviewed the information that you have provided and finds that the compensatory measures taken are consistent with EGM 15-002, Revision 1, and with interim staff guidance found in DSS-ISG-2016-01, Revision 1. Specifically, the staff found that ANO-1 and ANO-2 have sufficiently described and evaluated the following six items described in DSS-ISG-2016-01, Rev. 1, Appendix B: nonconformances applicable to the EGM, prompt compensatory actions, long-term compensatory actions, assessment of compensatory measures, need for additional enforcement discretion time, and timeline for restoring licensing basis compliance. The NRC staff has concluded that the actions taken by ANO-1 and ANO-2 can be effectively implemented and justify extension of the enforcement discretion date to June 10, 2020, because ANO-1 and ANO-2 have sufficiently described and documented compensatory measures for identified nonconforming structures, systems, and components (SSCs), provided assurance that compensatory measures will be effective and maintained through the extended period for enforcement discretion, and described an implementable plan

for restoring SSCs to compliance within the extended period for enforcement discretion. Therefore, the request to extend enforcement discretion is granted. If you are unable to meet the extended EGM expiration date, you are requested to contact the NRC staff at least 90 days in advance. Please contact Greg Casto at (301) 415-0565.

Sincerely,

*/RA/*

Russell N. Felts, Deputy Director  
Division of Risk Assessment  
Office of Nuclear Reactor Regulation

Docket Nos. 50-313, 50-368

SUBJECT: REQUEST TO EXTEND ENFORCEMENT DISCRETION PROVIDED IN ENFORCEMENT GUIDANCE MEMORANDUM 15-002 FOR TORNADO-GENERATED MISSILE PROTECTION NON-CONFORMANCES IDENTIFIED IN RESPONSE TO REGULATORY ISSUE SUMMARY 2015-06, "TORNADO MISSILE PROTECTION" (EPID: L-2018-LLL-0009) DATED APRIL 12, 2018

DISTRIBUTION:

Public

RidsAcrs\_MailCTR Resource

RidsNrrDorI Resource

RidsNrrDorILpl4 Resource

RidsNrrPMANO Resource

GCasto, NRR

JHickey, NRR

AWu, NRR

MPatterson, NRR

JPeralta, OE

MFranovich, NRR

RKuntz, NRR

RidsNrrDssScpb Resource

RidsNrrDra Resource

RidsRgn4MailCenter Resource

RidsOeMailCenter Resource

TWengert, NRR

APulvirenti, NRR

JRobinson, NRR

RDennig, NRR

LBaer, OGC

GGulla, OE

ADAMS Accession No. ML18094A739

\*Concurrence by e-mail

OFFICE	DRA/APLB	DRA/APLB	DSS/SCPB/BC	DRA/APLB/BC	DRA
NAME	AWu	MPatterson*	RDennig*	GCasto	RFelts
DATE	04 / 04 / 2018	04 / 10 / 2018	03 / 28 / 2018	04 / 10 / 2018	04 / 12 / 2018

**OFFICIAL RECORD COPY**