Public Service Electric and Gas Company

 Leon R. Ellason
 Public Service Electric and Gas Company P.O. Box 236, Hancocks Bridge, NJ 08038 609-339-1100

 Chief Nuclear Officer & President
 Nuclear Business Unit

JUN 27 1997

LR-N970399

Mr. H. J. Miller Regional Administrator - Region I U.S. Nuclear Regulatory Commission 475 Allendale Rd. King of Prussia, PA 19406

READY TO RESTART SALEM UNIT 2 SALEM GENERATING STATION NO. 2 FACILITY OPERATING LICENSES DPR-75 DOCKET NOS. 50-311

Dear Mr. Miller:

On June 9, 1995, the NRC issued a Confirmatory Action Letter (CAL) for Salem Units 1 and 2. PSE&G has taken actions and provided information concerning the requirements of CAL Items 1, 2, and 3 and it is our understanding that these three CAL Items are complete and have been accepted by the staff. Concerning CAL Items 4 and 5, we have completed the actions described in the Salem Restart Plan and the results of those actions have been provided to the NRC's Salem Assessment Panel. The NRC recently performed its Readiness Assessment Team Inspection (RATI) and conducted an Exit Meeting with us on June 27, 1997. At that meeting we were informed that there are no open items requiring resolution prior to restart.

On June 27, 1997, I conducted a meeting with my senior management at which we performed a final review of our readiness to proceed with the startup of Salem Unit 2. The results of that meeting demonstrated to me that upon completion of required testing, Salem Unit 2 is ready for startup and entering Mode 2 on or about July 12, 1997. Based on this determination, I am requesting your agreement that Salem Unit 2 is ready for restart and that the Confirmatory Action Letter of June 9, 1995 be appropriately modified.

95-4933

Mr. H. J. Miller LR-N970339

If you have any concerns regarding this submittal, please contact us.

Sincerely,

2

/ n

Mr. H. J. Miller LR-N970399

C U. S. Nuclear Regulatory Commission Document Control Desk Washington, DC 20555

> Mr. L. Olshan, Licensing Project Manager - Salem U. S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Mail Stop 14E21 Rockville, MD 20852

3

Mr. C. Marschall (X24) USNRC Senior Resident Inspector

Mr. K. Tosch, Manager, IV Bureau of Nuclear Engineering 33 Arctic Parkway CN 415 Trenton, NJ 08625