



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

May 3, 2018

Mr. Adam C. Heflin  
President, Chief Executive Officer and Chief Nuclear Officer  
Wolf Creek Nuclear Operating Corporation  
Wolf Creek Generating Station  
P.O. Box 411  
Burlington, KS 66839

SUBJECT: REQUEST TO EXTEND ENFORCEMENT DISCRETION PROVIDED IN  
ENFORCEMENT GUIDANCE MEMORANDUM 15-002 FOR  
TORNADO-GENERATED MISSILE PROTECTION NON-CONFORMANCES  
IDENTIFIED IN RESPONSE TO REGULATORY ISSUE SUMMARY 2015-06,  
"TORNADO MISSILE PROTECTION" (EPID: L-2018-LLL-0015)

Dear Mr. Heflin:

By letter dated March 28, 2018 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML18094A115), Wolf Creek Nuclear Operating Corporation, requested the U.S. Nuclear Regulatory Commission (NRC, the Commission) to extend the expiration date for the period of enforcement for Wolf Creek Generating Station (WCGS), from June 10, 2018, to June 10, 2020, in accordance with information provided in Enforcement Guidance Memorandum (EGM) 15-002, Revision 1, "Enforcement Discretion for Tornado Generated Missile Protection Non-Compliance," dated February 7, 2017 (ADAMS Accession No. ML16355A286).

Subsequently, the NRC staff has reviewed your letter in accordance with Commission direction as provided in EGM 15-002, Revision 1, and staff guidance provided in NRC Interim Staff Guidance, DSS-ISG-2016-01, Revision 1, "Clarification of Licensee Actions in Receipt of Enforcement Discretion [per EGM 15-002]," dated November 2017 (ADAMS Accession No. ML17128A344).

The NRC staff reviewed the information that you have provided and finds that the compensatory measures taken are consistent with EGM 15-002, Revision 1, and with interim staff guidance found in DSS-ISG-2016-01, Revision 1. Specifically, the staff found that WCGS has sufficiently described and evaluated the following six items described in DSS-ISG-2016-01, Revision 1, Appendix B: nonconformances applicable to the EGM, prompt compensatory actions, long-term compensatory actions, assessment of compensatory measures, need for additional enforcement discretion time, and timeline for restoring licensing basis compliance. The NRC staff has concluded that the actions taken by WCGS can be effectively implemented and justify extension of the enforcement discretion date to June 10, 2020, because WCGS has sufficiently described and documented compensatory measures for identified nonconforming structures, systems, and components (SSCs), provided assurance that compensatory measures will be effective and maintained through the extended period for enforcement discretion, and described an implementable plan for restoring SSCs to compliance within the extended period for enforcement discretion. Therefore, the request to extend enforcement discretion is granted.

If you are unable to meet the extended enforcement discretion expiration date, you are requested to contact the NRC staff at least 90 days in advance. Please contact Greg Casto at (301) 415-0565.

Sincerely,

*/RA/*

Michael X. Franovich, Director  
Division of Risk Assessment  
Office of Nuclear Reactor Regulation

Docket Nos. 50-482

SUBJECT: REQUEST TO EXTEND ENFORCEMENT DISCRETION PROVIDED IN ENFORCEMENT GUIDANCE MEMORANDUM 15-002 FOR TORNADO-GENERATED MISSILE PROTECTION NON-CONFORMANCES IDENTIFIED IN RESPONSE TO REGULATORY ISSUE SUMMARY 2015-06, "TORNADO MISSILE PROTECTION" (EPID: L-2018-LLL-0015) DATED May 3, 2018

**DISTRIBUTION:**

Public	RidsNrrDssScpb Resource
RidsAcrs_MailCTR Resource	RidsNrrDra Resource
RidsNrrDorl Resource	RidsRgn4MailCenter Resource
RidsNrrDorlLpl4 Resource	RidsOeMailCenter Resource
RidsNrrPMWolfCreek Resource	BSingal, NRR
GCasto, NRR	RKuntz, NRR
JHickey, NRR	JRobinson, NRR
AWu, NRR	RDennig, NRR
MPatterson, NRR	LBaer, OGC
JPeralta, OE	GGulla, OE
MFranovich, NRR	

ADAMS Accession No. **ML18106A737**

\*via-email

<b>OFFICE</b>	DRA/APLB	DRA/APLB	DSS/SCPB	APLB	DRA
<b>NAME</b>	AWu	MPatterson*	RDennig*	GCasto*	MFranovich
<b>DATE</b>	04/11/2018	04/19/2018	04/19/2018	04/20/2018	05/ 03 /2018

**OFFICIAL RECORD COPY**