

F 04/27/78

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)
DISTRIBUTION FOR INCOMING MATERIAL 50-335

REC: REID R W
NRC

ORG: UHRIG R E
FL PWR & LIGHT

DOCDATE: 04/18/78
DATE RCVD: 04/26/78

DOCTYPE: LETTER NOTARIZED: NO

COPIES RECEIVED

SUBJECT:

LTR 3 ENCL 0

FURNISHING CORRECTION TO TYPOGRAPHICAL ERROR CONTAINED IN APPLICANT'S LTR DTD 03/23/78 TO ITEM 3 FOUND ON PAGE 3 IN RESPONSE TO NRC JAN 1978 GENERIC LTR ON ASSYMETRIC LOADS.

PLANT NAME: ST LUCIE #1

REVIEWER INITIAL: XJM
DISTRIBUTOR INITIAL: *ml*

***** DISTRIBUTION OF THIS MATERIAL IS AS FOLLOWS *****

GENERAL DISTRIBUTION FOR AFTER ISSUANCE OF OPERATING LICENSE:
(DISTRIBUTION CODE A001)

FOR ACTION: BR CHIEF REID**LTR ONLY(7)

INTERNAL:

- REG FILE**LTR ONLY(1)
- I & E**LTR ONLY(2)
- HANAUER**LTR ONLY(1)
- EISENHUT**LTR ONLY(1)
- BAER**LTR ONLY(1)
- EEB**LTR ONLY(1)
- J. MCGOUGH**LTR ONLY(1)

- NRC PDR**LTR ONLY(1)
- OELD**LTR ONLY(1)
- CHECK**LTR ONLY(1)
- SHAO**LTR ONLY(1)
- BUTLER**LTR ONLY(1)
- J COLLINS**LTR ONLY(1)

EXTERNAL:

- LPDR'S
- FT PIERCE, FL**LTR ONLY(1)
- TIC**LTR ONLY(1)
- NSIC**LTR ONLY(1)
- ACRS CAT B**LTR ONLY(16)

DISTRIBUTION: LTR 40 ENCL 0
SIZE: 1P

CONTROL NBR: 781160188

MA 4
SD

***** THE END *****

THE UNITED STATES OF AMERICA
DEPARTMENT OF JUSTICE

IN SENATE
JANUARY 1, 1951

CONFIDENTIAL

MEMORANDUM FOR THE SENATE

RE: [Illegible]

[Illegible]


[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]



April 18, 1978

L-78-138

US NRC
DISTRIBUTION SERVICES
BRANCH

APR 26 AM 10 33

RECEIVED DISTRIBUTION
SERVICES UNIT

Director of Nuclear Reactor Regulation
Attention: Mr. Robert W. Reid, Chief
Operating Reactors Branch #4
Division of Operating Reactors
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Dear Mr. Reid:

Re: St. Lucie Unit 1
Docket No. 50-335
Assymetric LOCA Loads

REGULATORY DOCKET FILE COPY

My letter to Mr. Don K. Davis dated March 23, 1978, provided our response to his request that we review the NRC staff's January 1978 generic letter on assymetric loads and indicate how we would modify the August 1977 report for St. Lucie Unit 1 in light of the staff's letter. In reviewing our response, we have discovered a typographical error which should be corrected. Item 3 found on page 3 of our submittal should read as follows (the underlined portion was omitted):

- 3. The size of the flaw required to initiate a cold-leg guillotine is about 0.862" deep X 8" long. An initial flaw about 0.2" deep X 2" long could conceivably grow to the critical flaw size over a 10 year period. This flaw size is above code allowable and is well above the lower level of detectability of available NDT equipment. Its undetected presence in RCS piping is considered negligible.

Very truly yours,

Robert E. Uhrig
Vice President

REU:LLL:sl

cc: Mr. James P. O'Reilly, Region II
Harold F. Reis, Esquire

781160188

A001
5/10

