

Mr. J. P. O'Hanlon
 Senior Vice President - Nuclear
 Virginia Electric and Power Company
 5000 Dominion Blvd.
 Glen Allen, Virginia 23060

June 8, 1995

SUBJECT: THIRD INTERVAL INSERVICE INSPECTION (ISI) PROGRAM RELIEF REQUESTS
 FROM ASME CODE SECTION XI - SURRY POWER STATION UNITS 1 AND 2
 (TAC NOS. M90708 AND M90709)

By letter dated October 11, 1994, you requested relief from the requirements of ASME Code Section XI, 1989 Edition, Subsection IWF-5000, with regard to visual examination and repair/replacement of snubbers. Subsection IWF-5000 references the first addenda to ASME/ANSI OM-1987, Part 4 (published in 1988) for visual examination and repair/replacement for snubbers.

Based on the information provided, we have determined that you have provided adequate justification for the relief requests, for both Units 1 and 2, from the requirements of ASME Code 1989 Edition, Section XI, Subsection IWF, with regard to visual examination, visual failure group evaluation, and repair/replacement for snubbers. Based on this and the fact that acceptable alternatives already exist in the Surry Technical Specifications and ASME Code Section XI, Subsection IWA, we have concluded that pursuant to 10 CFR 50.55a(a)(3)(i) the proposed alternatives would provide an acceptable level of quality and safety and, therefore, the relief requests for the third interval ISI program are granted and your proposed alternative should be imposed.

Our Safety Evaluation of your relief requests is enclosed. This completes our efforts on this issue and we are, therefore, closing out Tac Nos. M90708 and M90709.

Sincerely,

(Original Signed By B. Buckley For)

David B. Matthews, Director
 Project Directorate II-1
 Division of Reactor Projects - I/II
 Office of Nuclear Reactor Regulation

Docket Nos: 50-280/281

Enclosure: As stated

cc/w enclosure: See next page

Distribution

Docket File
 PUBLIC
 PDII-1 RF
 S. Varga
 J. Zwolinski
 ACRS (4)
 D. Verrelli, RII

NRC FILE CENTER COPY

FILENAME - A:\SURYRELF.SER *See previous concurrence

OFFICE	LA:PDII-1	PM:PDII-1	D:PDII-1	OGC	EMEB
NAME	Dunnington	BBuckley	DMatthews		KManoly*
DATE	06/1/95	06/2/95	06/8/95	06/7/95	05/16/95
COPY	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

AA3

JFO

9506230217 950608
 PDR ADDOCK 05000280
 PDR

OFFICIAL RECORD COPY

Mr. J. P. O'Hanlon
Virginia Electric and Power Company

Surry Power Station
Units 1 and 2

cc:

Michael W. Maupin, Esq.
Hunton and Williams
Riverfront Plaza, East Tower
951 E. Byrd Street
Richmond, Virginia 23219

Attorney General
Supreme Court Building
101 North 8th Street
Richmond, Virginia 23219

Mr. David Christian, Manager
Surry Power Station
Post Office Box 315
Surry, Virginia 23883

Mr. M. L. Bowling, Manager
Nuclear Licensing & Programs
Virginia Electric and Power Company
Innsbrook Technical Center
5000 Dominion Blvd.
Glen Allen, Virginia 23060

Senior Resident Inspector
Surry Power Station
U.S. Nuclear Regulatory Commission
5850 Hog Island Road
Surry, Virginia 23883

Chairman
Board of Supervisors of Surry County
Surry County Courthouse
Surry, Virginia 23683

Dr. W. T. Lough
Virginia State Corporation
Commission
Division of Energy Regulation
Post Office Box 1197
Richmond, Virginia 23209

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission
101 Marietta Street N.W., Suite 2900
Atlanta, Georgia 30323

Robert B. Strobe, M.D., M.P.H.
State Health Commissioner
Office of the Commissioner
Virginia Department of Health
P.O. Box 2448
Richmond, Virginia 23218