

Facility: <u>Fermi 2</u>		Date of Exam: <u>3/2/18</u>		Exam Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	<u>gr</u>	<u>ES</u>	<u>cmj</u>		
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)	<u>a</u>	<u>ES</u>	<u>cmj</u>		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	<u>a</u>	<u>ES</u>	<u>cmj</u>		
4. Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>		
5. All other failing examinations checked to ensure that grades are justified	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants	<u>a</u>	<u>ES</u>	<u>cmj</u>		
Printed Name/Signature		Date			
a. Grader	<u>JASON VONBRUNT / [Signature]</u>		<u>3/5/2018</u>		
b. Facility Reviewer(*)	<u>Scott Schinus / [Signature]</u>		<u>3/5/18</u>		
c. NRC Chief Examiner (*)	<u>Charles Zóia / [Signature]</u>		<u>3/13/18</u>		
d. NRC Supervisor (*)	<u>Robert J. Orlikowski / [Signature]</u>		<u>3/13/2018</u>		
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					