

Director of FSMA
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001


Subject: Notification of Proper Disposal of Tritium Exit Signs

This letter is to provide notification that the signs listed on the attached documents have been shipped to SRB Technologies, Inc. (NC Radioactive Materials License # 034-0534-2) for proper disposal.

These signs were originally installed at:

Central Marin Sanitation Agency
1301 Andersen Drive
San Rafael, CA 94901

Sincerely,



Signature - Installation facility

May 23, 2018
Date

Asst Maintenance Supervisor
Title

TRITIUM EXIT SIGN(S) WORKSHEET

Date:

4/16/2018

It is required by Federal Law to submit information per sign prior to approval for recycling. Please fill in all shaded areas on the following worksheet. We will utilize this information in preparing all required paperwork to obtain approval for each shipment. This information will also be utilized in preparing your price quote. As soon as confirmation of approval is received, we will ship the appropriate number of recycle kits to package and ship the Tritium Exit Sign(s) for recycling.



RETURN COMPLETED FORMS TO:

Scan: csr@ezontheearth.com
 Fax: 317-887-5104
 EZ on the Earth
 449 Park 800 Drive
 Greenwood, IN 46143

No shipment shall be received without the proper RGA number and UN2911 posted on the outside of the container. (EZ on the Earth will send a container with the completed label including your specific RGA # and the UN2911 number once this form is received and accepted).

Billing Information

Central Marin Sanitation Agency

1301 Andersen Dr
 San Rafael, Ca, 94901
 415-459-1455

kgroves@cmsa.us

Company Name:

Contact:

Street/PO Box:

City, State, Zip:

Phone:

Fax:

e-mail:

Generator Information

Central Marin Sanitation Agency

Kit Groves

1301 Andersen

San Rafael, CA, 94901

415-459-1455 X133

kgroves@cmsa.us

Exit Signs to be Returned - This Must be Provided in its Entirety

	Check for each sign		Manufacturer	Model	Serial Number	Date of Manufacture	Life Rating (years) or Curies 10, 12, 15, or 20 yrs. (If unknown 21.6 Ci will be used)
	Single Sided	Double Sided					
1	X		ISOLITE	2000	242933	11/x/2003	11.5 curies
2							
3							
4							
5							
6							
7							
8							
9							
10							