



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
2443 WARRENVILLE RD. SUITE 210  
LISLE, IL 60532-4352

JUN 20 2018

Edward E. Wroblewski, M.A.  
Radiation Safety Officer  
Photon Measurements Plus  
17520 Dartown Road, #31  
Westfield, IN 46074

Dear Mr. Wroblewski:

Enclosed is Amendment No. 07 to your NRC Materials License No. 13-32533-01 in accordance with your request. Please note that, your license format has been changed based on our new Web-based Licensing (WBL) process.

Additionally, in accordance with the NRC licensing guidance we have updated License Condition No. 10 regarding the locations of use, License Condition No. 14 regarding the sealed source leak test requirements and License Condition No. 18 regarding the physical inventory requirements and added a limiting condition (License Condition No. 20) to limit your licensed material possession below the threshold to maintain a decommissioning financial assurance as specified in 10 CFR 30.35. We also deleted License Condition No. 20 regarding the transportation requirement listed in the previous amendment because the requirement is already specified in the regulations (10 CFR Part 71).


Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

  
Frank P. D. Tran  
Health Physicist  
Materials Licensing Branch

License No. 13-32533-01  
Docket No. 030-36648

Enclosure: Amendment No. 07