

HMS * Summary of Results

Project : WCS

Run Name : 500 Year R1

Start of Run : 01Dec00 0000 Basin Model : 100YrAML/22/04
 End of Run : 02Dec00 0000 Met. Model : Met 500 Year R1
 Execution Time : 03Nov05 1631 Control Specs : Control 1



Hydrologic Element	Discharge Peak (cfs)	Time of Peak	Volume (ac ft)	Drainage Area (sq mi)
Subbasin-4	714.02	01 Dec 00 1233	110.29	0.490
Reach-2	714.02	01 Dec 00 1248	109.75	0.490
Subbasin-2	1057.3	01 Dec 00 1302	236.57	1.063
playa	0.0	30 Nov 00 2400	0.0	1.063
Reach-1	0.0	30 Nov 00 2400	0.0	1.063
Subbasin-1A	591.53	01 Dec 00 1325	161.43	0.691
Reach-1A	591.53	01 Dec 00 1342	160.49	0.691
Subbasin-1B	418.70	01 Dec 00 1239	70.527	0.314
Junction-1A	750.62	01 Dec 00 1327	231.02	1.005
Reach-1B	750.62	01 Dec 00 1330	230.78	1.005
Subbasin-3	208.01	01 Dec 00 1239	35.039	0.156
Junction-1	857.40	01 Dec 00 1300	265.82	2.224
Reach-3	857.40	01 Dec 00 1317	264.27	2.224
Subbasin-5A	285.12	01 Dec 00 1232	43.236	0.192
Junction-2	1668.0	01 Dec 00 1253	417.25	2.906
Reach-4	1668.0	01 Dec 00 1314	414.24	2.906
Subbasin-5B	307.55	01 Dec 00 1249	59.289	0.265
Junction-3	1913.6	01 Dec 00 1312	473.53	3.171
Reach-5	1913.6	01 Dec 00 1326	471.22	3.171
Subbasin-6	130.23	01 Dec 00 1223	16.721	0.074
Junction-4	1942.7	01 Dec 00 1325	487.94	3.245
Reach-6	1942.7	01 Dec 00 1325	487.94	3.245
Subbasin-7	104.67	01 Dec 00 1301	23.156	0.104
Junction-5	2031.8	01 Dec 00 1325	511.09	3.349

Meteorologic Model Input - 500-Year Storm



The screenshot shows the 'HMS - Meteorologic Model' application window. It features a menu bar with 'File', 'Edit', and 'Help'. The main interface includes several input fields and buttons:

- Meteorologic Model:** Met 500 Year R1
- Description:** 500 Year, 24 Hour Storm
- Precipitation:** Evapotranspiration
- Method:** SCS Hypothetical Storm
- Storm Selection:** Type II
- Storm Depth (in):** 9.24
- Subbasin List:** A button located in the top right corner.



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS




WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





APPENDIX E

HEC-HMS MODEL FOR THE CALCULATION OF THE PMP PEAK DISCHARGES



Handwritten signature and date:
12/17/04



HMS * Summary of Results



Project : WCS Run Name : PMP Dist A



Start of Run : 01Dec00 0000 Basin Model : 100YrAML/22/04
 End of Run : 05Dec00 0000 Met. Model : PMP Distribution A
 Execution Time : 15Dec04 1355 Control Specs : Control PMP



Hydrologic Element	Discharge Peak (cfs)	Time of Peak	Volume (ac ft)	Drainage Area (sq mi)
Subbasin-4	1265.5	03 Dec 00 0601	874.67	0.490
Reach-2	1265.5	03 Dec 00 0616	874.67	0.490
Subbasin-2	2726.0	03 Dec 00 0605	1897.5	1.063
playa	2194.2	03 Dec 00 0655	1440.5	1.063
Reach-1	2194.2	03 Dec 00 0730	1440.5	1.063
Subbasin-1A	1767.9	03 Dec 00 0610	1252.0	0.691
Reach-1A	1767.9	03 Dec 00 0627	1252.0	0.691
Subbasin-1B	809.97	03 Dec 00 0601	560.51	0.314
Junction-1A	2567.7	03 Dec 00 0606	1812.5	1.005
Reach-1B	2567.7	03 Dec 00 0609	1812.5	1.005
Subbasin-3	402.41	03 Dec 00 0601	278.47	0.156
Junction-1	4793.3	03 Dec 00 0625	3531.4	2.224
Reach-3	4793.3	03 Dec 00 0642	3531.4	2.224
Subbasin-5A	495.98	03 Dec 00 0601	342.73	0.192
Junction-2	6408.8	03 Dec 00 0625	4748.8	2.906
Reach-4	6408.8	03 Dec 00 0646	4748.8	2.906
Subbasin-5B	681.99	03 Dec 00 0603	473.04	0.265
Junction-3	6969.3	03 Dec 00 0639	5221.9	3.171
Reach-5	6969.3	03 Dec 00 0653	5221.9	3.171
Subbasin-6	191.50	03 Dec 00 0600	132.09	0.074
Junction-4	7042.0	03 Dec 00 0651	5354.0	3.245
Reach-6	7042.0	03 Dec 00 0651	5354.0	3.245
Subbasin-7	266.78	03 Dec 00 0604	185.65	0.104
Junction-5	7267.5	03 Dec 00 0647	5539.6	3.349


Meteorologic Model Input














































APPENDIX F

HEC-RAS MODEL FOR THE CALCULATION OF THE 500-YEAR AND PMP WATER SURFACE PROFILES



Reach	River Sta	Q Total (cfs)	Min Ch B (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Ch Dpth (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Sta W.S. Lft (ft)	Sta W.S. Rgt (ft)	Top Width (ft)	Froude # Chl
5	12674	533.00	3477.00	3478.39	3478.01	1.39	3478.47	0.003073	2.31	237.18	352.67	659.59	306.92	0.43
5	12674	1768.00	3477.00	3479.22	3478.65	2.22	3479.41	0.003111	3.61	539.30	294.31	712.12	417.81	0.48
5	11337	533.00	3469.00	3470.41	3470.38	1.41	3470.80	0.014135	5.03	108.23	426.18	558.41	132.24	0.93
5	11337	1768.00	3469.00	3471.40	3471.40	2.40	3472.19	0.011380	7.37	259.90	404.87	578.73	173.86	0.94
5	10937	533.00	3464.00	3465.80	3465.61	1.80	3466.09	0.009826	4.31	123.70	472.06	602.43	130.37	0.78
5	10937	1768.00	3464.00	3466.73	3466.67	2.73	3467.39	0.011861	6.57	275.01	438.14	635.86	197.71	0.93
5	10288	533.00	3456.00	3456.93	3456.93	0.93	3457.20	0.020385	4.13	129.02	402.00	652.47	250.47	1.01
5	10288	1768.00	3456.00	3457.50	3457.50	1.50	3457.89	0.018227	5.03	351.36	346.65	813.19	466.54	1.02
5	9690	677.00	3450.00	3451.55	3451.18	1.55	3451.66	0.004712	2.84	256.54	437.56	762.72	325.16	0.62
5	9690	2568.00	3450.00	3452.40	3452.03	2.40	3452.69	0.005801	4.32	602.35	345.19	818.61	473.42	0.84
5	9009	677.00	3445.00	3446.51	3446.40	1.51	3446.75	0.012312	3.89	173.83	449.43	702.00	252.56	0.83
5	9009	2568.00	3445.00	3447.55		2.55	3447.89	0.008737	4.66	550.82	382.59	834.60	472.01	0.76
5	8130	677.00	3440.00	3441.63	3441.16	1.63	3441.71	0.003245	2.28	297.21	462.17	817.28	355.10	0.44
5	8130	2568.00	3440.00	3442.51	3441.99	2.51	3442.74	0.004151	3.85	678.70	389.53	888.33	498.79	0.55
5	7717	677.00	3437.80	3438.71	3438.71	0.91	3438.99	0.019488	4.26	158.88	329.73	614.40	284.67	1.01
5	7717	2568.00	3437.80	3439.61	3439.49	1.81	3440.03	0.016966	5.19	494.88	282.15	712.02	449.87	0.87
5	7253	770.00	3435.00	3436.41	3435.91	1.41	3436.48	0.001714	1.75	445.91	403.00	926.18	523.18	0.32
5	7253	4793.00	3435.00	3437.73	3436.95	2.73	3437.98	0.002925	4.15	1224.65	335.02	991.53	656.51	0.49
5	6343	1496.00	3430.00	3430.75	3430.75	0.75	3431.07	0.018741	4.53	330.28	772.11	1296.48	524.36	1.01
5	6343	6409.00	3430.00	3431.79	3431.79	1.79	3432.49	0.013082	6.69	974.08	677.18	1464.86	787.68	0.97
5	5363	1496.00	3425.00	3426.40	3425.83	1.40	3426.48	0.001750	1.94	788.36	703.82	1555.74	851.92	0.33
5	5363	6409.00	3425.00	3427.60	3426.70	2.60	3427.77	0.002053	3.49	2022.32	588.77	1796.04	1207.27	0.41
5	4221	1717.00	3420.00	3421.06	3421.06	1.06	3421.42	0.018111	4.81	357.22	531.16	1048.34	517.17	1.01
5	4221	6969.00	3420.00	3422.09	3422.09	2.09	3422.69	0.013866	6.36	1150.73	316.52	1328.11	1009.59	0.98
5	3489	1717.00	3416.00	3417.25	3416.73	2.25	3417.31	0.002255	2.14	874.30	-117.74	884.97	1002.71	0.38
5	3489	6969.00	3416.00	3418.33	3417.53	3.33	3418.52	0.002578	3.59	1994.93	-133.97	942.92	1078.90	0.45
5	2989	1717.00	3413.80	3414.57	3414.57	0.77	3414.89	0.018885	4.34	384.69	177.33	806.50	629.17	1.00
5	2989	6969.00	3413.80	3415.54	3415.49	1.74	3416.14	0.012585	6.56	1134.92	3.77	883.00	879.23	0.95
5	2774	1717.00	3409.00	3414.06	3412.71	5.06	3414.10	0.000321	2.27	1403.81	-406.88	643.47	1050.35	0.18
5	2774	6969.00	3409.00	3415.01	3413.39	6.01	3415.19	0.001205	4.98	2435.25	-437.14	683.38	1120.52	0.37
5	2773		Culvert											
5	2734	1717.00	3408.90	3412.71	3412.71	3.81	3412.86	0.001314	3.69	665.51	83.74	515.65	431.91	0.35
5	2734	6969.00	3408.90	3413.55	3413.55	4.65	3414.44	0.006458	9.48	1063.05	39.16	549.82	510.66	0.81
5	1858	1743.00	3408.00	3409.30	3408.79	1.30	3409.38	0.002752	2.28	770.75	186.86	1009.59	822.73	0.41
5	1858	7042.00	3408.00	3410.48	3409.72	2.48	3410.68	0.002812	3.54	2065.39	-218.86	1201.30	1419.98	0.46
5	1060	1823.00	3402.70	3404.20	3404.20	1.50	3404.61	0.017308	5.11	356.68	656.23	1102.98	444.75	1.01
5	1060	7288.00	3402.70	3405.41	3405.41	2.71	3406.07	0.014850	6.53	1112.35	480.47	1338.48	856.01	1.01

HEC-RAS Version 3.0.1 Mar 2001
 U.S. Army Corp of Engineers
 Hydrologic Engineering Center
 609 Second Street, Suite D
 Davis, California 95616-4687
 (916) 756-1104

```

X      X  XXXXXX      XXXX      XXXX      XX      XXXX
X      X  X          X  X      X  X      X  X      X
X      X  X          X          X  X      X  X      X
XXXXXXXX XXXX      X          XXX XXXX XXXXXX XXXX
X      X  X          X          X  X      X  X      X
X      X  X          X  X      X  X      X  X      X
X      X  XXXXXX      XXXX      X  X      X  X      XXXXX
  
```

PROJECT DATA

Project Title: WCS
 Project File : FloodPlain.prj
 Run Date and Time: 12/15/04 2:53:26 PM

Project in English units

PLAN DATA

Plan Title: PMP
 Plan File : D:\program files\WCS\FloodPlain.p24

Geometry Title: PMP1-20-04SecRemoved
 Geometry File : D:\program files\WCS\FloodPlain.g04

Flow Title : pmp
 Flow File : D:\program files\WCS\FloodPlain.f22

Plan Summary Information:

Number of: Cross Sections = 18 Multiple Openings = 0
 Culverts = 1 Inline Weirs = 0
 Bridges = 0

Computational Information

Water surface calculation tolerance = 0.01
 Critical depth calculaton tolerance = 0.01
 Maximum number of interations = 20
 Maximum difference tolerance = 0.3
 Flow tolerance factor = 0.001

Computation Options

Critical depth computed only where necessary
 Conveyance Calculation Method: At breaks in n values only
 Friction Slope Method: Average Conveyance
 Computational Flow Regime: Mixed Flow

FLOW DATA

Flow Title: pmp
 Flow File : D:\program files\WCS\FloodPlain.f22

Flow Data (cfs)

River	Reach	RS	PF 2	PF 3
Ditch A	5	12674	533	1768
Ditch A	5	9690	677	2568
Ditch A	5	7253	770	4793
Ditch A	5	6343	1496	6409
Ditch A	5	4221	1717	6969
Ditch A	5	1888	1743	7042
Ditch A	5	1060	1823	7268

Boundary Conditions

River	Reach	Profile	Upstream
Downstream			
Ditch A	5	PF 2	Critical
Critical			

GEOMETRY DATA

Geometry Title: PMP1-20-04SecRemoved
 Geometry File : D:\program files\WCS\FloodPlain.g04

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 12674

INPUT

Description: Sta. 12674

Station Elevation Data				num=						
Sta	Elev	Sta	Elev	6	Sta	Elev	Sta	Elev	Sta	Elev
100	3482	380	3478		560	3477	635	3478	761	3480
964	3482									

Manning's n Values				num=						
Sta	n Val	Sta	n Val	3	Sta	n Val	Sta	n Val	Sta	n Val
100	.033	380	.033		635	.033				

Bank Sta:	Left	Right	Lengths: Left Channel			Right	Coeff Contr.	
Expan.								
	380	635	1206	1337	1433		.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3478.47	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.08	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3478.39	Reach Len. (ft)	1206.00
1337.00	1433.00		
Crit W.S. (ft)	3478.01	Flow Area (sq ft)	5.33
227.05	4.80		
E.G. Slope (ft/ft)	0.003073	Area (sq ft)	5.33
227.05	4.80		
Q Total (cfs)	533.00	Flow (cfs)	4.48
524.49	4.03		
Top Width (ft)	306.92	Top Width (ft)	27.33
255.00	24.59		
Vel Total (ft/s)	2.25	Avg. Vel. (ft/s)	0.84
2.31	0.84		
Max Chl Dpth (ft)	1.39	Hydr. Depth (ft)	0.20
0.89	0.20		
Conv. Total (cfs)	9615.3	Conv. (cfs)	80.8
9461.7	72.7		
Length Wtd. (ft)	1336.69	Wetted Per. (ft)	27.33
255.01	24.60		
Min Ch El (ft)	3477.00	Shear (lb/sq ft)	0.04
0.17	0.04		
Alpha	1.04	Stream Power (lb/ft s)	0.03
0.39	0.03		
Frctn Loss (ft)	7.64	Cum Volume (acre-ft)	15.04
91.01	2.30		
C & E Loss (ft)	0.03	Cum SA (acres)	19.30
105.54	3.85		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3479.41	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.19	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3479.22	Reach Len. (ft)	1206.00
1337.00	1433.00		
Crit W.S. (ft)	3478.65	Flow Area (sq ft)	52.45
439.65	47.20		
E.G. Slope (ft/ft)	0.003111	Area (sq ft)	52.45
439.65	47.20		
Q Total (cfs)	1768.00	Flow (cfs)	94.95
1587.60	85.45		
Top Width (ft)	417.81	Top Width (ft)	85.69
255.00	77.12		

Vel Total (ft/s)	3.28	Avg. Vel. (ft/s)	1.81
3.61 1.81			
Max Chl Dpth (ft)	2.22	Hydr. Depth (ft)	0.61
1.72 0.61			
Conv. Total (cfs)	31697.9	Conv. (cfs)	1702.3
28463.6 1532.0			
Length Wtd. (ft)	1334.91	Wetted Per. (ft)	85.70
255.01 77.13			
Min Ch El (ft)	3477.00	Shear (lb/sq ft)	0.12
0.33 0.12			
Alpha	1.12	Stream Power (lb/ft s)	0.22
1.21 0.22			
Frctn Loss (ft)	7.16	Cum Volume (acre-ft)	42.64
220.87 11.81			
C & E Loss (ft)	0.06	Cum SA (acres)	35.90
135.42 17.21			

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for

additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 11337

INPUT

Description: Sta. 11337

Station Elevation Data	num=	8							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3477 315 3474 392 3472 435 3470 499 3469									
550 3470 591 3472 694 3474									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
100 .033 435 .033 550 .033		

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan. 435 550	545 400 332	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3470.80	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.39	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3470.41	Reach Len. (ft)	545.00
400.00 332.00			
Crit W.S. (ft)	3470.38	Flow Area (sq ft)	1.81
104.70 1.73			

E.G. Slope (ft/ft)	0.014135	Area (sq ft)	1.81
104.70 1.73			
Q Total (cfs)	533.00	Flow (cfs)	3.37
526.42 3.21			
Top Width (ft)	132.24	Top Width (ft)	8.82
115.00 8.41			
Vel Total (ft/s)	4.92	Avg. Vel. (ft/s)	1.86
5.03 1.86			
Max Chl Dpth (ft)	1.41	Hydr. Depth (ft)	0.21
0.91 0.21			
Conv. Total (cfs)	4483.2	Conv. (cfs)	28.3
4427.8 27.0			
Length Wtd. (ft)	400.25	Wetted Per. (ft)	8.83
115.02 8.42			
Min Ch El (ft)	3469.00	Shear (lb/sq ft)	0.18
0.80 0.18			
Alpha	1.03	Stream Power (lb/ft s)	0.34
4.04 0.34			
Frctn Loss (ft)	4.68	Cum Volume (acre-ft)	14.94
85.92 2.19			
C & E Loss (ft)	0.03	Cum SA (acres)	18.80
99.86 3.30			

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3472.19	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.79	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3471.40	Reach Len. (ft)	545.00
400.00 332.00			
Crit W.S. (ft)	3471.40	Flow Area (sq ft)	21.11
218.66 20.13			
E.G. Slope (ft/ft)	0.011380	Area (sq ft)	21.11
218.66 20.13			
Q Total (cfs)	1768.00	Flow (cfs)	79.94
1611.84 76.22			
Top Width (ft)	173.86	Top Width (ft)	30.13
115.00 28.73			
Vel Total (ft/s)	6.80	Avg. Vel. (ft/s)	3.79
7.37 3.79			
Max Chl Dpth (ft)	2.40	Hydr. Depth (ft)	0.70
1.90 0.70			
Conv. Total (cfs)	16573.1	Conv. (cfs)	749.4
15109.3 714.5			
Length Wtd. (ft)	401.34	Wetted Per. (ft)	30.16
115.02 28.76			
Min Ch El (ft)	3469.00	Shear (lb/sq ft)	0.50
1.35 0.50			
Alpha	1.10	Stream Power (lb/ft s)	1.88
9.96 1.88			

Frctn Loss (ft)	4.66	Cum Volume (acre-ft)	41.62
210.77	10.70		
C & E Loss (ft)	0.04	Cum SA (acres)	34.30
129.75	15.47		

Warning: The energy equation could not be balanced within the specified number of iterations. The

program selected the water surface that had the least amount of error between computed and assumed values.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to

critical depth, the calculated water surface came back below critical depth. This indicates

that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 10937

INPUT

Description: Sta. 10937

Station Elevation Data	num=	9							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3470 351 3468 428 3467 465 3466 536 3464									
543 3464 609 3466 683 3468 811 3472									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
100 .033 428 .033 609 .033		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.
Expan.						
	428	609	729	649	445	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3466.09	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.29	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3465.80	Reach Len. (ft)	729.00
649.00 445.00			
Crit W.S. (ft)	3465.61	Flow Area (sq ft)	
123.70			
E.G. Slope (ft/ft)	0.009826	Area (sq ft)	
123.70			
Q Total (cfs)	533.00	Flow (cfs)	
533.00			
Top Width (ft)	130.37	Top Width (ft)	
130.37			
Vel Total (ft/s)	4.31	Avg. Vel. (ft/s)	
4.31			

Max Chl Dpth (ft)	1.80	Hydr. Depth (ft)	
0.95			
Conv. Total (cfs)	5377.1	Conv. (cfs)	
5377.1			
Length Wtd. (ft)	649.00	Wetted Per. (ft)	
130.42			
Min Ch El (ft)	3464.00	Shear (lb/sq ft)	
0.58			
Alpha	1.00	Stream Power (lb/ft s)	
2.51			
Frctn Loss (ft)	8.89	Cum Volume (acre-ft)	14.93
84.87	2.18		
C & E Loss (ft)	0.01	Cum SA (acres)	18.75
98.74	3.27		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3467.39	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.66	Wt. n-Val.	
0.033	0.033		
W.S. Elev (ft)	3466.73	Reach Len. (ft)	729.00
649.00	445.00		
Crit W.S. (ft)	3466.67	Flow Area (sq ft)	
265.27	9.75		
E.G. Slope (ft/ft)	0.011861	Area (sq ft)	
265.27	9.75		
Q Total (cfs)	1768.00	Flow (cfs)	
1743.69	24.31		
Top Width (ft)	197.71	Top Width (ft)	
170.86	26.86		
Vel Total (ft/s)	6.43	Avg. Vel. (ft/s)	
6.57	2.49		
Max Chl Dpth (ft)	2.73	Hydr. Depth (ft)	
1.55	0.36		
Conv. Total (cfs)	16234.1	Conv. (cfs)	
16010.9	223.2		
Length Wtd. (ft)	647.60	Wetted Per. (ft)	
170.92	26.87		
Min Ch El (ft)	3464.00	Shear (lb/sq ft)	
1.15	0.27		
Alpha	1.03	Stream Power (lb/ft s)	
7.55	0.67		
Frctn Loss (ft)	9.41	Cum Volume (acre-ft)	41.49
208.55	10.59		
C & E Loss (ft)	0.08	Cum SA (acres)	34.11
128.43	15.25		

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 10288

INPUT

Description: Sta. 10288

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3464	177	3462	238	3460	298	3458	493	3456
519	3456	662	3457	778	3457.1	857	3458	903	3460
947	3462	989	3464						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	298	.033	857	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.
Expan.	298	857	552	598	633	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3457.20	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.26	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3456.93	Reach Len. (ft)	552.00
598.00	633.00		
Crit W.S. (ft)	3456.93	Flow Area (sq ft)	
129.02			
E.G. Slope (ft/ft)	0.020385	Area (sq ft)	
129.02			
Q Total (cfs)	533.00	Flow (cfs)	
533.00			
Top Width (ft)	250.47	Top Width (ft)	
250.47			
Vel Total (ft/s)	4.13	Avg. Vel. (ft/s)	
4.13			
Max Chl Dpth (ft)	0.93	Hydr. Depth (ft)	
0.52			
Conv. Total (cfs)	3733.1	Conv. (cfs)	
3733.1			
Length Wtd. (ft)	598.00	Wetted Per. (ft)	
250.48			
Min Ch El (ft)	3456.00	Shear (lb/sq ft)	
0.66			
Alpha	1.00	Stream Power (lb/ft s)	
2.71			
Frctn Loss (ft)	4.74	Cum Volume (acre-ft)	14.93
82.99	2.18		
C & E Loss (ft)	0.05	Cum SA (acres)	18.75
95.90	3.27		

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT		Profile #PF 3	
E.G. Elev (ft)	3457.89	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.39	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3457.50	Reach Len. (ft)	552.00
598.00 633.00			
Crit W.S. (ft)	3457.50	Flow Area (sq ft)	
351.36			
E.G. Slope (ft/ft)	0.018227	Area (sq ft)	
351.36			
Q Total (cfs)	1768.00	Flow (cfs)	
1768.00			
Top Width (ft)	466.54	Top Width (ft)	
466.54			
Vel Total (ft/s)	5.03	Avg. Vel. (ft/s)	
5.03			
Max Chl Dpth (ft)	1.50	Hydr. Depth (ft)	
0.75			
Conv. Total (cfs)	13095.7	Conv. (cfs)	
13095.7			
Length Wtd. (ft)	597.95	Wetted Per. (ft)	
466.55			
Min Ch El (ft)	3456.00	Shear (lb/sq ft)	
0.86			
Alpha	1.00	Stream Power (lb/ft s)	
4.31			
Frctn Loss (ft)	5.13	Cum Volume (acre-ft)	41.49
203.95 10.54			
C & E Loss (ft)	0.03	Cum SA (acres)	34.11
123.69 15.12			

Warning: The energy equation could not be balanced within the specified number of iterations. The program selected the water surface that had the least amount of error between computed

and assumed values.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.
Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 9690

INPUT

Description: Sta. 9690

Station Elevation Data				num=						
Sta	Elev	Sta	Elev		Sta	Elev	Sta	Elev	Sta	Elev
100	3454.5	202	3454	8	381	3452	632	3450	638	3450
799	3452	897	3454		1010	3458				

Manning's n Values				num=				
Sta	n Val	Sta	n Val		Sta	n Val	Sta	n Val
100	.033	381	.033	3	799	.033		

Bank Sta:	Left	Right	Lengths:		Left Channel	Right	Coeff Contr.	
Expan.								
	381	799	639	681	658		.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3451.66	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.11	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3451.55	Reach Len. (ft)	639.00
681.00 658.00			
Crit W.S. (ft)	3451.18	Flow Area (sq ft)	
256.54			
E.G. Slope (ft/ft)	0.004712	Area (sq ft)	
256.54			
Q Total (cfs)	677.00	Flow (cfs)	
677.00			
Top Width (ft)	325.16	Top Width (ft)	
325.16			
Vel Total (ft/s)	2.64	Avg. Vel. (ft/s)	
2.64			
Max Chl Dpth (ft)	1.55	Hydr. Depth (ft)	
0.79			
Conv. Total (cfs)	9862.4	Conv. (cfs)	
9862.4			
Length Wtd. (ft)	681.00	Wetted Per. (ft)	
325.18			

Min Ch El (ft)	3450.00	Shear (lb/sq ft)	
0.23			
Alpha	1.00	Stream Power (lb/ft s)	
0.61			
Frctn Loss (ft)	4.90	Cum Volume (acre-ft)	14.93
80.34	2.18		
C & E Loss (ft)	0.01	Cum SA (acres)	18.75
91.95	3.27		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3452.69	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.29	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3452.40	Reach Len. (ft)	639.00
681.00	658.00		
Crit W.S. (ft)	3452.03	Flow Area (sq ft)	7.17
591.26	3.92		
E.G. Slope (ft/ft)	0.005801	Area (sq ft)	7.17
591.26	3.92		
Q Total (cfs)	2568.00	Flow (cfs)	8.41
2554.99	4.60		
Top Width (ft)	473.42	Top Width (ft)	35.81
418.00	19.61		
Vel Total (ft/s)	4.26	Avg. Vel. (ft/s)	1.17
4.32	1.17		
Max Chl Dpth (ft)	2.40	Hydr. Depth (ft)	0.20
1.41	0.20		
Conv. Total (cfs)	33717.4	Conv. (cfs)	110.4
33546.6	60.4		
Length Wtd. (ft)	680.91	Wetted Per. (ft)	35.82
418.02	19.61		
Min Ch El (ft)	3450.00	Shear (lb/sq ft)	0.07
0.51	0.07		
Alpha	1.02	Stream Power (lb/ft s)	0.08
2.21	0.08		
Frctn Loss (ft)	4.80	Cum Volume (acre-ft)	41.44
197.48	10.51		
C & E Loss (ft)	0.00	Cum SA (acres)	33.89
117.61	14.97		

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A

REACH: 5

RS: 9009

INPUT

Description: Sta. 9009

Station Elevation Data

num= 9

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3452	203	3450	325	3448	492	3446	596	3445
637	3446	892	3448	1007	3450	1124	3452		

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	325	.033	892	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.
Expan.	325	892		898	879	794	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3446.75	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.24	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3446.51	Reach Len. (ft)	898.00
879.00 794.00			
Crit W.S. (ft)	3446.40	Flow Area (sq ft)	
173.83			
E.G. Slope (ft/ft)	0.012312	Area (sq ft)	
173.83			
Q Total (cfs)	677.00	Flow (cfs)	
677.00			
Top Width (ft)	252.56	Top Width (ft)	
252.56			
Vel Total (ft/s)	3.89	Avg. Vel. (ft/s)	
3.89			
Max Chl Dpth (ft)	1.51	Hydr. Depth (ft)	
0.69			
Conv. Total (cfs)	6101.3	Conv. (cfs)	
6101.3			
Length Wtd. (ft)	879.00	Wetted Per. (ft)	
252.58			
Min Ch El (ft)	3445.00	Shear (lb/sq ft)	
0.53			
Alpha	1.00	Stream Power (lb/ft s)	
2.06			
Frctn Loss (ft)	4.98	Cum Volume (acre-ft)	14.93
76.98 2.18			
C & E Loss (ft)	0.05	Cum SA (acres)	18.75
87.43 3.27			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3447.89	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.34	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3447.55	Reach Len. (ft)	898.00
879.00 794.00			
Crit W.S. (ft)		Flow Area (sq ft)	
550.62			
E.G. Slope (ft/ft)	0.008737	Area (sq ft)	
550.62			
Q Total (cfs)	2568.00	Flow (cfs)	
2568.00			
Top Width (ft)	472.01	Top Width (ft)	
472.01			
Vel Total (ft/s)	4.66	Avg. Vel. (ft/s)	
4.66			
Max Chl Dpth (ft)	2.55	Hydr. Depth (ft)	
1.17			
Conv. Total (cfs)	27473.7	Conv. (cfs)	
27473.7			
Length Wtd. (ft)	878.85	Wetted Per. (ft)	
472.04			
Min Ch El (ft)	3445.00	Shear (lb/sq ft)	
0.64			
Alpha	1.00	Stream Power (lb/ft s)	
2.97			
Frctn Loss (ft)	5.11	Cum Volume (acre-ft)	41.39
188.56 10.48			
C & E Loss (ft)	0.03	Cum SA (acres)	33.62
110.66 14.83			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 8130

INPUT

Description: Sta. 8130

Station Elevation Data	num=	8							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3448 303 3444 419 3442 654 3440 663 3440									
852 3442 995 3444 1104 3446									

Manning's n Values	num=	3			
Sta n Val Sta n Val Sta n Val					
100 .033 419 .033 852 .033					

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.
Expan.						
	419	852	399	413	456	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3441.71	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.08	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3441.63	Reach Len. (ft)	399.00
413.00 456.00			
Crit W.S. (ft)	3441.16	Flow Area (sq ft)	
297.21			
E.G. Slope (ft/ft)	0.003245	Area (sq ft)	
297.21			
Q Total (cfs)	677.00	Flow (cfs)	
677.00			
Top Width (ft)	355.10	Top Width (ft)	
355.10			
Vel Total (ft/s)	2.28	Avg. Vel. (ft/s)	
2.28			
Max Chl Dpth (ft)	1.63	Hydr. Depth (ft)	
0.84			
Conv. Total (cfs)	11885.3	Conv. (cfs)	
11885.3			
Length Wtd. (ft)	413.00	Wetted Per. (ft)	
355.12			
Min Ch El (ft)	3440.00	Shear (lb/sq ft)	
0.17			
Alpha	1.00	Stream Power (lb/ft s)	
0.39			
Frctn Loss (ft)	2.70	Cum Volume (acre-ft)	14.93
72.22 2.18			
C & E Loss (ft)	0.02	Cum SA (acres)	18.75
81.30 3.27			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3442.74	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.23	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3442.51	Reach Len. (ft)	399.00
413.00 456.00			
Crit W.S. (ft)	3441.99	Flow Area (sq ft)	7.49
661.99 9.23			

E.G. Slope (ft/ft)	0.004151	Area (sq ft)	7.49
661.99 9.23			
Q Total (cfs)	2568.00	Flow (cfs)	8.71
2548.55 10.74			
Top Width (ft)	498.79	Top Width (ft)	29.47
433.00 36.33			
Vel Total (ft/s)	3.78	Avg. Vel. (ft/s)	1.16
3.85 1.16			
Max Chl Dpth (ft)	2.51	Hydr. Depth (ft)	0.25
1.53 0.25			
Conv. Total (cfs)	39859.2	Conv. (cfs)	135.2
39557.4 166.7			
Length Wtd. (ft)	413.07	Wetted Per. (ft)	29.47
433.02 36.33			
Min Ch El (ft)	3440.00	Shear (lb/sq ft)	0.07
0.40 0.07			
Alpha	1.03	Stream Power (lb/ft s)	0.08
1.53 0.08			
Frctn Loss (ft)	2.69	Cum Volume (acre-ft)	41.31
176.32 10.39			
C & E Loss (ft)	0.02	Cum SA (acres)	33.32
101.53 14.49			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 7717

INPUT

Description: Sta 7717

Station Elevation Data	num=	8							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3442 233 3440 383 3438 492 3437.8 510 3438									
657 3439 747 3440 879 3442									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
100 .033 233 .033 747 .033		

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan.		
233 747	444 464 510	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3438.99	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.28	Wt. n-Val.	
0.033			

W.S. Elev (ft)	3438.71	Reach Len. (ft)	444.00
464.00 510.00			
Crit W.S. (ft)	3438.71	Flow Area (sq ft)	
158.88			
E.G. Slope (ft/ft)	0.019488	Area (sq ft)	
158.88			
Q Total (cfs)	677.00	Flow (cfs)	
677.00			
Top Width (ft)	284.67	Top Width (ft)	
284.67			
Vel Total (ft/s)	4.26	Avg. Vel. (ft/s)	
4.26			
Max Chl Dpth (ft)	0.91	Hydr. Depth (ft)	
0.56			
Conv. Total (cfs)	4849.5	Conv. (cfs)	
4849.5			
Length Wtd. (ft)	464.05	Wetted Per. (ft)	
284.67			
Min Ch El (ft)	3437.80	Shear (lb/sq ft)	
0.68			
Alpha	1.00	Stream Power (lb/ft s)	
2.89			
Frctn Loss (ft)	1.77	Cum Volume (acre-ft)	14.93
70.06 2.18			
C & E Loss (ft)	0.07	Cum SA (acres)	18.75
78.27 3.27			

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3440.03	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.42	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3439.61	Reach Len. (ft)	444.00
464.00 510.00			
Crit W.S. (ft)	3439.49	Flow Area (sq ft)	
494.88			

E.G. Slope (ft/ft)	0.011696	Area (sq ft)	
494.88			
Q Total (cfs)	2568.00	Flow (cfs)	
2568.00			
Top Width (ft)	449.87	Top Width (ft)	
449.87			
Vel Total (ft/s)	5.19	Avg. Vel. (ft/s)	
5.19			
Max Chl Dpth (ft)	1.81	Hydr. Depth (ft)	
1.10			
Conv. Total (cfs)	23745.5	Conv. (cfs)	
23745.5			
Length Wtd. (ft)	464.56	Wetted Per. (ft)	
449.89			
Min Ch El (ft)	3437.80	Shear (lb/sq ft)	
0.80			
Alpha	1.00	Stream Power (lb/ft s)	
4.17			
Frctn Loss (ft)	1.99	Cum Volume (acre-ft)	41.28
170.84	10.35		
C & E Loss (ft)	0.05	Cum SA (acres)	33.18
97.34	14.30		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 7253

INPUT

Description: Sta. 7253

Station Elevation Data	num=	9							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3438 109 3438.7 321 3438 424 3436 668 3435									
906 3436 1005 3438 1200 3440 1365 3442									

Manning's n Values	num=	3			
Sta n Val Sta n Val Sta n Val					
100 .033 424 .033 906 .033					

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan.		
424 906	756 910 980	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3436.46	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.05	Wt. n-Val.	0.033
0.033 0.033			

W.S. Elev (ft)	3436.41	Reach Len. (ft)	756.00
910.00 980.00			
Crit W.S. (ft)	3435.91	Flow Area (sq ft)	4.28
437.52 4.11			
E.G. Slope (ft/ft)	0.001714	Area (sq ft)	4.28
437.52 4.11			
Q Total (cfs)	770.00	Flow (cfs)	2.76
764.58 2.66			
Top Width (ft)	523.18	Top Width (ft)	21.00
482.00 20.18			
Vel Total (ft/s)	1.73	Avg. Vel. (ft/s)	0.65
1.75 0.65			
Max Chl Dpth (ft)	1.41	Hydr. Depth (ft)	0.20
0.91 0.20			
Conv. Total (cfs)	18599.8	Conv. (cfs)	66.8
18468.9 64.2			
Length Wtd. (ft)	909.89	Wetted Per. (ft)	21.00
482.00 20.19			
Min Ch El (ft)	3435.00	Shear (lb/sq ft)	0.02
0.10 0.02			
Alpha	1.02	Stream Power (lb/ft s)	0.01
0.17 0.01			
Frctn Loss (ft)	5.36	Cum Volume (acre-ft)	14.91
66.89 2.16			
C & E Loss (ft)	0.03	Cum SA (acres)	18.64
74.19 3.15			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3437.98	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.25	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3437.73	Reach Len. (ft)	756.00
910.00 980.00			
Crit W.S. (ft)	3436.95	Flow Area (sq ft)	76.87
1073.79 73.88			
E.G. Slope (ft/ft)	0.002925	Area (sq ft)	76.87
1073.79 73.88			
Q Total (cfs)	4793.00	Flow (cfs)	169.77
4460.06 163.17			
Top Width (ft)	656.51	Top Width (ft)	88.98
482.00 85.53			
Vel Total (ft/s)	3.91	Avg. Vel. (ft/s)	2.21
4.15 2.21			
Max Chl Dpth (ft)	2.73	Hydr. Depth (ft)	0.86
2.23 0.86			

Conv. Total (cfs)	88629.9	Conv. (cfs)	3139.2
82473.4 3017.3			
Length Wtd. (ft)	908.88	Wetted Per. (ft)	89.00
482.00 85.54			
Min Ch El (ft)	3435.00	Shear (lb/sq ft)	0.16
0.41 0.16			
Alpha	1.07	Stream Power (lb/ft s)	0.35
1.69 0.35			
Frctn Loss (ft)	5.45	Cum Volume (acre-ft)	40.89
162.49 9.91			
C & E Loss (ft)	0.04	Cum SA (acres)	32.73
92.38 13.80			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 6343

INPUT

Description: Sta. 6343

Station Elevation Data	num=	9							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3434 346 3433 663 3432 732 3431 860 3430.2									
981 3430 1273 3430 1320 3431.5 1566 3432									

Manning's n Values	num=	3		
Sta n Val Sta n Val Sta n Val				
100 .033 663 .033 1320 .033				

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr.						
Expan.	663 1320	767 980	1051	.1	.3	

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3431.07	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.32	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3430.75	Reach Len. (ft)	767.00
980.00 1051.00			
Crit W.S. (ft)	3430.75	Flow Area (sq ft)	
330.28			
E.G. Slope (ft/ft)	0.018741	Area (sq ft)	
330.28			
Q Total (cfs)	1496.00	Flow (cfs)	
1496.00			
Top Width (ft)	524.36	Top Width (ft)	
524.36			

Vel Total (ft/s)	4.53	Avg. Vel. (ft/s)	
4.53			
Max Chl Dpth (ft)	0.75	Hydr. Depth (ft)	
0.63			
Conv. Total (cfs)	10927.8	Conv. (cfs)	
10927.8			
Length Wtd. (ft)	979.89	Wetted Per. (ft)	
524.38			
Min Ch El (ft)	3430.00	Shear (lb/sq ft)	
0.74			
Alpha	1.00	Stream Power (lb/ft s)	
3.34			
Frctn Loss (ft)	4.02	Cum Volume (acre-ft)	14.87
58.87	2.11		
C & E Loss (ft)	0.08	Cum SA (acres)	18.46
63.68	2.93		

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT	Profile #PF 3		
E.G. Elev (ft)	3432.49	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.69	Wt. n-Val.	
0.033	0.033		
W.S. Elev (ft)	3431.79	Reach Len. (ft)	767.00
980.00	1051.00		
Crit W.S. (ft)	3431.79	Flow Area (sq ft)	
952.76	21.33		
E.G. Slope (ft/ft)	0.013082	Area (sq ft)	
952.76	21.33		
Q Total (cfs)	6409.00	Flow (cfs)	
6378.38	30.62		
Top Width (ft)	787.68	Top Width (ft)	
642.82	144.86		
Vel Total (ft/s)	6.58	Avg. Vel. (ft/s)	
6.69	1.44		
Max Chl Dpth (ft)	1.79	Hydr. Depth (ft)	
1.48	0.15		

Conv. Total (cfs)	56035.0	Conv. (cfs)	
55767.2	267.7		
Length Wtd. (ft)	979.09	Wetted Per. (ft)	
642.85	144.86		
Min Ch El (ft)	3430.00	Shear (lb/sq ft)	
1.21	0.12		
Alpha	1.03	Stream Power (lb/ft s)	
8.10	0.17		
Frctn Loss (ft)	4.13	Cum Volume (acre-ft)	40.22
141.32	8.84		
C & E Loss (ft)	0.16	Cum SA (acres)	31.96
80.63	11.21		

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 5363

INPUT

Description: Sta. 5363

Station Elevation Data	num=	10							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3432 282 3430 550 3428 742 3426 885 3425									
1097 3425 1476 3426 1877 3428 1966 3428 2160 3430									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
100 .033 742 .033 1476 .033		

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan.		
742 1476	1199 1142 713	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3426.46	Element	Left OB
Channel Right OB			

Vel Head (ft)	0.06	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3426.40	Reach Len. (ft)	1199.00
1142.00	713.00		
Crit W.S. (ft)	3425.83	Flow Area (sq ft)	7.59
764.92	15.86		
E.G. Slope (ft/ft)	0.001750	Area (sq ft)	7.59
764.92	15.86		
Q Total (cfs)	1496.00	Flow (cfs)	4.87
1480.95	10.18		
Top Width (ft)	851.92	Top Width (ft)	38.18
734.00	79.74		
Vel Total (ft/s)	1.90	Avg. Vel. (ft/s)	0.64
1.94	0.64		
Max Chl Dpth (ft)	1.40	Hydr. Depth (ft)	0.20
1.04	0.20		
Conv. Total (cfs)	35762.5	Conv. (cfs)	116.5
35402.8	243.2		
Length Wtd. (ft)	1140.73	Wetted Per. (ft)	38.18
734.00	79.74		
Min Ch El (ft)	3425.00	Shear (lb/sq ft)	0.02
0.11	0.02		
Alpha	1.03	Stream Power (lb/ft s)	0.01
0.22	0.01		
Frctn Loss (ft)	5.00	Cum Volume (acre-ft)	14.81
46.55	1.92		
C & E Loss (ft)	0.03	Cum SA (acres)	18.12
49.52	1.96		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3427.77	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.17	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3427.60	Reach Len. (ft)	1199.00
1142.00	713.00		
Crit W.S. (ft)	3426.70	Flow Area (sq ft)	122.30
1644.60	255.42		
E.G. Slope (ft/ft)	0.002053	Area (sq ft)	122.30
1644.60	255.42		
Q Total (cfs)	6409.00	Flow (cfs)	214.69
5745.90	448.41		
Top Width (ft)	1207.27	Top Width (ft)	153.23
734.00	320.04		
Vel Total (ft/s)	3.17	Avg. Vel. (ft/s)	1.76
3.49	1.76		

Max Chl Dpth (ft)	2.60	Hydr. Depth (ft)	0.80
2.24 0.80			
Conv. Total (cfs)	141432.8	Conv. (cfs)	4737.8
126799.6 9895.4			
Length Wtd. (ft)	1130.35	Wetted Per. (ft)	153.24
734.00 320.04			
Min Ch El (ft)	3425.00	Shear (lb/sq ft)	0.10
0.29 0.10			
Alpha	1.12	Stream Power (lb/ft s)	0.18
1.00 0.18			
Frctn Loss (ft)	5.03	Cum Volume (acre-ft)	39.14
112.10 5.50			
C & E Loss (ft)	0.04	Cum SA (acres)	30.61
65.14 5.60			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 4221

INPUT

Description: Sta. 4221

Station Elevation Data	num=	12							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
100 3423 341 3422 544 3421 640 3420 669 3420									
753 3420.2 829 3420 837 3420 1030 3421 1320 3422									
1407 3423 1497 3424									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
100 .033 544 .033 1407 .033		

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr.					
Expan. 544 1407 749 732 843 .1 .3					

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3421.42	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.36	Wt. n-Val.	0.033
0.033			
W.S. Elev (ft)	3421.06	Reach Len. (ft)	749.00
732.00 843.00			
Crit W.S. (ft)	3421.06	Flow Area (sq ft)	0.41
356.81			
E.G. Slope (ft/ft)	0.018111	Area (sq ft)	0.41
356.81			
Q Total (cfs)	1717.00	Flow (cfs)	0.25
1716.75			

Top Width (ft)	517.17	Top Width (ft)	12.84
504.34			
Vel Total (ft/s)	4.81	Avg. Vel. (ft/s)	0.61
4.81			
Max Chl Dpth (ft)	1.06	Hydr. Depth (ft)	0.03
0.71			
Conv. Total (cfs)	12758.4	Conv. (cfs)	1.8
12756.6			
Length Wtd. (ft)	736.83	Wetted Per. (ft)	12.84
504.35			
Min Ch El (ft)	3420.00	Shear (lb/sq ft)	0.04
0.80			
Alpha	1.00	Stream Power (lb/ft s)	0.02
3.85			
Frctn Loss (ft)	3.63	Cum Volume (acre-ft)	14.70
31.84	1.79		
C & E Loss (ft)	0.09	Cum SA (acres)	17.42
33.29	1.31		

Warning: The energy equation could not be balanced within the specified number of iterations. The

program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to

critical depth, the calculated water surface came back below critical depth. This indicates

that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3422.69	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.60	Wt. n-Val.	0.033
0.033			
W.S. Elev (ft)	3422.09	Reach Len. (ft)	749.00
732.00 843.00			
Crit W.S. (ft)	3422.09	Flow Area (sq ft)	121.48
1029.25			
E.G. Slope (ft/ft)	0.013866	Area (sq ft)	121.48
1029.25			
Q Total (cfs)	6969.00	Flow (cfs)	426.48
6542.52			
Top Width (ft)	1009.59	Top Width (ft)	225.48
784.11			
Vel Total (ft/s)	6.06	Avg. Vel. (ft/s)	3.51
6.36			

Max Chl Dpth (ft)	2.09	Hydr. Depth (ft)	0.54
1.31			
Conv. Total (cfs)	59181.7	Conv. (cfs)	3621.8
55559.9			
Length Wtd. (ft)	737.78	Wetted Per. (ft)	225.48
784.12			
Min Ch El (ft)	3420.00	Shear (lb/sq ft)	0.47
1.14			
Alpha	1.05	Stream Power (lb/ft s)	1.64
7.22			
Frctn Loss (ft)	3.71	Cum Volume (acre-ft)	35.79
77.05	3.41		
C & E Loss (ft)	0.12	Cum SA (acres)	25.40
45.24	2.98		

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 3489

INPUT

Description: Sta. 3489

Station Elevation Data	num=	22							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
-286 3420 -138 3418.5 -126 3418 -104 3416 -91 3415.5									
-76 3416 -21 3417 100 3417 258 3416.5 299 3416									
309 3415 318 3416 405 3416 422 3416 539 3416.4									
581 3416.2 642 3416.4 744 3416 830 3416 918 3418									
1068 3420 1159 3421									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
-286 .033 539 .033 918 .033		

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan. 539 918	464 500 457	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3417.31	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.06	Wt. n-Val.	0.033
0.033			
W.S. Elev (ft)	3417.25	Reach Len. (ft)	464.00
500.00 457.00			
Crit W.S. (ft)	3416.73	Flow Area (sq ft)	527.72
346.58			
E.G. Slope (ft/ft)	0.002255	Area (sq ft)	527.72
346.58			
Q Total (cfs)	1717.00	Flow (cfs)	975.07
741.93			
Top Width (ft)	1002.71	Top Width (ft)	656.74
345.97			
Vel Total (ft/s)	1.96	Avg. Vel. (ft/s)	1.85
2.14			
Max Chl Dpth (ft)	2.25	Hydr. Depth (ft)	0.80
1.00			
Conv. Total (cfs)	36157.8	Conv. (cfs)	20533.8
15624.0			
Length Wtd. (ft)	481.67	Wetted Per. (ft)	656.94
345.98			
Min Ch El (ft)	3416.00	Shear (lb/sq ft)	0.11
0.14			
Alpha	1.02	Stream Power (lb/ft s)	0.21
0.30			
Frctn Loss (ft)	2.40	Cum Volume (acre-ft)	10.15
25.93 1.79			
C & E Loss (ft)	0.02	Cum SA (acres)	11.66
26.14 1.31			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3418.52	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.19	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3418.33	Reach Len. (ft)	464.00
500.00 457.00			
Crit W.S. (ft)	3417.53	Flow Area (sq ft)	1246.14
744.64 4.14			
E.G. Slope (ft/ft)	0.002578	Area (sq ft)	1246.14
744.64 4.14			
Q Total (cfs)	6969.00	Flow (cfs)	4295.42
2670.72 2.86			
Top Width (ft)	1076.90	Top Width (ft)	672.97
379.00 24.92			

Vel Total (ft/s)	3.49	Avg. Vel. (ft/s)	3.45
3.59 0.69			
Max Chl Dpth (ft)	3.33	Hydr. Depth (ft)	1.85
1.96 0.17			
Conv. Total (cfs)	137244.0	Conv. (cfs)	84591.8
52595.9 56.3			
Length Wtd. (ft)	481.04	Wetted Per. (ft)	673.21
379.02 24.92			
Min Ch El (ft)	3416.00	Shear (lb/sq ft)	0.30
0.32 0.03			
Alpha	1.00	Stream Power (lb/ft s)	1.03
1.13 0.02			
Frctn Loss (ft)	2.35	Cum Volume (acre-ft)	24.03
62.15 3.37			
C & E Loss (ft)	0.04	Cum SA (acres)	17.67
35.47 2.74			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2989

INPUT

Description: Sta. 2989

Station Elevation Data	num=	14							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
-31 3416 59 3414.8 170 3414.8 196 3414 436 3413.8									
613 3414 651 3414 700 3414 747 3414 761 3414									
841 3415.01 920 3416 976 3418 1067 3420									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
-31 .033 436 .033 841 .033		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.
Expan.						
	436 841		317 215	172	.3	.5

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3414.89	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.31	Wt. n-Val.	0.033
0.033			
W.S. Elev (ft)	3414.57	Reach Len. (ft)	317.00
215.00 172.00			
Crit W.S. (ft)	3414.57	Flow Area (sq ft)	167.23
217.47			
E.G. Slope (ft/ft)	0.018885	Area (sq ft)	167.23
217.47			

Q Total (cfs)	1717.00	Flow (cfs)	773.66
943.34			
Top Width (ft)	629.17	Top Width (ft)	258.67
370.50			
Vel Total (ft/s)	4.46	Avg. Vel. (ft/s)	4.63
4.34			
Max Chl Dpth (ft)	0.77	Hydr. Depth (ft)	0.65
0.59			
Conv. Total (cfs)	12494.1	Conv. (cfs)	5629.7
6864.4			
Length Wtd. (ft)	253.75	Wetted Per. (ft)	258.68
370.51			
Min Ch El (ft)	3413.80	Shear (lb/sq ft)	0.76
0.69			
Alpha	1.00	Stream Power (lb/ft s)	3.53
3.00			
Frctn Loss (ft)	0.26	Cum Volume (acre-ft)	6.45
22.69	1.79		
C & E Loss (ft)	0.13	Cum SA (acres)	6.79
22.03	1.31		

Warning: The energy equation could not be balanced within the specified number of iterations. The

program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to

critical depth, the calculated water surface came back below critical depth. This indicates

that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3416.14	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.60	Wt. n-Val.	0.033
0.033	0.033		
W.S. Elev (ft)	3415.54	Reach Len. (ft)	317.00
215.00	172.00		
Crit W.S. (ft)	3415.49	Flow Area (sq ft)	524.33
599.53	11.05		
E.G. Slope (ft/ft)	0.012585	Area (sq ft)	524.33
599.53	11.05		
Q Total (cfs)	6969.00	Flow (cfs)	3012.55
3933.52	22.93		
Top Width (ft)	879.23	Top Width (ft)	432.23
405.00	42.00		
Vel Total (ft/s)	6.14	Avg. Vel. (ft/s)	5.75
6.56	2.07		
Max Chl Dpth (ft)	1.74	Hydr. Depth (ft)	1.21
1.48	0.26		

Conv. Total (cfs)	62122.0	Conv. (cfs)	26854.0
35063.5	204.4		
Length Wtd. (ft)	262.29	Wetted Per. (ft)	432.24
405.01	42.01		
Min Ch El (ft)	3413.80	Shear (lb/sq ft)	0.95
1.16	0.21		
Alpha	1.02	Stream Power (lb/ft s)	5.48
7.63	0.43		
Frctn Loss (ft)	0.74	Cum Volume (acre-ft)	14.60
54.43	3.29		
C & E Loss (ft)	0.21	Cum SA (acres)	11.79
30.97	2.39		

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2774

INPUT

Description: Sta. 2774 Upstream of culverts

Station Elevation Data	num=	18							
Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev
-453 3416	-437 3415	-405 3414	-289 3413.8	-13 3413.8	100 3413.8	175 3413.8	204 3412	261 3412	298 3411.2
402 3410.9	437 3410	469 3409	491 3409	511 3410	560 3412	641 3414	725 3416		

Manning's n Values	num=	3
Sta n Val	Sta n Val	Sta n Val
-453 .033	437 .033	511 .033

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.
Expan.						
	437	511	40	40	40	.3 .5

Ineffective Flow	num=	2
Sta L Sta R	Elev	Permanent
-888 F		
888 F		

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3414.10	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.04	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3414.06	Reach Len. (ft)	40.00
40.00 40.00			
Crit W.S. (ft)	3412.71	Flow Area (sq ft)	819.73
348.35 235.72			
E.G. Slope (ft/ft)	0.000321	Area (sq ft)	819.73
348.35 235.72			
Q Total (cfs)	1717.00	Flow (cfs)	648.66
789.16 279.18			

Top Width (ft)	1050.35	Top Width (ft)	843.88
74.00 132.47			
Vel Total (ft/s)	1.22	Avg. Vel. (ft/s)	0.79
2.27 1.18			
Max Chl Dpth (ft)	5.06	Hydr. Depth (ft)	0.97
4.71 1.78			
Conv. Total (cfs)	95823.8	Conv. (cfs)	36200.9
44042.2 15580.7			
Length Wtd. (ft)	40.00	Wetted Per. (ft)	843.96
74.04 132.54			
Min Ch El (ft)	3409.00	Shear (lb/sq ft)	0.02
0.09 0.04			
Alpha	1.89	Stream Power (lb/ft s)	0.02
0.21 0.04			
Frctn Loss (ft)		Cum Volume (acre-ft)	2.86
21.30 1.33			
C & E Loss (ft)		Cum SA (acres)	2.78
20.93 1.05			

Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3415.19	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.18	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3415.01	Reach Len. (ft)	40.00
40.00 40.00			
Crit W.S. (ft)	3413.39	Flow Area (sq ft)	1636.03
418.67 380.56			
E.G. Slope (ft/ft)	0.001205	Area (sq ft)	1636.03
418.67 380.56			
Q Total (cfs)	6969.00	Flow (cfs)	3883.58
2077.16 1008.27			
Top Width (ft)	1120.52	Top Width (ft)	874.14
74.00 172.38			
Vel Total (ft/s)	2.86	Avg. Vel. (ft/s)	2.37
4.96 2.65			
Max Chl Dpth (ft)	6.01	Hydr. Depth (ft)	1.87
5.66 2.21			
Conv. Total (cfs)	200748.6	Conv. (cfs)	111870.0
59834.5 29044.1			
Length Wtd. (ft)	40.00	Wetted Per. (ft)	874.24
74.04 172.46			
Min Ch El (ft)	3409.00	Shear (lb/sq ft)	0.14
0.43 0.17			
Alpha	1.40	Stream Power (lb/ft s)	0.33
2.11 0.44			
Frctn Loss (ft)		Cum Volume (acre-ft)	6.74
51.92 2.52			
C & E Loss (ft)		Cum SA (acres)	7.03
29.79 1.97			

Warning: The cross section had to be extended vertically during the critical depth calculations.
 Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CULVERT RIVER: Ditch A
 REACH: 5 RS: 2773

INPUT

Description:

Distance from Upstream XS = 8
 Deck/Roadway Width = 24
 Weir Coefficient = 3

Upstream Deck/Roadway Coordinates

num= 6

Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord
26	3413.8		100	3413.8		402	3412.7	
500	3412.8		600	3413.9		700	3415.7	

Upstream Bridge Cross Section Data

Station Elevation Data num= 18

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-453	3416	-437	3415	-405	3414	-289	3413.8	-13	3413.8
100	3413.8	175	3413.8	204	3412	261	3412	298	3411.2
402	3410.9	437	3410	469	3409	491	3409	511	3410
560	3412	641	3414	725	3416				

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
-453	.033	437	.033	511	.033

Bank Sta: Left Right Coeff Contr. Expan.
 437 511 .3 .5

Ineffective Flow num= 2

Sta L	Sta R	Elev	Permanent
-888	F		
888	F		

Downstream Deck/Roadway Coordinates

num= 6

Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord
26	3413.8		100	3413.8		402	3412.7	
500	3412.8		600	3413.9		700	3415.7	

Downstream Bridge Cross Section Data

Station Elevation Data num= 17

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-1721	3416	-1410	3414	26	3413.8	100	3412.4	155	3412
299	3411.4	349	3410	387	3408.9	391.4	3408.9	395.8	3408.9
400.2	3408.9	404.6	3408.9	409	3408.9	434	3410	487	3412
568	3414	658	3416						

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
-1721	.033	349	.033	434	.033

Bank Sta: Left Right Coeff Contr. Expan.
 349 434 .3 .5

Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 -888 F
 888 F

Upstream Embankment side slope = 3 horiz. to 1.0 vertical
 Downstream Embankment side slope = 3 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 3412.7
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Culverts = 1

Culvert Name Shape Rise Span
 Culvert #1 Pipe Arch 1.833 2.43
 FHWA Chart # 34- 18 inch corner radius; Corrugated metal
 FHWA Scale # 1 - 90 Degree headwall
 Solution Criteria = Highest U.S. EG
 Culvert Upstrm Dist Length n Value Entrance Loss Coef Exit Loss Coef
 1 39 .024 .5 1

Number of Barrels = 6
 Upstream Elevation = 3409
 Centerline Stations

Sta.	Sta.	Sta.	Sta.	Sta.	Sta.
469	473.4	477.8	482.2	486.6	491

Downstream Elevation = 3408.9
 Centerline Stations

Sta.	Sta.	Sta.	Sta.	Sta.	Sta.
387	391.4	395.8	400.2	404.6	409

CULVERT OUTPUT Profile #PF 2
 Culvert ID : Culvert #1

Culv Q (cfs)	146.31	Culv Ful Lngh (ft)	39.00
# Barrels	6	Culv Vel US (ft/s)	5.54
Q Barrel (cfs)	24.38	Culv Vel DS (ft/s)	5.54
E.G. US. (ft)	3414.10	Culv Inv El Up (ft)	3409.00
W.S. US. (ft)	3414.06	Culv Inv El Dn (ft)	3408.90
E.G. DS (ft)	3412.86	Culv Frctn Ls (ft)	0.68
W.S. DS (ft)	3412.71	Culv Ext Lss (ft)	0.33
Delta EG (ft)	1.24	Culv Ent Lss (ft)	0.24
Delta WS (ft)	1.35	Q Weir (cfs)	1582.65
E.G. IC (ft)	3414.06	Weir Sta Lft (ft)	-408.20
E.G. OC (ft)	3414.10	Weir Sta Rgt (ft)	611.11
Culvert Control	Outlet	Weir Submerg	0.00
Culv WS Inlet (ft)	3410.83	Weir Max Depth (ft)	1.40
Culv WS Outlet (ft)	3410.73	Weir Avg Depth (ft)	0.58
Culv Nml Depth (ft)		Wr Flw Area (sq ft)	594.10
Culv Crt Depth (ft)	1.64	Min El Weir Flow (ft)	3412.71

CULVERT OUTPUT Profile #PF 3

Culvert ID : Culvert #1

Culv Q (cfs)	132.39	Culv Ful Lngh (ft)	39.00
# Barrels	6	Culv Vel US (ft/s)	5.01
Q Barrel (cfs)	22.07	Culv Vel DS (ft/s)	5.01
E.G. US. (ft)	3415.19	Culv Inv El Up (ft)	3409.00
W.S. US. (ft)	3415.01	Culv Inv El Dn (ft)	3408.90
E.G. DS (ft)	3414.44	Culv Frctn Ls (ft)	0.55
W.S. DS (ft)	3413.55	Culv Ext Lss (ft)	
Delta EG (ft)	0.75	Culv Ent Lss (ft)	0.20
Delta WS (ft)	1.46	Q Weir (cfs)	6846.27
E.G. IC (ft)	3415.16	Weir Sta Lft (ft)	-440.00
E.G. OC (ft)	3415.19	Weir Sta Rgt (ft)	671.53
Culvert Control	Outlet	Weir Submerg	0.13
Culv WS Inlet (ft)	3410.83	Weir Max Depth (ft)	2.49
Culv WS Outlet (ft)	3410.73	Weir Avg Depth (ft)	1.58
Culv Nml Depth (ft)		Wr Flw Area (sq ft)	1754.25
Culv Crt Depth (ft)	1.21	Min El Weir Flow (ft)	3412.71

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2734

INPUT

Description: Sta. 2734 Downstream of culverts

Station Elevation Data	num=	17							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
-1721 3416 -1410 3414 26 3413.8 100 3412.4 155 3412									
299 3411.4 349 3410 387 3408.9 391.4 3408.9 395.8 3408.9									
400.2 3408.9 404.6 3408.9 409 3408.9 434 3410 487 3412									
568 3414 658 3416									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
-1721 .033 349 .033 434 .033		

Bank Sta: Left Right Lengths: Left Channel Right	Coeff Contr.
Expan.	
349 434 745 846 1015	.3 .5

Ineffective Flow num=	2
Sta L Sta R Elev Permanent	
-888 F	
888 F	

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3412.86	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.15	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3412.71	Reach Len. (ft)	745.00
846.00 1015.00			
Crit W.S. (ft)	3412.71	Flow Area (sq ft)	275.89
288.99 100.64			
E.G. Slope (ft/ft)	0.001314	Area (sq ft)	275.89
288.99 100.64			

Q Total (cfs)	1717.00	Flow (cfs)	462.17
1066.10 188.73			
Top Width (ft)	431.91	Top Width (ft)	265.26
85.00 81.65			
Vel Total (ft/s)	2.58	Avg. Vel. (ft/s)	1.68
3.69 1.88			
Max Chl Dpth (ft)	3.81	Hydr. Depth (ft)	1.04
3.40 1.23			
Conv. Total (cfs)	47371.8	Conv. (cfs)	12751.3
29413.6 5206.9			
Length Wtd. (ft)	841.73	Wetted Per. (ft)	265.28
85.04 81.70			
Min Ch El (ft)	3408.90	Shear (lb/sq ft)	0.09
0.28 0.10			
Alpha	1.44	Stream Power (lb/ft s)	0.14
1.03 0.19			
Frctn Loss (ft)	1.55	Cum Volume (acre-ft)	2.36
21.01 1.17			
C & E Loss (ft)	0.03	Cum SA (acres)	2.27
20.86 0.95			

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CROSS SECTION OUTPUT	Profile #PF 3		
E.G. Elev (ft)	3414.44	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.89	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3413.55	Reach Len. (ft)	745.00
846.00 1015.00			
Crit W.S. (ft)	3413.55	Flow Area (sq ft)	518.43
360.69 183.92			
E.G. Slope (ft/ft)	0.006458	Area (sq ft)	518.43
360.69 183.92			
Q Total (cfs)	6969.00	Flow (cfs)	2643.72
3419.75 905.53			

Top Width (ft)	510.66	Top Width (ft)	309.84
85.00 115.82			
Vel Total (ft/s)	6.56	Avg. Vel. (ft/s)	5.10
9.48 4.92			
Max Chl Dpth (ft)	4.65	Hydr. Depth (ft)	1.67
4.24 1.59			
Conv. Total (cfs)	86723.5	Conv. (cfs)	32899.0
42556.0 11268.6			
Length Wtd. (ft)		Wetted Per. (ft)	309.87
85.04 115.87			
Min Ch El (ft)	3408.90	Shear (lb/sq ft)	0.67
1.71 0.64			
Alpha	1.33	Stream Power (lb/ft s)	3.44
16.21 3.15			
Frctn Loss (ft)		Cum Volume (acre-ft)	5.75
51.56 2.26			
C & E Loss (ft)		Cum SA (acres)	6.49
29.71 1.84			

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 1888

INPUT

Description: Sta. 1888

Station Elevation Data	num=	10							
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev									
-775 3412 -41 3410 81 3410 100 3410.2 110 3410									
331 3408 532 3408 690 3408 1180 3410 1268 3412									

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
-775 .033 100 .033 1180 .033		

Bank Sta: Left Right	Lengths: Left Channel Right	Coeff Contr.
Expan.		
100 1180	305 828 980	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3409.38	Element	Left OB
Channel Right OB			

Vel Head (ft)	0.08	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3409.30	Reach Len. (ft)	305.00
828.00 980.00			
Crit W.S. (ft)	3408.79	Flow Area (sq ft)	
770.75			
E.G. Slope (ft/ft)	0.002752	Area (sq ft)	
770.75			
Q Total (cfs)	1743.00	Flow (cfs)	
1743.00			
Top Width (ft)	822.73	Top Width (ft)	
822.73			
Vel Total (ft/s)	2.26	Avg. Vel. (ft/s)	
2.26			
Max Chl Dpth (ft)	1.30	Hydr. Depth (ft)	
0.94			
Conv. Total (cfs)	33227.3	Conv. (cfs)	
33227.3			
Length Wtd. (ft)	828.00	Wetted Per. (ft)	
822.74			
Min Ch El (ft)	3408.00	Shear (lb/sq ft)	
0.16			
Alpha	1.00	Stream Power (lb/ft s)	
0.36			
Frctn Loss (ft)	4.75	Cum Volume (acre-ft)	
10.71			
C & E Loss (ft)	0.03	Cum SA (acres)	
12.05			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less

than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross

section. This may indicate the need for additional cross sections.

Note: Hydraulic jump has occurred between this cross section and the previous upstream section.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3410.68	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.19	Wt. n-Val.	0.033
0.033 0.033			
W.S. Elev (ft)	3410.48	Reach Len. (ft)	305.00
828.00 980.00			
Crit W.S. (ft)	3409.72	Flow Area (sq ft)	109.37
1950.86 5.16			
E.G. Slope (ft/ft)	0.002812	Area (sq ft)	109.37
1950.86 5.16			
Q Total (cfs)	7042.00	Flow (cfs)	128.02
6909.20 4.78			
Top Width (ft)	1419.98	Top Width (ft)	318.68
1080.00 21.30			

Vel Total (ft/s)	3.41	Avg. Vel. (ft/s)	1.17
3.54 0.93			
Max Chl Dpth (ft)	2.48	Hydr. Depth (ft)	0.34
1.81 0.24			
Conv. Total (cfs)	132792.6	Conv. (cfs)	2414.1
130288.3 90.2			
Length Wtd. (ft)	823.37	Wetted Per. (ft)	318.68
1080.02 21.31			
Min Ch El (ft)	3408.00	Shear (lb/sq ft)	0.06
0.32 0.04			
Alpha	1.06	Stream Power (lb/ft s)	0.07
1.12 0.04			
Frctn Loss (ft)	4.55	Cum Volume (acre-ft)	0.38
29.11 0.06			
C & E Loss (ft)	0.05	Cum SA (acres)	1.12
18.40 0.24			

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

Note: Hydraulic jump has occurred between this cross section and the previous upstream section.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 1060

INPUT

Description: Sta. 1060

Station Elevation Data	num=	6							
Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev
100 3408	394 3406	879 3402.7	909 3402.7	1206 3405					
1523 3406									

Manning's n Values	num=	3
Sta n Val	Sta n Val	Sta n Val
100 .033	394 .033	1523 .033

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.
Expan.						
	394 1523	60 60		60	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3404.61	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.41	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3404.20	Reach Len. (ft)	
Crit W.S. (ft)	3404.20	Flow Area (sq ft)	
356.58			
E.G. Slope (ft/ft)	0.017308	Area (sq ft)	
356.58			

Q Total (cfs)	1823.00	Flow (cfs)
1823.00		
Top Width (ft)	444.75	Top Width (ft)
444.75		
Vel Total (ft/s)	5.11	Avg. Vel. (ft/s)
5.11		
Max Chl Dpth (ft)	1.50	Hydr. Depth (ft)
0.80		
Conv. Total (cfs)	13856.9	Conv. (cfs)
13856.9		
Length Wtd. (ft)		Wetted Per. (ft)
444.76		
Min Ch El (ft)	3402.70	Shear (lb/sq ft)
0.87		
Alpha	1.00	Stream Power (lb/ft s)
4.43		
Frctn Loss (ft)		Cum Volume (acre-ft)
C & E Loss (ft)		Cum SA (acres)

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3406.07	Element	Left OB
Channel Right OB			
Vel Head (ft)	0.66	Wt. n-Val.	
0.033			
W.S. Elev (ft)	3405.41	Reach Len. (ft)	
Crit W.S. (ft)	3405.41	Flow Area (sq ft)	
1112.35			
E.G. Slope (ft/ft)	0.014850	Area (sq ft)	
1112.35			
Q Total (cfs)	7268.00	Flow (cfs)	
7268.00			
Top Width (ft)	856.01	Top Width (ft)	
856.01			
Vel Total (ft/s)	6.53	Avg. Vel. (ft/s)	
6.53			
Max Chl Dpth (ft)	2.71	Hydr. Depth (ft)	
1.30			
Conv. Total (cfs)	59642.9	Conv. (cfs)	
59642.9			
Length Wtd. (ft)		Wetted Per. (ft)	
856.03			
Min Ch El (ft)	3402.70	Shear (lb/sq ft)	
1.20			
Alpha	1.00	Stream Power (lb/ft s)	
7.87			
Frctn Loss (ft)		Cum Volume (acre-ft)	
C & E Loss (ft)		Cum SA (acres)	

SUMMARY OF MANNING'S N VALUES

River:Ditch A

Reach	River Sta.	n1	n2	n3
5	12674	.033	.033	.033
5	11337	.033	.033	.033
5	10937	.033	.033	.033
5	10288	.033	.033	.033
5	9690	.033	.033	.033
5	9009	.033	.033	.033
5	8130	.033	.033	.033
5	7717	.033	.033	.033
5	7253	.033	.033	.033
5	6343	.033	.033	.033
5	5363	.033	.033	.033
5	4221	.033	.033	.033
5	3489	.033	.033	.033
5	2989	.033	.033	.033
5	2774	.033	.033	.033
5	2773	Culvert		
5	2734	.033	.033	.033
5	1888	.033	.033	.033
5	1060	.033	.033	.033

SUMMARY OF REACH LENGTHS

River: Ditch A

Reach	River Sta.	Left	Channel	Right
5	12674	1206	1337	1433
5	11337	545	400	332
5	10937	729	649	445
5	10288	552	598	633
5	9690	639	681	658
5	9009	898	879	794
5	8130	399	413	456
5	7717	444	464	510
5	7253	756	910	980
5	6343	767	980	1051
5	5363	1199	1142	713
5	4221	749	732	843
5	3489	464	500	457
5	2989	317	215	172
5	2774	40	40	40
5	2773	Culvert		
5	2734	745	846	1015
5	1888	305	828	980
5	1060	60	60	60

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS

River: Ditch A

Reach	River Sta.	Contr.	Expan.
5	12674	.1	.3
5	11337	.1	.3
5	10937	.1	.3
5	10288	.1	.3
5	9690	.1	.3
5	9009	.1	.3
5	8130	.1	.3
5	7717	.1	.3
5	7253	.1	.3
5	6343	.1	.3
5	5363	.1	.3
5	4221	.1	.3
5	3489	.1	.3
5	2989	.3	.5
5	2774	.3	.5
5	2773	Culvert	
5	2734	.3	.5
5	1888	.1	.3
5	1060	.1	.3

Profile Output Table - Standard Table 1

Reach Elev (ft)	River Sta	Q Total Flow Area (sq ft)	Min Ch Top Width (ft)	El Froude #	W.S. Elev (ft)	Crit W.S. (ft)	E.G. (ft)
5	12674	533.00	3477.00	3478.39	3478.01		
3478.47	0.003073	2.31	237.18	306.92	0.43		
5	12674	1768.00	3477.00	3479.22	3478.65		
3479.41	0.003111	3.61	539.30	417.81	0.48		
5	11337	533.00	3469.00	3470.41	3470.38		
3470.80	0.014135	5.03	108.23	132.24	0.93		
5	11337	1768.00	3469.00	3471.40	3471.40		
3472.19	0.011380	7.37	259.90	173.86	0.94		
5	10937	533.00	3464.00	3465.80	3465.61		
3466.09	0.009826	4.31	123.70	130.37	0.78		
5	10937	1768.00	3464.00	3466.73	3466.67		
3467.39	0.011861	6.57	275.01	197.71	0.93		
5	10288	533.00	3456.00	3456.93	3456.93		
3457.20	0.020385	4.13	129.02	250.47	1.01		
5	10288	1768.00	3456.00	3457.50	3457.50		
3457.89	0.018227	5.03	351.36	466.54	1.02		
5	9690	677.00	3450.00	3451.55	3451.18		
3451.66	0.004712	2.64	256.54	325.16	0.52		
5	9690	2568.00	3450.00	3452.40	3452.03		
3452.69	0.005801	4.32	602.35	473.42	0.64		

5	9009		677.00	3445.00	3446.51	3446.40
3446.75	0.012312	3.89	173.83	252.56	0.83	
5	9009		2568.00	3445.00	3447.55	
3447.89	0.008737	4.66	550.62	472.01	0.76	
5	8130		677.00	3440.00	3441.63	3441.16
3441.71	0.003245	2.28	297.21	355.10	0.44	
5	8130		2568.00	3440.00	3442.51	3441.99
3442.74	0.004151	3.85	678.70	498.79	0.55	
5	7717		677.00	3437.80	3438.71	3438.71
3438.99	0.019488	4.26	158.88	284.67	1.01	
5	7717		2568.00	3437.80	3439.61	3439.49
3440.03	0.011696	5.19	494.88	449.87	0.87	
5	7253		770.00	3435.00	3436.41	3435.91
3436.46	0.001714	1.75	445.91	523.18	0.32	
5	7253		4793.00	3435.00	3437.73	3436.95
3437.98	0.002925	4.15	1224.55	656.51	0.49	
5	6343		1496.00	3430.00	3430.75	3430.75
3431.07	0.018741	4.53	330.28	524.36	1.01	
5	6343		6409.00	3430.00	3431.79	3431.79
3432.49	0.013082	6.69	974.08	787.68	0.97	
5	5363		1496.00	3425.00	3426.40	3425.83
3426.46	0.001750	1.94	788.36	851.92	0.33	
5	5363		6409.00	3425.00	3427.60	3426.70
3427.77	0.002053	3.49	2022.32	1207.27	0.41	
5	4221		1717.00	3420.00	3421.06	3421.06
3421.42	0.018111	4.81	357.22	517.17	1.01	
5	4221		6969.00	3420.00	3422.09	3422.09
3422.69	0.013866	6.36	1150.73	1009.59	0.98	
5	3489		1717.00	3416.00	3417.25	3416.73
3417.31	0.002255	2.14	874.30	1002.71	0.38	
5	3489		6969.00	3416.00	3418.33	3417.53
3418.52	0.002578	3.59	1994.93	1076.90	0.45	
5	2989		1717.00	3413.80	3414.57	3414.57
3414.89	0.018885	4.34	384.69	629.17	1.00	
5	2989		6969.00	3413.80	3415.54	3415.49
3416.14	0.012585	6.56	1134.92	879.23	0.95	
5	2774		1717.00	3409.00	3414.06	3412.71
3414.10	0.000321	2.27	1403.81	1050.35	0.18	
5	2774		6969.00	3409.00	3415.01	3413.39
3415.19	0.001205	4.96	2435.25	1120.52	0.37	
5	2773		Culvert			
5	2734		1717.00	3408.90	3412.71	3412.71
3412.86	0.001314	3.69	665.51	431.91	0.35	
5	2734		6969.00	3408.90	3413.55	3413.55
3414.44	0.006458	9.48	1063.05	510.66	0.81	

5	1888		1743.00	3408.00	3409.30	3408.79
3409.38	0.002752	2.26	770.75	822.73	0.41	
5	1888		7042.00	3408.00	3410.48	3409.72
3410.68	0.002812	3.54	2065.39	1419.98	0.46	
5	1060		1823.00	3402.70	3404.20	3404.20
3404.61	0.017308	5.11	356.58	444.75	1.01	
5	1060		7268.00	3402.70	3405.41	3405.41
3406.07	0.014850	6.53	1112.35	856.01	1.01	


Profile Output Table - Report

Reach	River Sta	Q Total	Min Ch El	W.S. Elev	Crit W.S.	Max
Chl Dpth	E.G. Elev	Vel Chnl	Sta W.S.	Lft Sta W.S.	Rgt W.S.	Flow
Area Top	Width	Froude #	Chl			
(ft)	(ft)	(ft/ft)	(cfs)	(ft)	(ft)	(ft)
(ft)	(ft)	(ft/ft)	(ft/s)	(ft)	(ft)	(sq ft)
5	12674	533.00	3477.00	3478.39	3478.01	
1.39	3478.47	0.003073	2.31	352.67	659.59	237.18
306.92	0.43					
5	12674	1768.00	3477.00	3479.22	3478.65	
2.22	3479.41	0.003111	3.61	294.31	712.12	539.30
417.81	0.48					
5	11337	533.00	3469.00	3470.41	3470.38	
1.41	3470.80	0.014135	5.03	426.18	558.41	108.23
132.24	0.93					
5	11337	1768.00	3469.00	3471.40	3471.40	
2.40	3472.19	0.011380	7.37	404.87	578.73	259.90
173.86	0.94					
5	10937	533.00	3464.00	3465.80	3465.61	
1.80	3466.09	0.009826	4.31	472.06	602.43	123.70
130.37	0.78					
5	10937	1768.00	3464.00	3466.73	3466.67	
2.73	3467.39	0.011861	6.57	438.14	635.86	275.01
197.71	0.93					
5	10288	533.00	3456.00	3456.93	3456.93	
0.93	3457.20	0.020385	4.13	402.00	652.47	129.02
250.47	1.01					
5	10288	1768.00	3456.00	3457.50	3457.50	
1.50	3457.89	0.018227	5.03	346.65	813.19	351.36
466.54	1.02					
5	9690	677.00	3450.00	3451.55	3451.18	
1.55	3451.66	0.004712	2.64	437.56	762.72	256.54
325.16	0.52					
5	9690	2568.00	3450.00	3452.40	3452.03	
2.40	3452.69	0.005801	4.32	345.19	818.61	602.35
473.42	0.64					

5		9009	677.00	3445.00	3446.51	3446.40
1.51	3446.75	0.012312	3.89	449.43	702.00	173.83
252.56		0.83				
5		9009	2568.00	3445.00	3447.55	
2.55	3447.89	0.008737	4.66	362.59	834.60	550.62
472.01		0.76				
5		8130	677.00	3440.00	3441.63	3441.16
1.63	3441.71	0.003245	2.28	462.17	817.28	297.21
355.10		0.44				
5		8130	2568.00	3440.00	3442.51	3441.99
2.51	3442.74	0.004151	3.85	389.53	888.33	678.70
498.79		0.55				
5		7717	677.00	3437.80	3438.71	3438.71
0.91	3438.99	0.019488	4.26	329.73	614.40	158.88
284.67		1.01				
5		7717	2568.00	3437.80	3439.61	3439.49
1.81	3440.03	0.011696	5.19	262.15	712.02	494.88
449.87		0.87				
5		7253	770.00	3435.00	3436.41	3435.91
1.41	3436.46	0.001714	1.75	403.00	926.18	445.91
523.18		0.32				
5		7253	4793.00	3435.00	3437.73	3436.95
2.73	3437.98	0.002925	4.15	335.02	991.53	1224.55
656.51		0.49				
5		6343	1496.00	3430.00	3430.75	3430.75
0.75	3431.07	0.018741	4.53	772.11	1296.48	330.28
524.36		1.01				
5		6343	6409.00	3430.00	3431.79	3431.79
1.79	3432.49	0.013082	6.69	677.18	1464.86	974.08
787.68		0.97				
5		5363	1496.00	3425.00	3426.40	3425.83
1.40	3426.46	0.001750	1.94	703.82	1555.74	788.36
851.92		0.33				
5		5363	6409.00	3425.00	3427.60	3426.70
2.60	3427.77	0.002053	3.49	588.77	1796.04	2022.32
1207.27		0.41				
5		4221	1717.00	3420.00	3421.06	3421.06
1.06	3421.42	0.018111	4.81	531.16	1048.34	357.22
517.17		1.01				
5		4221	6969.00	3420.00	3422.09	3422.09
2.09	3422.69	0.013866	6.36	318.52	1328.11	1150.73
1009.59		0.98				
5		3489	1717.00	3416.00	3417.25	3416.73
2.25	3417.31	0.002255	2.14	-117.74	884.97	874.30
1002.71		0.38				
5		3489	6969.00	3416.00	3418.33	3417.53
3.33	3418.52	0.002578	3.59	-133.97	942.92	1994.93
1076.90		0.45				

5		2989	1717.00	3413.80	3414.57	3414.57
0.77	3414.89	0.018885	4.34	177.33	806.50	384.69
629.17		1.00				
5		2989	6969.00	3413.80	3415.54	3415.49
1.74	3416.14	0.012585	6.56	3.77	883.00	1134.92
879.23		0.95				
5		2774	1717.00	3409.00	3414.06	3412.71
5.06	3414.10	0.000321	2.27	-406.88	643.47	1403.81
1050.35		0.18				
5		2774	6969.00	3409.00	3415.01	3413.39
6.01	3415.19	0.001205	4.96	-437.14	683.38	2435.25
1120.52		0.37				
5		2773	Culvert			
5		2734	1717.00	3408.90	3412.71	3412.71
3.81	3412.86	0.001314	3.69	83.74	515.65	665.51
431.91		0.35				
5		2734	6969.00	3408.90	3413.55	3413.55
4.65	3414.44	0.006458	9.48	39.16	549.82	1063.05
510.66		0.81				
5		1888	1743.00	3408.00	3409.30	3408.79
1.30	3409.38	0.002752	2.26	186.86	1009.59	770.75
822.73		0.41				
5		1888	7042.00	3408.00	3410.48	3409.72
2.48	3410.68	0.002812	3.54	-218.68	1201.30	2065.39
1419.98		0.46				
5		1060	1823.00	3402.70	3404.20	3404.20
1.50	3404.61	0.017308	5.11	658.23	1102.98	356.58
444.75		1.01				
5		1060	7268.00	3402.70	3405.41	3405.41
2.71	3406.07	0.014850	6.53	480.47	1336.48	1112.35
856.01		1.01				


WCS Plan: PMP
Sta. 12674




Legend

- EG PF 3
- WS PF 3
- EG PF 2
- WS PF 2
- Ground
- Bank Sta


WCS Plan: PMP
Sta. 11337




WCS Plan: PMP
Sta. 10937




WCS Plan: PMP
Sta. 10288




WCS Plan: PMP
Sta. 9690



WCS Plan: PMP
Sta. 9009




WCS Plan: PMP
Sta. 8130




Legend	
EG PF 3	(Dotted line with upward triangle)
WS PF 3	(Solid line with upward triangle)
EG PF 2	(Dotted line with upward triangle)
WS PF 2	(Solid line with upward triangle)
Ground	(Solid line with square)
Bank Sta	(Black dot)

WCS Plan: PMP
Sta 7717




WCS Plan: PMP


Sta. 7253




WCS Plan: PMP
Sta. 6343




WCS Plan: PMP
Sta. 5363



WCS Plan: PMP
Sta. 4221




WCS Plan: PMP
Sta. 3489




WCS Plan: PMP


Sta. 2989




WCS Plan: PMP
 Sta. 2774 Upstream of culverts




WCS Plan: PMP




WCS Plan: PMP




WCS Plan: PMP
 Sta. 2734 Downstream of culverts



WCS Plan: PMP
Sta. 1888



WCS Plan: PMP
Sta. 1060



Reach	River Sta	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	E.G. Elev (ft)	F.C. Slope (ft/ft)	Vel Chnl (ft/s)	Sta W.S. Lft (ft)	Sta W.S. Rgt (ft)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	
5	12674	592.00	3477.00	3478.45	3478.05	1.45	3478.54	0.003041	2.40	348.81	663.25	255.24	314.65	0.43	
5	12674	1768.00	3477.00	3479.22	3478.65	2.22	3479.41	0.003111	3.61	294.31	712.12	539.30	417.81	0.48	
5	11337	592.00	3469.00	3470.47	3470.44	1.46	3470.89	0.014287	5.25	425.01	559.62	115.46	134.51	0.94	
5	11337	1768.00	3469.00	3471.40	3471.40	2.40	3472.19	0.011380	7.37	404.87	578.73	259.90	173.86	0.94	
5	10937	592.00	3464.00	3465.88	3465.69	1.88	3466.18	0.009696	4.40	469.19	605.11	134.50	135.92	0.78	
5	10937	1768.00	3464.00	3466.73	3466.67	2.73	3467.39	0.011861	6.57	438.14	635.86	275.01	197.71	0.93	
5	10288	592.00	3456.00	3456.97	3456.97	0.97	3457.25	0.020992	4.29	398.55	657.53	138.04	258.98	1.04	
5	10288	1768.00	3456.00	3457.50	3457.50	1.50	3457.89	0.018227	5.03	346.65	813.19	351.36	466.54	1.02	
5	9690	751.00	3450.00	3451.61	3451.24	1.61	3451.73	0.004736	2.71	429.90	767.63	276.77	337.73	0.53	
5	9690	2568.00	3450.00	3452.40	3452.03	2.40	3452.69	0.005801	4.32	345.19	818.61	602.35	473.42	0.64	
5	9009	751.00	3445.00	3446.57	3446.45	1.57	3446.81	0.012198	3.97	444.50	709.53	189.12	255.03	0.83	
5	9009	2568.00	3445.00	3447.55	3447.55	2.55	3447.89	0.008737	4.66	362.59	834.60	550.62	472.01	0.76	
5	8130	751.00	3440.00	3441.70	3441.21	1.70	3441.78	0.003259	2.34	454.54	823.41	320.72	368.87	0.44	
5	8130	2568.00	3440.00	3442.51	3441.99	2.51	3442.74	0.004151	3.85	389.53	888.33	678.70	498.79	0.55	
5	7717	751.00	3437.80	3438.75	3438.75	0.95	3439.05	0.019448	4.38	326.48	620.79	171.46	294.31	1.01	
5	7717	2568.00	3437.80	3439.61	3439.49	1.81	3440.03	0.011696	5.19	262.15	712.02	494.88	449.87	0.87	
5	7253	857.00	3435.00	3436.46	3436.95	1.46	3436.52	0.001736	1.83	400.15	928.93	475.06	528.78	0.33	
5	7253	4793.00	3435.00	3437.73	3436.95	2.73	3437.98	0.002925	4.15	335.02	991.53	1224.55	656.51	0.49	
5	6343	1668.00	3430.00	3430.80	3430.80	0.80	3431.14	0.018115	4.65	763.44	1298.18	358.99	534.73	1.00	
5	6343	6409.00	3430.00	3431.79	3431.79	1.79	3432.49	0.013082	6.69	677.18	1464.86	974.08	787.68	0.97	
5	5363	1668.00	3425.00	3426.46	3425.87	1.46	3426.52	0.001774	2.03	697.73	1568.47	843.04	870.74	0.34	
5	5363	6409.00	3425.00	3427.60	3426.70	2.60	3427.77	0.002053	3.49	588.77	1796.04	2022.32	1207.27	0.41	
5	4221	1914.00	3420.00	3421.13	3421.13	1.13	3421.50	0.017296	4.88	517.29	1068.16	393.73	550.87	0.99	
5	4221	6969.00	3420.00	3422.09	3422.09	2.09	3422.69	0.013666	6.36	318.52	1328.11	1150.73	1009.59	0.98	
5	3489	1914.00	3416.00	3417.31	3416.78	2.31	3417.37	0.002270	2.22	-118.39	887.55	933.15	1005.93	0.38	
5	3489	6969.00	3416.00	3418.33	3417.53	3.33	3418.52	0.002578	3.59	-133.97	942.92	1994.93	1076.90	0.45	
5	2989	1914.00	3413.80	3414.63	3414.63	0.83	3414.95	0.018186	4.47	175.68	810.52	416.79	634.84	0.99	
5	2989	6969.00	3413.80	3415.54	3415.49	1.74	3416.14	0.012585	6.56	3.77	883.00	1134.92	879.23	0.95	
5	2774	1914.00	3409.00	3414.10	3412.71	5.10	3414.15	0.000369	2.44	-408.24	645.26	1448.49	1053.60	0.20	
5	2774	6969.00	3409.00	3415.01	3413.39	6.01	3415.19	0.001205	4.96	-437.14	683.38	2435.25	1120.52	0.37	
5	2773	Culvert													
5	2734	1914.00	3408.90	3412.71	3412.71	3.81	3412.89	0.001632	4.11	83.74	515.65	665.51	431.91	0.39	
5	2734	6969.00	3408.90	3413.55	3413.55	4.65	3414.44	0.006458	9.48	39.16	549.82	1063.05	510.66	0.81	
5	1888	1943.00	3408.00	3409.38	3408.84	1.38	3409.47	0.002740	2.33	178.44	1028.25	834.45	849.81	0.41	
5	1888	7042.00	3408.00	3410.48	3409.72	2.48	3410.68	0.002812	3.54	-218.68	1201.30	2065.39	1419.98	0.46	
5	1060	2032.00	3402.70	3404.27	3404.27	1.57	3404.70	0.017302	5.25	648.43	1111.58	386.84	463.15	1.01	
5	1060	7268.00	3402.70	3405.41	3405.41	2.71	3406.07	0.014850	6.53	480.47	1336.48	1112.35	856.01	1.01	

FloodPlain.rep

HEC-RAS Version 3.0.1 Mar 2001
U.S. Army Corp of Engineers
Hydrologic Engineering Center
609 Second Street, Suite D
Davis, California 95616-4687
(916) 756-1104

```
X   X  XXXXXX   XXXX       XXXX       XX       XXXX
X   X  X       X   X       X   X       X   X       X
X   X  X       X           X   X       X   X       X
XXXXXXXX XXXX   X           XXX XXXX   XXXXXXXX   XXXX
X   X  X       X           X   X       X   X           X
X   X  X       X   X       X   X       X   X       X
X   X  XXXXXX   XXXX       X   X       X   X       XXXXX
```

PROJECT DATA

Project Title: WCS
Project File : FloodPlain.prj
Run Date and Time: 11/3/05 6:02:52 PM

Project in English units

PLAN DATA

Plan Title: PMPR1
Plan File : D:\program files\WCS\FloodPlain.p25

Geometry Title: PMP1-20-04SecRemoved
Geometry File : D:\program files\WCS\FloodPlain.g04

Flow Title : pmp R500
Flow File : D:\program files\WCS\FloodPlain.f23

Plan Summary Information:

Number of:	Cross Sections =	18	Multiple Openings =	0
	Culverts =	1	Inline Weirs =	0
	Bridges =	0		

Computational Information

Water surface calculation tolerance =	0.01
Critical depth calculation tolerance =	0.01
Maximum number of iterations =	20
Maximum difference tolerance =	0.3
Flow tolerance factor =	0.001

Computation Options

Critical depth computed only where necessary
Conveyance Calculation Method: At breaks in n values only
Friction Slope Method: Average Conveyance
Computational Flow Regime: Mixed Flow

FLOW DATA

Flow Title: pmp R500
Flow File : D:\program files\WCS\FloodPlain.f23

FloodPlain.rep

Flow Data (cfs)

River	Reach	RS	PF 2	PF 3
Ditch A	5	12674	592	1768
Ditch A	5	9690	751	2568
Ditch A	5	7253	857	4793
Ditch A	5	6343	1668	6409
Ditch A	5	4221	1914	6969
Ditch A	5	1888	1943	7042
Ditch A	5	1060	2032	7268

Boundary Conditions

River stream	Reach	Profile	Upstream	Down
Ditch A ritical	5	PF 2	Critical	Cr

GEOMETRY DATA

Geometry Title: PMP1-20-04SecRemoved
 Geometry File : D:\program files\WCS\FloodPlain.g04

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 12674

INPUT

Description: Sta. 12674

Station Elevation Data num= 6

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3482	380	3478	560	3477	635	3478	761	3480
964	3482								

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	380	.033	635	.033

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr.. Expan..

380	635	1206	1337	1433	.1	.3
-----	-----	------	------	------	----	----

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3478.54	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.09	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3478.45	Reach Len. (ft)	1206.00	1337.00	1433.00
Crit W.S. (ft)	3478.05	Flow Area (sq ft)	7.04	241.86	6.34
E.G. Slope (ft/ft)	0.003041	Area (sq ft)	7.04	241.86	6.34
Q Total (cfs)	592.00	Flow (cfs)	6.45	579.74	5.81
Top Width (ft)	314.65	Top Width (ft)	31.39	255.00	28.25

FloodPlain.rep

Vel Total (ft/s)	2.32	Avg. Vel. (ft/s)	0.92	2.40	0.92
Max Chl Dpth (ft)	1.45	Hydr. Depth (ft)	0.22	0.95	0.22
Conv. Total (cfs)	10735.4	Conv. (cfs)	117.0	10513.1	105.3
Length Wtd. (ft)	1336.60	Wetted Per. (ft)	31.40	255.01	28.26
Min Ch El (ft)	3477.00	Shear (lb/sq ft)	0.04	0.18	0.04
Alpha	1.05	Stream Power (lb/ft s)	0.04	0.43	0.04
Frctn Loss (ft)	7.61	Cum Volume (acre-ft)	15.98	97.56	2.48
C & E Loss (ft)	0.03	Cum SA (acres)	19.90	107.86	4.24

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3479.41	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.19	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3479.22	Reach Len. (ft)	1206.00	1337.00	1433.00
Crit W.S. (ft)	3478.65	Flow Area (sq ft)	52.45	439.65	47.20
E.G. Slope (ft/ft)	0.003111	Area (sq ft)	52.45	439.65	47.20
Q Total (cfs)	1768.00	Flow (cfs)	94.95	1587.60	85.45
Top Width (ft)	417.81	Top Width (ft)	85.69	255.00	77.12
Vel Total (ft/s)	3.28	Avg. Vel. (ft/s)	1.81	3.61	1.81
Max Chl Dpth (ft)	2.22	Hydr. Depth (ft)	0.61	1.72	0.61
Conv. Total (cfs)	31697.9	Conv. (cfs)	1702.3	28463.6	1532.0
Length Wtd. (ft)	1334.91	Wetted Per. (ft)	85.70	255.01	77.13
Min Ch El (ft)	3477.00	Shear (lb/sq ft)	0.12	0.33	0.12
Alpha	1.12	Stream Power (lb/ft s)	0.22	1.21	0.22
Frctn Loss (ft)	7.16	Cum Volume (acre-ft)	42.64	220.87	11.81
C & E Loss (ft)	0.06	Cum SA (acres)	35.90	135.42	17.21

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for

FloodPlain.rep

additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 11337

INPUT

Description: Sta. 11337

Station Elevation Data		num= 8		Sta	Elev	Sta	Elev	Sta	Elev
Sta	Elev	Sta	Elev	392	3472	435	3470	499	3469
100	3477	315	3474						
550	3470	591	3472	694	3474				

Manning's n Values		num= 3		Sta	n Val
Sta	n Val	Sta	n Val	550	.033
100	.033	435	.033		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	435	550		545	400	332	.1
							.3

CROSS SECTION OUTPUT Profile #PF 2

	E.G. Elev (ft)	3470.89	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.42		Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3470.47		Reach Len. (ft)	545.00	400.00	332.00
Crit W.S. (ft)	3470.44		Flow Area (sq ft)	2.32	110.93	2.21
E.G. Slope (ft/ft)	0.014287		Area (sq ft)	2.32	110.93	2.21
Q Total (cfs)	592.00		Flow (cfs)	4.72	582.79	4.50
Top Width (ft)	134.51		Top Width (ft)	9.99	115.00	9.52
Vel Total (ft/s)	5.13		Avg. Vel. (ft/s)	2.03	5.25	2.03
Max Chl Dpth (ft)	1.46		Hydr. Depth (ft)	0.23	0.96	0.23
Conv. Total (cfs)	4952.9		Conv. (cfs)	39.5	4875.8	37.6
Length Wtd. (ft)	400.32		Wetted Per. (ft)	10.00	115.02	9.54
Min Ch El (ft)	3469.00		Shear (lb/sq ft)	0.21	0.86	0.21
Alpha	1.04		Stream Power (lb/ft s)	0.42	4.52	0.42
Frctn Loss (ft)	4.67		Cum Volume (acre-ft)	15.85	92.15	2.34
C & E Loss (ft)	0.04		Cum SA (acres)	19.33	102.18	3.62

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3472.19				
Vel Head (ft)	0.79	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3471.40	Reach Len. (ft)	545.00	400.00	332.00
Crit W.S. (ft)	3471.40	Flow Area (sq ft)	21.11	218.66	20.13
E.G. Slope (ft/ft)	0.011380	Area (sq ft)	21.11	218.66	20.13
Q Total (cfs)	1768.00	Flow (cfs)	79.94	1611.84	76.22
Top Width (ft)	173.86	Top Width (ft)	30.13	115.00	28.73
Vel Total (ft/s)	6.80	Avg. Vel. (ft/s)	3.79	7.37	3.79
Max Chl Dpth (ft)	2.40	Hydr. Depth (ft)	0.70	1.90	0.70
Conv. Total (cfs)	16573.1	Conv. (cfs)	749.4	15109.3	714.5
Length Wtd. (ft)	401.34	Wetted Per. (ft)	30.16	115.02	28.76
Min Ch El (ft)	3469.00	Shear (lb/sq ft)	0.50	1.35	0.50
Alpha	1.10	Stream Power (lb/ft s)	1.88	9.96	1.88
Frctn Loss (ft)	4.66	Cum Volume (acre-ft)	41.62	210.77	10.70
C & E Loss (ft)	0.04	Cum SA (acres)	34.30	129.75	15.47

Warning: The energy equation could not be balanced within the specified number of iterations. The program selected the water surface that had the least amount of error between computed and assumed values.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 10937

INPUT

Description: Sta. 10937

Station Elevation Data		num= 9									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3470	351	3468	428	3467	465	3466	536	3464		
543	3464	609	3466	683	3468	811	3472				

Manning's n Values		num= 3					
Sta	n Val	Sta	n Val	Sta	n Val		
100	.033	428	.033	609	.033		

FloodPlain.rep

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
428	609	729	649	445	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3466.18	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.30	Wt. n-Val.		0.033	
W.S. Elev (ft)	3465.88	Reach Len. (ft)	729.00	649.00	445.00
Crit W.S. (ft)	3465.69	Flow Area (sq ft)		134.50	
E.G. Slope (ft/ft)	0.009696	Area (sq ft)		134.50	
Q Total (cfs)	592.00	Flow (cfs)		592.00	
Top Width (ft)	135.92	Top Width (ft)		135.92	
Vel Total (ft/s)	4.40	Avg. Vel. (ft/s)		4.40	
Max Chl Dpth (ft)	1.88	Hydr. Depth (ft)		0.99	
Conv. Total (cfs)	6012.0	Conv. (cfs)		6012.0	
Length Wtd. (ft)	649.00	Wetted Per. (ft)		135.98	
Min Ch El (ft)	3464.00	Shear (lb/sq ft)		0.60	
Alpha	1.00	Stream Power (lb/ft s)		2.64	
Frctn Loss (ft)	8.92	Cum Volume (acre-ft)	15.84	91.02	2.33
C & E Loss (ft)	0.00	Cum SA (acres)	19.27	101.03	3.58

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3467.39	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.66	Wt. n-Val.		0.033	0.033
W.S. Elev (ft)	3466.73	Reach Len. (ft)	729.00	649.00	445.00
Crit W.S. (ft)	3466.67	Flow Area (sq ft)		265.27	9.75
E.G. Slope (ft/ft)	0.011861	Area (sq ft)		265.27	9.75
Q Total (cfs)	1768.00	Flow (cfs)		1743.69	24.31
Top Width (ft)	197.71	Top Width (ft)		170.86	26.86
Vel Total (ft/s)	6.43	Avg. Vel. (ft/s)		6.57	2.49

		FloodPlain.rep		
Max Chl Dpth (ft)	2.73	Hydr. Depth (ft)	1.55	0.36
Conv. Total (cfs)	16234.1	Conv. (cfs)	16010.9	223.2
Length Wtd. (ft)	647.60	Wetted Per. (ft)	170.92	26.87
Min Ch El (ft)	3464.00	Shear (lb/sq ft)	1.15	0.27
Alpha	1.03	Stream Power (lb/ft s)	7.55	0.67
Frctn Loss (ft)	9.41	Cum Volume (acre-ft)	41.49	208.55
C & E Loss (ft)	0.08	Cum SA (acres)	34.11	128.43
			15.25	

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 10288

INPUT

Description: Sta. 10288

Station Elevation Data		num= 12							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3464	177	3462	238	3460	298	3458	493	3456
519	3456	662	3457	778	3457.1	857	3458	903	3460
947	3462	989	3464						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	298	.033	857	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	298	857		552	598	633	.1
							.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3457.25	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.29	Wt. n-Val.		0.033	
W.S. Elev (ft)	3456.97	Reach Len. (ft)	552.00	598.00	633.00
Crit W.S. (ft)	3456.97	Flow Area (sq ft)		138.04	
E.G. Slope (ft/ft)	0.020992	Area (sq ft)		138.04	
Q Total (cfs)	592.00	Flow (cfs)		592.00	
Top Width (ft)	258.98	Top Width (ft)		258.98	
Vel Total (ft/s)	4.29	Avg. Vel. (ft/s)		4.29	
Max Chl Dpth (ft)	0.97	Hydr. Depth (ft)		0.53	
Conv. Total (cfs)	4086.0	Conv. (cfs)		4086.0	
Length Wtd. (ft)	598.00	Wetted Per. (ft)		258.99	
Min Ch El (ft)	3456.00	Shear (lb/sq ft)		0.70	

FloodPlain.rep

Alpha	1.00	Stream Power (lb/ft s)		3.00	
Frctn Loss (ft)	4.79	Cum Volume (acre-ft)	15.84	88.99	2.33
C & E Loss (ft)	0.05	Cum SA (acres)	19.27	98.08	3.58

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3457.89	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.39	Wt. n-Val.		0.033	
W.S. Elev (ft)	3457.50	Reach Len. (ft)	552.00	598.00	633.00
Crit W.S. (ft)	3457.50	Flow Area (sq ft)		351.36	
E.G. Slope (ft/ft)	0.018227	Area (sq ft)		351.36	
Q Total (cfs)	1768.00	Flow (cfs)		1768.00	
Top Width (ft)	466.54	Top Width (ft)		466.54	
Vel Total (ft/s)	5.03	Avg. Vel. (ft/s)		5.03	
Max Chl Dpth (ft)	1.50	Hydr. Depth (ft)		0.75	
Conv. Total (cfs)	13095.7	Conv. (cfs)		13095.7	
Length Wtd. (ft)	597.95	Wetted Per. (ft)		466.55	
Min Ch El (ft)	3456.00	Shear (lb/sq ft)		0.86	
Alpha	1.00	Stream Power (lb/ft s)		4.31	
Frctn Loss (ft)	5.13	Cum Volume (acre-ft)	41.49	203.95	10.54
C & E Loss (ft)	0.03	Cum SA (acres)	34.11	123.69	15.12

Warning: The energy equation could not be balanced within the specified number of iterations.
 The

FloodPlain.rep

program selected the water surface that had the least amount of error between computed and assumed values.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 9690

INPUT

Description: Sta. 9690

Station Elevation Data		num= 8							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3454.5	202	3454	381	3452	632	3450	638	3450
799	3452	897	3454	1010	3458				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	381	.033	799	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	381	799		639	681	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

	3451.73	Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3451.73	Element			
Vel Head (ft)	0.11	Wt. n-Val.		0.033	
W.S. Elev (ft)	3451.61	Reach Len. (ft)	639.00	681.00	658.00
Crit W.S. (ft)	3451.24	Flow Area (sq ft)		276.77	
E.G. Slope (ft/ft)	0.004736	Area (sq ft)		276.77	
Q Total (cfs)	751.00	Flow (cfs)		751.00	
Top Width (ft)	337.73	Top Width (ft)		337.73	
Vel Total (ft/s)	2.71	Avg. Vel. (ft/s)		2.71	
Max Chl Dpth (ft)	1.61	Hydr. Depth (ft)		0.82	
Conv. Total (cfs)	10912.8	Conv. (cfs)		10912.8	
Length Wtd. (ft)	681.00	Wetted Per. (ft)		337.75	
Min Ch El (ft)	3450.00	Shear (lb/sq ft)		0.24	
Alpha	1.00	Stream Power (lb/ft s)		0.66	
Frctn Loss (ft)	4.90	Cum Volume (acre-ft)	15.84	86.15	2.33
C & E Loss (ft)	0.01	Cum SA (acres)	19.27	93.99	3.58

FloodPlain.rep

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3452.69	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.29	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3452.40	Reach Len. (ft)	639.00	681.00	658.00
Crit W.S. (ft)	3452.03	Flow Area (sq ft)	7.17	591.26	3.92
E.G. Slope (ft/ft)	0.005801	Area (sq ft)	7.17	591.26	3.92
Q Total (cfs)	2568.00	Flow (cfs)	8.41	2554.99	4.60
Top Width (ft)	473.42	Top Width (ft)	35.81	418.00	19.61
Vel Total (ft/s)	4.26	Avg. Vel. (ft/s)	1.17	4.32	1.17
Max Chl Dpth (ft)	2.40	Hydr. Depth (ft)	0.20	1.41	0.20
Conv. Total (cfs)	33717.4	Conv. (cfs)	110.4	33546.6	60.4
Length Wtd. (ft)	680.91	Wetted Per. (ft)	35.82	418.02	19.61
Min Ch El (ft)	3450.00	Shear (lb/sq ft)	0.07	0.51	0.07
Alpha	1.02	Stream Power (lb/ft s)	0.08	2.21	0.08
Frctn Loss (ft)	4.80	Cum Volume (acre-ft)	41.44	197.48	10.51
C & E Loss (ft)	0.00	Cum SA (acres)	33.89	117.61	14.97

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 9009

INPUT

Description: Sta. 9009

Station Elevation Data		num= 9									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3452	203	3450	325	3448	492	3446	596	3445		
637	3446	892	3448	1007	3450	1124	3452				

Manning's n Values		num= 3					
Sta	n Val	Sta	n Val	Sta	n Val		
100	.033	325	.033	892	.033		

FloodPlain.rep

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
325	892	898	879	794	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3446.81	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.24	Wt. n-Val.		0.033	
W.S. Elev (ft)	3446.57	Reach Len. (ft)	898.00	879.00	794.00
Crit W.S. (ft)	3446.45	Flow Area (sq ft)		189.12	
E.G. Slope (ft/ft)	0.012198	Area (sq ft)		189.12	
Q Total (cfs)	751.00	Flow (cfs)		751.00	
Top Width (ft)	265.03	Top Width (ft)		265.03	
Vel Total (ft/s)	3.97	Avg. Vel. (ft/s)		3.97	
Max Chl Dpth (ft)	1.57	Hydr. Depth (ft)		0.71	
Conv. Total (cfs)	6799.8	Conv. (cfs)		6799.8	
Length Wtd. (ft)	879.00	Wetted Per. (ft)		265.05	
Min Ch El (ft)	3445.00	Shear (lb/sq ft)		0.54	
Alpha	1.00	Stream Power (lb/ft s)		2.16	
Frctn Loss (ft)	4.98	Cum Volume (acre-ft)	15.84	82.50	2.33
C & E Loss (ft)	0.05	Cum SA (acres)	19.27	89.28	3.58

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3447.89	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.34	Wt. n-Val.		0.033	
W.S. Elev (ft)	3447.55	Reach Len. (ft)	898.00	879.00	794.00
Crit W.S. (ft)		Flow Area (sq ft)		550.62	
E.G. Slope (ft/ft)	0.008737	Area (sq ft)		550.62	
Q Total (cfs)	2568.00	Flow (cfs)		2568.00	
Top Width (ft)	472.01	Top Width (ft)		472.01	
Vel Total (ft/s)	4.66	Avg. Vel. (ft/s)		4.66	

		FloodPlain.rep			
Max Chl Dpth (ft)	2.55	Hydr. Depth (ft)		1.17	
Conv. Total (cfs)	27473.7	Conv. (cfs)		27473.7	
Length Wtd. (ft)	878.85	Wetted Per. (ft)		472.04	
Min Ch El (ft)	3445.00	Shear (lb/sq ft)		0.64	
Alpha	1.00	Stream Power (lb/ft s)		2.97	
Frctn Loss (ft)	5.11	Cum Volume (acre-ft)	41.39	188.56	10.48
C & E Loss (ft)	0.03	Cum SA (acres)	33.62	110.66	14.83

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 8130

INPUT

Description: Sta. 8130

Station Elevation Data		num= 8							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3448	303	3444	419	3442	654	3440	663	3440
852	3442	995	3444	1104	3446				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	419	.033	852	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	419	852		399	413	456	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3441.78	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.09	Wt. n-Val.		0.033	
W.S. Elev (ft)	3441.70	Reach Len. (ft)	399.00	413.00	456.00
Crit W.S. (ft)	3441.21	Flow Area (sq ft)		320.72	
E.G. Slope (ft/ft)	0.003259	Area (sq ft)		320.72	
Q Total (cfs)	751.00	Flow (cfs)		751.00	
Top Width (ft)	368.87	Top Width (ft)		368.87	
Vel Total (ft/s)	2.34	Avg. Vel. (ft/s)		2.34	
Max Chl Dpth (ft)	1.70	Hydr. Depth (ft)		0.87	
Conv. Total (cfs)	13155.2	Conv. (cfs)		13155.2	
Length Wtd. (ft)	413.00	Wetted Per. (ft)		368.89	

FloodPlain.rep

Min Ch El (ft)	3440.00	Shear (lb/sq ft)		0.18	
Alpha	1.00	Stream Power (lb/ft s)		0.41	
Frctn Loss (ft)	2.71	Cum Volume (acre-ft)	15.84	77.36	2.33
C & E Loss (ft)	0.02	Cum SA (acres)	19.27	82.88	3.58

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3442.74	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.23	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3442.51	Reach Len. (ft)	399.00	413.00	456.00
Crit W.S. (ft)	3441.99	Flow Area (sq ft)	7.49	661.99	9.23
E.G. Slope (ft/ft)	0.004151	Area (sq ft)	7.49	661.99	9.23
Q Total (cfs)	2568.00	Flow (cfs)	8.71	2548.55	10.74
Top Width (ft)	498.79	Top Width (ft)	29.47	433.00	36.33
Vel Total (ft/s)	3.78	Avg. Vel. (ft/s)	1.16	3.85	1.16
Max Chl Dpth (ft)	2.51	Hydr. Depth (ft)	0.25	1.53	0.25
Conv. Total (cfs)	39859.2	Conv. (cfs)	135.2	39557.4	166.7
Length Wtd. (ft)	413.07	Wetted Per. (ft)	29.47	433.02	36.33
Min Ch El (ft)	3440.00	Shear (lb/sq ft)	0.07	0.40	0.07
Alpha	1.03	Stream Power (lb/ft s)	0.08	1.53	0.08
Frctn Loss (ft)	2.69	Cum Volume (acre-ft)	41.31	176.32	10.39
C & E Loss (ft)	0.02	Cum SA (acres)	33.32	101.53	14.49

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 7717

FloodPlain.rep

INPUT

Description: Sta 7717

Station Elevation Data

num= 8

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3442	233	3440	383	3438	492	3437.8	510	3438
657	3439	747	3440	879	3442				

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	233	.033	747	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	233	747		444	464	510	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3439.05	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.30	Wt. n-Val.		0.033	
W.S. Elev (ft)	3438.75	Reach Len. (ft)	444.00	464.00	510.00
Crit W.S. (ft)	3438.75	Flow Area (sq ft)		171.46	
E.G. Slope (ft/ft)	0.019448	Area (sq ft)		171.46	
Q Total (cfs)	751.00	Flow (cfs)		751.00	
Top Width (ft)	294.31	Top Width (ft)		294.31	
Vel Total (ft/s)	4.38	Avg. Vel. (ft/s)		4.38	
Max Chl Dpth (ft)	0.95	Hydr. Depth (ft)		0.58	
Conv. Total (cfs)	5385.3	Conv. (cfs)		5385.3	
Length Wtd. (ft)	464.06	Wetted Per. (ft)		294.32	
Min Ch El (ft)	3437.80	Shear (lb/sq ft)		0.71	
Alpha	1.00	Stream Power (lb/ft s)		3.10	
Frctn Loss (ft)	1.78	Cum Volume (acre-ft)	15.84	75.03	2.33
C & E Loss (ft)	0.07	Cum SA (acres)	19.27	79.74	3.58

Warning: The energy equation could not be balanced within the specified number of iterations.
The

program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates

that there is not a valid subcritical answer. The program defaulted to critical dep

th.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3440.03	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.42	Wt. n-Val.		0.033	
W.S. Elev (ft)	3439.61	Reach Len. (ft)	444.00	464.00	510.00
Crit W.S. (ft)	3439.49	Flow Area (sq ft)		494.88	
E.G. Slope (ft/ft)	0.011696	Area (sq ft)		494.88	
Q Total (cfs)	2568.00	Flow (cfs)		2568.00	
Top Width (ft)	449.87	Top Width (ft)		449.87	
Vel Total (ft/s)	5.19	Avg. Vel. (ft/s)		5.19	
Max Chl Dpth (ft)	1.81	Hydr. Depth (ft)		1.10	
Conv. Total (cfs)	23745.5	Conv. (cfs)		23745.5	
Length Wtd. (ft)	464.56	Wetted Per. (ft)		449.89	
Min Ch El (ft)	3437.80	Shear (lb/sq ft)		0.80	
Alpha	1.00	Stream Power (lb/ft s)		4.17	
Frctn Loss (ft)	1.99	Cum Volume (acre-ft)	41.28	170.84	10.35
C & E Loss (ft)	0.05	Cum SA (acres)	33.18	97.34	14.30

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 7253

INPUT

Description: Sta. 7253

Station Elevation Data		num=	9						
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3438	109	3438.7	321	3438	424	3436	668	3435
906	3436	1005	3438	1200	3440	1365	3442		

Manning's n Values		num=	3		
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	424	.033	906	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	424	906		756	910	980	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

		FloodPlain.rep Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3436.52				
Vel Head (ft)	0.05	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3436.46	Reach Len. (ft)	756.00	910.00	980.00
Crit W.S. (ft)	3435.95	Flow Area (sq ft)	5.52	464.23	5.31
E.G. Slope (ft/ft)	0.001736	Area (sq ft)	5.52	464.23	5.31
Q Total (cfs)	857.00	Flow (cfs)	3.91	849.34	3.75
Top Width (ft)	528.78	Top Width (ft)	23.85	482.00	22.93
Vel Total (ft/s)	1.80	Avg. Vel. (ft/s)	0.71	1.83	0.71
Max Chl Dpth (ft)	1.46	Hydr. Depth (ft)	0.23	0.96	0.23
Conv. Total (cfs)	20570.2	Conv. (cfs)	93.8	20386.3	90.1
Length Wtd. (ft)	909.87	Wetted Per. (ft)	23.86	482.00	22.93
Min Ch El (ft)	3435.00	Shear (lb/sq ft)	0.03	0.10	0.03
Alpha	1.02	Stream Power (lb/ft s)	0.02	0.19	0.02
Frctn Loss (ft)	5.34	Cum Volume (acre-ft)	15.81	71.64	2.30
C & E Loss (ft)	0.03	Cum SA (acres)	19.14	75.60	3.45

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3437.98				
Vel Head (ft)	0.25	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3437.73	Reach Len. (ft)	756.00	910.00	980.00
Crit W.S. (ft)	3436.95	Flow Area (sq ft)	76.87	1073.79	73.88
E.G. Slope (ft/ft)	0.002925	Area (sq ft)	76.87	1073.79	73.88
Q Total (cfs)	4793.00	Flow (cfs)	169.77	4460.06	163.17
Top Width (ft)	656.51	Top Width (ft)	88.98	482.00	85.53
Vel Total (ft/s)	3.91	Avg. Vel. (ft/s)	2.21	4.15	2.21
Max Chl Dpth (ft)	2.73	Hydr. Depth (ft)	0.86	2.23	0.86
Conv. Total (cfs)	88629.9	Conv. (cfs)	3139.2	82473.4	3017.3
Length Wtd. (ft)	908.88	Wetted Per. (ft)	89.00	482.00	85.54

		FloodPlain.rep			
Min Ch El (ft)	3435.00	Shear (lb/sq ft)	0.16	0.41	0.16
Alpha	1.07	Stream Power (lb/ft s)	0.35	1.69	0.35
Frctn Loss (ft)	5.45	Cum Volume (acre-ft)	40.89	162.49	9.91
C & E Loss (ft)	0.04	Cum SA (acres)	32.73	92.38	13.80

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 6343

INPUT

Description: Sta. 6343

Station Elevation Data		num= 9							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3434	346	3433	663	3432	732	3431	860	3430.2
981	3430	1273	3430	1320	3431.5	1566	3432		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	663	.033	1320	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	663	1320		767	980	1051	.1
							.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3431.14	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.34	Wt. n-Val.		0.033	
W.S. Elev (ft)	3430.80	Reach Len. (ft)	767.00	980.00	1051.00
Crit W.S. (ft)	3430.80	Flow Area (sq ft)		358.99	
E.G. Slope (ft/ft)	0.018115	Area (sq ft)		358.99	
Q Total (cfs)	1668.00	Flow (cfs)		1668.00	
Top Width (ft)	534.73	Top Width (ft)		534.73	
Vel Total (ft/s)	4.65	Avg. Vel. (ft/s)		4.65	
Max Chl Dpth (ft)	0.80	Hydr. Depth (ft)		0.67	
Conv. Total (cfs)	12393.0	Conv. (cfs)		12393.0	
Length Wtd. (ft)	979.86	Wetted Per. (ft)		534.75	
Min Ch El (ft)	3430.00	Shear (lb/sq ft)		0.76	
Alpha	1.00	Stream Power (lb/ft s)		3.53	
Frctn Loss (ft)	4.03	Cum Volume (acre-ft)	15.76	63.04	2.24

FloodPlain.rep

C & E Loss (ft) 0.08 Cum SA (acres) 18.94 64.98 3.19

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3432.49	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.69	Wt. n-Val.		0.033	0.033
W.S. Elev (ft)	3431.79	Reach Len. (ft)	767.00	980.00	1051.00
Crit W.S. (ft)	3431.79	Flow Area (sq ft)		952.76	21.33
E.G. Slope (ft/ft)	0.013082	Area (sq ft)		952.76	21.33
Q Total (cfs)	6409.00	Flow (cfs)		6378.38	30.62
Top Width (ft)	787.68	Top Width (ft)		642.82	144.86
Vel Total (ft/s)	6.58	Avg. Vel. (ft/s)		6.69	1.44
Max Chl Dpth (ft)	1.79	Hydr. Depth (ft)		1.48	0.15
Conv. Total (cfs)	56035.0	Conv. (cfs)		55767.2	267.7
Length Wtd. (ft)	979.09	Wetted Per. (ft)		642.85	144.86
Min Ch El (ft)	3430.00	Shear (lb/sq ft)		1.21	0.12
Alpha	1.03	Stream Power (lb/ft s)		8.10	0.17
Frctn Loss (ft)	4.13	Cum Volume (acre-ft)	40.22	141.32	8.84
C & E Loss (ft)	0.16	Cum SA (acres)	31.96	80.63	11.21

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for

FloodPlain.rep

additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross

section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 5363

INPUT

Description: Sta. 5363

Station Elevation Data		num= 10		Sta	Elev	Sta	Elev	Sta	Elev
Sta	Elev	Sta	Elev	550	3428	742	3426	885	3425
100	3432	282	3430	1877	3428	1966	3428	2160	3430
1097	3425	1476	3426						

Manning's n Values		num= 3		Sta	n Val
Sta	n Val	Sta	n Val	1476	.033
100	.033	742	.033		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	742	1476		1199	1142	713	.1
							.3

CROSS SECTION OUTPUT Profile #PF 2

	E.G. Elev (ft)	3426.52	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.06		Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3426.46		Reach Len. (ft)	1199.00	1142.00	713.00
Crit W.S. (ft)	3425.87		Flow Area (sq ft)	10.21	811.51	21.32
E.G. Slope (ft/ft)	0.001774		Area (sq ft)	10.21	811.51	21.32
Q Total (cfs)	1668.00		Flow (cfs)	7.28	1645.51	15.21
Top Width (ft)	870.74		Top Width (ft)	44.27	734.00	92.47
Vel Total (ft/s)	1.98		Avg. Vel. (ft/s)	0.71	2.03	0.71
Max Chl Dpth (ft)	1.46		Hydr. Depth (ft)	0.23	1.11	0.23
Conv. Total (cfs)	39603.2		Conv. (cfs)	172.9	39069.3	361.0
Length Wtd. (ft)	1140.32		Wetted Per. (ft)	44.28	734.00	92.47
Min Ch El (ft)	3425.00		Shear (lb/sq ft)	0.03	0.12	0.03
Alpha	1.04		Stream Power (lb/ft s)	0.02	0.25	0.02
Frctn Loss (ft)	4.99		Cum Volume (acre-ft)	15.67	49.88	1.98
C & E Loss (ft)	0.03		Cum SA (acres)	18.55	50.71	2.07

FloodPlain.rep

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3427.77	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.17	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3427.60	Reach Len. (ft)	1199.00	1142.00	713.00
Crit W.S. (ft)	3426.70	Flow Area (sq ft)	122.30	1644.60	255.42
E.G. Slope (ft/ft)	0.002053	Area (sq ft)	122.30	1644.60	255.42
Q Total (cfs)	6409.00	Flow (cfs)	214.69	5745.90	448.41
Top Width (ft)	1207.27	Top Width (ft)	153.23	734.00	320.04
Vel Total (ft/s)	3.17	Avg. Vel. (ft/s)	1.76	3.49	1.76
Max Chl Dpth (ft)	2.60	Hydr. Depth (ft)	0.80	2.24	0.80
Conv. Total (cfs)	141432.8	Conv. (cfs)	4737.8	126799.6	9895.4
Length Wtd. (ft)	1130.35	Wetted Per. (ft)	153.24	734.00	320.04
Min Ch El (ft)	3425.00	Shear (lb/sq ft)	0.10	0.29	0.10
Alpha	1.12	Stream Power (lb/ft s)	0.18	1.00	0.18
Frctn Loss (ft)	5.03	Cum Volume (acre-ft)	39.14	112.10	5.50
C & E Loss (ft)	0.04	Cum SA (acres)	30.61	65.14	5.60

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 4221

INPUT

Description: Sta. 4221

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3423	341	3422	544	3421	640	3420	669	3420
753	3420.2	829	3420	837	3420	1030	3421	1320	3422
1407	3423	1497	3424						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val

FloodPlain.rep

100 .033 544 .033 1407 .033

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 544 1407 749 732 843 .1 .3

CROSS SECTION OUTPUT Profile #PF 2

			Left OB	Channel	Right OB
E.G. Elev (ft)	3421.50	Element			
Vel Head (ft)	0.37	Wt. n-Val.	0.033	0.033	
W.S. Elev (ft)	3421.13	Reach Len. (ft)	749.00	732.00	843.00
Crit W.S. (ft)	3421.13	Flow Area (sq ft)	1.76	391.97	
E.G. Slope (ft/ft)	0.017296	Area (sq ft)	1.76	391.97	
Q Total (cfs)	1914.00	Flow (cfs)	1.70	1912.30	
Top Width (ft)	550.87	Top Width (ft)	26.71	524.16	
Vel Total (ft/s)	4.86	Avg. Vel. (ft/s)	0.97	4.88	
Max Chl Dpth (ft)	1.13	Hydr. Depth (ft)	0.07	0.75	
Conv. Total (cfs)	14553.6	Conv. (cfs)	12.9	14540.7	
Length Wtd. (ft)	736.89	Wetted Per. (ft)	26.71	524.17	
Min Ch El (ft)	3420.00	Shear (lb/sq ft)	0.07	0.81	
Alpha	1.01	Stream Power (lb/ft s)	0.07	3.94	
Frctn Loss (ft)	3.61	Cum Volume (acre-ft)	15.51	34.10	1.81
C & E Loss (ft)	0.09	Cum SA (acres)	17.57	34.22	1.32

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

			Left OB	Channel	Right OB
E.G. Elev (ft)	3422.69	Element			
Vel Head (ft)	0.60	Wt. n-Val.	0.033	0.033	

FloodPlain.rep					
W.S. Elev (ft)	3422.09	Reach Len. (ft)	749.00	732.00	843.00
Crit W.S. (ft)	3422.09	Flow Area (sq ft)	121.48	1029.25	
E.G. Slope (ft/ft)	0.013866	Area (sq ft)	121.48	1029.25	
Q Total (cfs)	6969.00	Flow (cfs)	426.48	6542.52	
Top Width (ft)	1009.59	Top Width (ft)	225.48	784.11	
Vel Total (ft/s)	6.06	Avg. Vel. (ft/s)	3.51	6.36	
Max Chl Dpth (ft)	2.09	Hydr. Depth (ft)	0.54	1.31	
Conv. Total (cfs)	59181.7	Conv. (cfs)	3621.8	55559.9	
Length Wtd. (ft)	737.78	Wetted Per. (ft)	225.48	784.12	
Min Ch El (ft)	3420.00	Shear (lb/sq ft)	0.47	1.14	
Alpha	1.05	Stream Power (lb/ft s)	1.64	7.22	
Frctn Loss (ft)	3.71	Cum Volume (acre-ft)	35.79	77.05	3.41
C & E Loss (ft)	0.12	Cum SA (acres)	25.40	45.24	2.98

Warning: The energy equation could not be balanced within the specified number of iterations.
The program used critical depth for the water surface and continued on with the calculations.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 3489

INPUT

Description: Sta. 3489

Station Elevation Data		num= 22							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-286	3420	-138	3418.5	-126	3418	-104	3416	-91	3415.5
-76	3416	-21	3417	100	3417	258	3416.5	299	3416
309	3415	318	3416	405	3416	422	3416	539	3416.4
581	3416.2	642	3416.4	744	3416	830	3416	918	3418
1068	3420	1159	3421						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
-286	.033	539	.033	918	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	539	918		464	500	457	.1 .3

FloodPlain.rep

CROSS SECTION OUTPUT Profile #PF 2

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3417.37				
Vel Head (ft)	0.07	Wt. n-Val.	0.033	0.033	
W.S. Elev (ft)	3417.31	Reach Len. (ft)	464.00	500.00	457.00
Crit W.S. (ft)	3416.78	Flow Area (sq ft)	566.22	366.93	
E.G. Slope (ft/ft)	0.002270	Area (sq ft)	566.22	366.93	
Q Total (cfs)	1914.00	Flow (cfs)	1099.41	814.59	
Top Width (ft)	1005.93	Top Width (ft)	657.39	348.55	
Vel Total (ft/s)	2.05	Avg. Vel. (ft/s)	1.94	2.22	
Max Chl Dpth (ft)	2.31	Hydr. Depth (ft)	0.86	1.05	
Conv. Total (cfs)	40173.3	Conv. (cfs)	23075.7	17097.6	
Length Wtd. (ft)	481.59	Wetted Per. (ft)	657.58	348.56	
Min Ch El (ft)	3416.00	Shear (lb/sq ft)	0.12	0.15	
Alpha	1.01	Stream Power (lb/ft s)	0.24	0.33	
Frctn Loss (ft)	2.39	Cum Volume (acre-ft)	10.62	27.72	1.81
C & E Loss (ft)	0.03	Cum SA (acres)	11.69	26.89	1.32

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION OUTPUT Profile #PF 3

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3418.52				
Vel Head (ft)	0.19	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3418.33	Reach Len. (ft)	464.00	500.00	457.00
Crit W.S. (ft)	3417.53	Flow Area (sq ft)	1246.14	744.64	4.14
E.G. Slope (ft/ft)	0.002578	Area (sq ft)	1246.14	744.64	4.14
Q Total (cfs)	6969.00	Flow (cfs)	4295.42	2670.72	2.86
Top Width (ft)	1076.90	Top Width (ft)	672.97	379.00	24.92
Vel Total (ft/s)	3.49	Avg. Vel. (ft/s)	3.45	3.59	0.69
Max Chl Dpth (ft)	3.33	Hydr. Depth (ft)	1.85	1.96	0.17

		FloodPlain.rep			
Conv. Total (cfs)	137244.0	Conv. (cfs)	84591.8	52595.9	56.3
Length Wtd. (ft)	481.04	Wetted Per. (ft)	673.21	379.02	24.92
Min Ch El (ft)	3416.00	Shear (lb/sq ft)	0.30	0.32	0.03
Alpha	1.00	Stream Power (lb/ft s)	1.03	1.13	0.02
Frctn Loss (ft)	2.35	Cum Volume (acre-ft)	24.03	62.15	3.37
C & E Loss (ft)	0.04	Cum SA (acres)	17.67	35.47	2.74

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2989

INPUT

Description: Sta. 2989

Station Elevation Data		num= 14							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-31	3416	59	3414.8	170	3414.8	196	3414	436	3413.8
613	3414	651	3414	700	3414	747	3414	761	3414
841	3415.01	920	3416	976	3418	1067	3420		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
-31	.033	436	.033	841	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	436	841		317	215	172	.3
							.5

CROSS SECTION OUTPUT Profile #PF 2

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3414.95				
Vel Head (ft)	0.33	Wt. n-Val.	0.033	0.033	
W.S. Elev (ft)	3414.63	Reach Len. (ft)	317.00	215.00	172.00
Crit W.S. (ft)	3414.63	Flow Area (sq ft)	180.41	236.38	
E.G. Slope (ft/ft)	0.018186	Area (sq ft)	180.41	236.38	
Q Total (cfs)	1914.00	Flow (cfs)	857.86	1056.14	
Top Width (ft)	634.84	Top Width (ft)	260.32	374.52	
Vel Total (ft/s)	4.59	Avg. Vel. (ft/s)	4.76	4.47	
Max Chl Dpth (ft)	0.83	Hydr. Depth (ft)	0.69	0.63	
Conv. Total (cfs)	14192.9	Conv. (cfs)	6361.3	7831.6	
Length Wtd. (ft)	254.28	Wetted Per. (ft)	260.33	374.53	

Min Ch El (ft)	3413.80	FloodPlain.rep Shear (lb/sq ft)	0.79	0.72	
Alpha	1.00	Stream Power (lb/ft s)	3.74	3.20	
Frctn Loss (ft)	0.29	Cum Volume (acre-ft)	6.65	24.26	1.81
C & E Loss (ft)	0.14	Cum SA (acres)	6.80	22.74	1.32

Warning: The energy equation could not be balanced within the specified number of iterations.
The program used critical depth for the water surface and continued on with the calculations.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION OUTPUT Profile #PF 3

E.G. Elev (ft)	3416.14	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.60	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3415.54	Reach Len. (ft)	317.00	215.00	172.00
Crit W.S. (ft)	3415.49	Flow Area (sq ft)	524.33	599.53	11.05
E.G. Slope (ft/ft)	0.012585	Area (sq ft)	524.33	599.53	11.05
Q Total (cfs)	6969.00	Flow (cfs)	3012.55	3933.52	22.93
Top Width (ft)	879.23	Top Width (ft)	432.23	405.00	42.00
Vel Total (ft/s)	6.14	Avg. Vel. (ft/s)	5.75	6.56	2.07
Max Chl Dpth (ft)	1.74	Hydr. Depth (ft)	1.21	1.48	0.26
Conv. Total (cfs)	62122.0	Conv. (cfs)	26854.0	35063.5	204.4
Length Wtd. (ft)	262.29	Wetted Per. (ft)	432.24	405.01	42.01
Min Ch El (ft)	3413.80	Shear (lb/sq ft)	0.95	1.16	0.21
Alpha	1.02	Stream Power (lb/ft s)	5.48	7.63	0.43
Frctn Loss (ft)	0.74	Cum Volume (acre-ft)	14.60	54.43	3.29
C & E Loss (ft)	0.21	Cum SA (acres)	11.79	30.97	2.39

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2774

INPUT

Description: Sta. 2774 Upstream of culverts

Station Elevation Data		num= 18		Sta Elev		Sta Elev		Sta Elev	
-453	3416	-437	3415	-405	3414	-289	3413.8	-13	3413.8
100	3413.8	175	3413.8	204	3412	261	3412	298	3411.2
402	3410.9	437	3410	469	3409	491	3409	511	3410
560	3412	641	3414	725	3416				

Manning's n Values		num= 3		Sta n Val	
-453	.033	437	.033	511	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	437	511		40	40	.3	.5

Ineffective Flow		num= 2		Sta L Sta R Elev Permanent	
-888	F				
888	F				

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3414.15	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.05	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3414.10	Reach Len. (ft)	40.00	40.00	40.00
Crit W.S. (ft)	3412.71	Flow Area (sq ft)	855.61	351.50	241.39
E.G. Slope (ft/ft)	0.000369	Area (sq ft)	855.61	351.50	241.39
Q Total (cfs)	1914.00	Flow (cfs)	746.27	859.03	308.70
Top Width (ft)	1053.50	Top Width (ft)	845.24	74.00	134.26
Vel Total (ft/s)	1.32	Avg. Vel. (ft/s)	0.87	2.44	1.28
Max Chl Dpth (ft)	5.10	Hydr. Depth (ft)	1.01	4.75	1.80
Conv. Total (cfs)	99610.7	Conv. (cfs)	38838.2	44706.6	16065.9
Length Wtd. (ft)	40.00	Wetted Per. (ft)	845.32	74.04	134.32
Min Ch El (ft)	3409.00	Shear (lb/sq ft)	0.02	0.11	0.04
Alpha	1.86	Stream Power (lb/ft s)	0.02	0.27	0.05
Frctn Loss (ft)		Cum Volume (acre-ft)	2.88	22.81	1.33
C & E Loss (ft)		Cum SA (acres)	2.78	21.63	1.05

Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CROSS SECTION OUTPUT Profile #PF 3

FloodPlain.rep

Parameter	Value	Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3415.19	Element			
Vel Head (ft)	0.18	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3415.01	Reach Len. (ft)	40.00	40.00	40.00
Crit W.S. (ft)	3413.39	Flow Area (sq ft)	1636.03	418.67	380.56
E.G. Slope (ft/ft)	0.001205	Area (sq ft)	1636.03	418.67	380.56
Q Total (cfs)	6969.00	Flow (cfs)	3883.58	2077.16	1008.27
Top Width (ft)	1120.52	Top Width (ft)	874.14	74.00	172.38
Vel Total (ft/s)	2.86	Avg. Vel. (ft/s)	2.37	4.96	2.65
Max Chl Dpth (ft)	6.01	Hydr. Depth (ft)	1.87	5.66	2.21
Conv. Total (cfs)	200748.6	Conv. (cfs)	111870.0	59834.5	29044.1
Length Wtd. (ft)	40.00	Wetted Per. (ft)	874.24	74.04	172.46
Min Ch El (ft)	3409.00	Shear (lb/sq ft)	0.14	0.43	0.17
Alpha	1.40	Stream Power (lb/ft s)	0.33	2.11	0.44
Frctn Loss (ft)		Cum Volume (acre-ft)	6.74	51.92	2.52
C & E Loss (ft)		Cum SA (acres)	7.03	29.79	1.97

Warning: The cross section had to be extended vertically during the critical depth calculations.
 Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CULVERT RIVER: Ditch A
 REACH: 5 RS: 2773

INPUT

Description:

Distance from Upstream XS = 8
 Deck/Roadway Width = 24
 Weir Coefficient = 3

Upstream Deck/Roadway Coordinates

num= 6					
Sta	Hi	Cord	Lo	Cord	
26	3413.8		100	3413.8	402 3412.7
500	3412.8		600	3413.9	700 3415.7

Upstream Bridge Cross Section Data

Station Elevation Data num= 18									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-453	3416	-437	3415	-405	3414	-289	3413.8	-13	3413.8
100	3413.8	175	3413.8	204	3412	261	3412	298	3411.2
402	3410.9	437	3410	469	3409	491	3409	511	3410
560	3412	641	3414	725	3416				

Manning's n Values

num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
-453	.033	437	.033	511	.033

FloodPlain.rep

Bank Sta: Left Right Coeff Contr. Expan.
 437 511 .3 .5
 Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 -888 F
 888 F

Downstream Deck/Roadway Coordinates
 num= 6

Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
26	3413.8		100	3413.8	402	3412.7			
500	3412.8		600	3413.9	700	3415.7			

Downstream Bridge Cross Section Data

Station Elevation Data num= 17

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-1721	3416	-1410	3414	26	3413.8	100	3412.4	155	3412
299	3411.4	349	3410	387	3408.9	391.4	3408.9	395.8	3408.9
400.2	3408.9	404.6	3408.9	409	3408.9	434	3410	487	3412
568	3414	658	3416						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
-1721	.033	349	.033	434	.033

Bank Sta: Left Right Coeff Contr. Expan.
 349 434 .3 .5
 Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 -888 F
 888 F

Upstream Embankment side slope = 3 horiz. to 1.0 vertical
 Downstream Embankment side slope = 3 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 3412.7
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Culverts = 1

Culvert Name Shape Rise Span
 Culvert #1 Pipe Arch 1.833 2.43
 FHWA Chart # 34- 18 inch corner radius; Corrugated metal
 FHWA Scale # 1 - 90 Degree headwall
 Solution Criteria = Highest U.S. EG
 Culvert Upstrm Dist Length n Value Entrance Loss Coef Exit Loss Coef
 1 39 .024 .5 1

Number of Barrels = 6
 Upstream Elevation = 3409
 Centerline Stations
 Sta. Sta. Sta. Sta. Sta. Sta.
 469 473.4 477.8 482.2 486.6 491
 Downstream Elevation = 3408.9
 Centerline Stations
 Sta. Sta. Sta. Sta. Sta. Sta.
 387 391.4 395.8 400.2 404.6 409

CULVERT OUTPUT Profile #PF 2
 Culvert ID : Culvert #1

Culv Q (cfs)	149.03	Culv Ful Lngh (ft)	39.00
# Barrels	6	Culv Vel US (ft/s)	5.64

FloodPlain.rep			
Q Barrel (cfs)	24.84	Culv Vel DS (ft/s)	5.64
E.G. US. (ft)	3414.15	Culv Inv El Up (ft)	3409.00
W.S. US. (ft)	3414.10	Culv Inv El Dn (ft)	3408.90
E.G. DS (ft)	3412.89	Culv Frctn Ls (ft)	0.70
W.S. DS (ft)	3412.71	Culv Ext Lss (ft)	0.31
Delta EG (ft)	1.26	Culv Ent Lss (ft)	0.25
Delta WS (ft)	1.39	Q Weir (cfs)	1760.21
E.G. IC (ft)	3414.12	Weir Sta Lft (ft)	-409.87
E.G. OC (ft)	3414.15	Weir Sta Rgt (ft)	614.01
Culvert Control	Outlet	Weir Submerg	0.00
Culv WS Inlet (ft)	3410.83	Weir Max Depth (ft)	1.45
Culv WS Outlet (ft)	3410.73	Weir Avg Depth (ft)	0.63
Culv Nml Depth (ft)		Wr Flw Area (sq ft)	647.47
Culv Crt Depth (ft)	1.64	Min El Weir Flow (ft)	3412.71

CULVERT OUTPUT Profile #PF 3
Culvert ID : Culvert #1

Culv Q (cfs)	132.39	Culv Ful Lngh (ft)	39.00
# Barrels	6	Culv Vel US (ft/s)	5.01
Q Barrel (cfs)	22.07	Culv Vel DS (ft/s)	5.01
E.G. US. (ft)	3415.19	Culv Inv El Up (ft)	3409.00
W.S. US. (ft)	3415.01	Culv Inv El Dn (ft)	3408.90
E.G. DS (ft)	3414.44	Culv Frctn Ls (ft)	0.55
W.S. DS (ft)	3413.55	Culv Ext Lss (ft)	
Delta EG (ft)	0.75	Culv Ent Lss (ft)	0.20
Delta WS (ft)	1.46	Q Weir (cfs)	6846.27
E.G. IC (ft)	3415.16	Weir Sta Lft (ft)	-440.00
E.G. OC (ft)	3415.19	Weir Sta Rgt (ft)	671.53
Culvert Control	Outlet	Weir Submerg	0.13
Culv WS Inlet (ft)	3410.83	Weir Max Depth (ft)	2.49
Culv WS Outlet (ft)	3410.73	Weir Avg Depth (ft)	1.58
Culv Nml Depth (ft)		Wr Flw Area (sq ft)	1754.25
Culv Crt Depth (ft)	1.21	Min El Weir Flow (ft)	3412.71

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 2734

INPUT

Description: Sta. 2734 Downstream of culverts

Station		Elevation		Data		num=		17	
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-1721	3416	-1410	3414	26	3413.8	100	3412.4	155	3412
299	3411.4	349	3410	387	3408.9	391.4	3408.9	395.8	3408.9
400.2	3408.9	404.6	3408.9	409	3408.9	434	3410	487	3412
568	3414	658	3416						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
-1721	.033	349	.033	434	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	349	434		745	846	1015	.3
							.5

Ineffective Flow		num=		2	
Sta L	Sta R	Elev	Permanent		
-888	F				
888	F				

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3412.89	Element	Left OB	Channel	Right OB
----------------	---------	---------	---------	---------	----------

		FloodPlain.rep			
Vel Head (ft)	0.19	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3412.71	Reach Len. (ft)	745.00	846.00	1015.00
Crit W.S. (ft)	3412.71	Flow Area (sq ft)	275.89	288.99	100.64
E.G. Slope (ft/ft)	0.001632	Area (sq ft)	275.89	288.99	100.64
Q Total (cfs)	1914.00	Flow (cfs)	515.20	1188.42	210.38
Top Width (ft)	431.91	Top Width (ft)	265.26	85.00	81.65
Vel Total (ft/s)	2.88	Avg. Vel. (ft/s)	1.87	4.11	2.09
Max Chl Dpth (ft)	3.81	Hydr. Depth (ft)	1.04	3.40	1.23
Conv. Total (cfs)	47371.8	Conv. (cfs)	12751.3	29413.6	5206.9
Length Wtd. (ft)	841.73	Wetted Per. (ft)	265.28	85.04	81.70
Min Ch El (ft)	3408.90	Shear (lb/sq ft)	0.11	0.35	0.13
Alpha	1.44	Stream Power (lb/ft s)	0.20	1.42	0.26
Frctn Loss (ft)	1.75	Cum Volume (acre-ft)	2.36	22.52	1.17
C & E Loss (ft)	0.05	Cum SA (acres)	2.27	21.56	0.95

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

Warning: The parabolic search method failed to converge on critical depth. The program will try the cross section slice/secant method to find critical depth.

CROSS SECTION OUTPUT Profile #PF 3

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3414.44				
Vel Head (ft)	0.89	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3413.55	Reach Len. (ft)	745.00	846.00	1015.00
Crit W.S. (ft)	3413.55	Flow Area (sq ft)	518.43	360.69	183.92
E.G. Slope (ft/ft)	0.006458	Area (sq ft)	518.43	360.69	183.92
Q Total (cfs)	6969.00	Flow (cfs)	2643.72	3419.75	905.53
Top Width (ft)	510.66	Top Width (ft)	309.84	85.00	115.82

Vel Total (ft/s)	6.56	FloodPlain.rep Avg. Vel. (ft/s)	5.10	9.48	4.92
Max Chl Dpth (ft)	4.65	Hydr. Depth (ft)	1.67	4.24	1.59
Conv. Total (cfs)	86723.5	Conv. (cfs)	32899.0	42556.0	11268.6
Length Wtd. (ft)		Wetted Per. (ft)	309.87	85.04	115.87
Min Ch El (ft)	3408.90	Shear (lb/sq ft)	0.67	1.71	0.64
Alpha	1.33	Stream Power (lb/ft s)	3.44	16.21	3.15
Frctn Loss (ft)		Cum Volume (acre-ft)	5.75	51.56	2.26
C & E Loss (ft)		Cum SA (acres)	6.49	29.71	1.84

Warning: The energy equation could not be balanced within the specified number of iterations.
The program used critical depth for the water surface and continued on with the calculations.
Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 1888

INPUT

Description: Sta. 1888

Station Elevation Data		num= 10							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-775	3412	-41	3410	81	3410	100	3410.2	110	3410
331	3408	532	3408	690	3408	1180	3410	1268	3412

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
-775	.033	100	.033	1180	.033

Bank Sta: Left	Right	Lengths: Left Channel	Right	Coeff Contr.	Expan.
100	1180	305	828	980	.1 .3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3409.47	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.08	Wt. n-Val.		0.033	
W.S. Elev (ft)	3409.38	Reach Len. (ft)	305.00	828.00	980.00
Crit W.S. (ft)	3408.84	Flow Area (sq ft)		834.45	
E.G. Slope (ft/ft)	0.002740	Area (sq ft)		834.45	
Q Total (cfs)	1943.00	Flow (cfs)		1943.00	

		FloodPlain.rep	
Top Width (ft)	849.81	Top Width (ft)	849.81
Vel Total (ft/s)	2.33	Avg. Vel. (ft/s)	2.33
Max Chl Dpth (ft)	1.38	Hydr. Depth (ft)	0.98
Conv. Total (cfs)	37119.1	Conv. (cfs)	37119.1
Length Wtd. (ft)	828.00	Wetted Per. (ft)	849.82
Min Ch El (ft)	3408.00	Shear (lb/sq ft)	0.17
Alpha	1.00	Stream Power (lb/ft s)	0.39
Frctn Loss (ft)	4.73	Cum Volume (acre-ft)	11.61
C & E Loss (ft)	0.03	Cum SA (acres)	12.48

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross

section. This may indicate the need for additional cross sections.

Note: Hydraulic jump has occurred between this cross section and the previous upstream section.

CROSS SECTION OUTPUT Profile #PF 3

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3410.68				
Vel Head (ft)	0.19	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3410.48	Reach Len. (ft)	305.00	828.00	980.00
Crit W.S. (ft)	3409.72	Flow Area (sq ft)	109.37	1950.86	5.16
E.G. Slope (ft/ft)	0.002812	Area (sq ft)	109.37	1950.86	5.16
Q Total (cfs)	7042.00	Flow (cfs)	128.02	6909.20	4.78
Top Width (ft)	1419.98	Top Width (ft)	318.68	1080.00	21.30
Vel Total (ft/s)	3.41	Avg. Vel. (ft/s)	1.17	3.54	0.93
Max Chl Dpth (ft)	2.48	Hydr. Depth (ft)	0.34	1.81	0.24
Conv. Total (cfs)	132792.6	Conv. (cfs)	2414.1	130288.3	90.2
Length Wtd. (ft)	823.37	Wetted Per. (ft)	318.68	1080.02	21.31
Min Ch El (ft)	3408.00	Shear (lb/sq ft)	0.06	0.32	0.04
Alpha	1.06	Stream Power (lb/ft s)	0.07	1.12	0.04
Frctn Loss (ft)	4.55	Cum Volume (acre-ft)	0.38	29.11	0.06
C & E Loss (ft)	0.05	Cum SA (acres)	1.12	18.40	0.24

FloodPlain.rep

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross

Note: section. This may indicate the need for additional cross sections.
 Note: Hydraulic jump has occurred between this cross section and the previous upstream section.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 1060

INPUT

Description: Sta. 1060

Station Elevation Data		num= 6		Sta	Elev	Sta	Elev	Sta	Elev
Sta	Elev	Sta	Elev	879	3402.7	909	3402.7	1206	3405
100	3408	394	3406						
1523	3406								

Manning's n Values		num= 3		Sta	n Val	Sta	n Val
Sta	n Val	Sta	n Val	1523	.033		
100	.033	394	.033				

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	394	1523		60	60	.1	.3

CROSS SECTION OUTPUT Profile #PF 2

E.G. Elev (ft)	3404.70	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.43	Wt. n-Val.		0.033	
W.S. Elev (ft)	3404.27	Reach Len. (ft)			
Crit W.S. (ft)	3404.27	Flow Area (sq ft)		386.84	
E.G. Slope (ft/ft)	0.017302	Area (sq ft)		386.84	
Q Total (cfs)	2032.00	Flow (cfs)		2032.00	
Top Width (ft)	463.15	Top Width (ft)		463.15	
Vel Total (ft/s)	5.25	Avg. Vel. (ft/s)		5.25	
Max Chl Dpth (ft)	1.57	Hydr. Depth (ft)		0.84	
Conv. Total (cfs)	15448.2	Conv. (cfs)		15448.2	
Length Wtd. (ft)		Wetted Per. (ft)		463.16	
Min Ch El (ft)	3402.70	Shear (lb/sq ft)		0.90	
Alpha	1.00	Stream Power (lb/ft s)		4.74	
Frctn Loss (ft)		Cum Volume (acre-ft)			
C & E Loss (ft)		Cum SA (acres)			

CROSS SECTION OUTPUT Profile #PF 3

FloodPlain.rep

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3406.07				
Vel Head (ft)	0.66	Wt. n-Val.		0.033	
W.S. Elev (ft)	3405.41	Reach Len. (ft)			
Crit W.S. (ft)	3405.41	Flow Area (sq ft)		1112.35	
E.G. Slope (ft/ft)	0.014850	Area (sq ft)		1112.35	
Q Total (cfs)	7268.00	Flow (cfs)		7268.00	
Top Width (ft)	856.01	Top Width (ft)		856.01	
Vel Total (ft/s)	6.53	Avg. Vel. (ft/s)		6.53	
Max Chl Dpth (ft)	2.71	Hydr. Depth (ft)		1.30	
Conv. Total (cfs)	59642.9	Conv. (cfs)		59642.9	
Length Wtd. (ft)		Wetted Per. (ft)		856.03	
Min Ch El (ft)	3402.70	Shear (lb/sq ft)		1.20	
Alpha	1.00	Stream Power (lb/ft s)		7.87	
Frctn Loss (ft)		Cum Volume (acre-ft)			
C & E Loss (ft)		Cum SA (acres)			

SUMMARY OF MANNING'S N VALUES

River:Ditch A

Reach	River Sta.	n1	n2	n3
5	12674	.033	.033	.033
5	11337	.033	.033	.033
5	10937	.033	.033	.033
5	10288	.033	.033	.033
5	9690	.033	.033	.033
5	9009	.033	.033	.033
5	8130	.033	.033	.033
5	7717	.033	.033	.033
5	7253	.033	.033	.033
5	6343	.033	.033	.033
5	5363	.033	.033	.033
5	4221	.033	.033	.033
5	3489	.033	.033	.033
5	2989	.033	.033	.033
5	2774	.033	.033	.033
5	2773			
		Culvert		
5	2734	.033	.033	.033
5	1888	.033	.033	.033
5	1060	.033	.033	.033

SUMMARY OF REACH LENGTHS

River: Ditch A

Reach	River Sta.	Left	Channel	Right
5	12674	1206	1337	1433
5	11337	545	400	332
5	10937	729	649	445
5	10288	552	598	633
5	9690	639	681	658
5	9009	898	879	794
5	8130	399	413	456
5	7717	444	464	510
5	7253	756	910	980
5	6343	767	980	1051
5	5363	1199	1142	713
5	4221	749	732	843
5	3489	464	500	457
5	2989	317	215	172
5	2774	40	40	40
5	2773	Culvert		
5	2734	745	846	1015
5	1888	305	828	980
5	1060	60	60	60

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS

River: Ditch A

Reach	River Sta.	Contr.	Expan.
5	12674	.1	.3
5	11337	.1	.3
5	10937	.1	.3
5	10288	.1	.3
5	9690	.1	.3
5	9009	.1	.3
5	8130	.1	.3
5	7717	.1	.3
5	7253	.1	.3
5	6343	.1	.3
5	5363	.1	.3
5	4221	.1	.3
5	3489	.1	.3
5	2989	.3	.5
5	2774	.3	.5
5	2773	Culvert	
5	2734	.3	.5
5	1888	.1	.3
5	1060	.1	.3

Profile Output Table - Standard Table 1

Reach	River Sta	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. S
lope	Vel Chnl	Flow Area	Top Width	Froude #	Chl		
/ft)	(ft/s)	(sq ft)	(ft)	(ft)	(ft)	(ft)	(ft)

FloodPlain.rep								
5		12674	592.00	3477.00	3478.45	3478.05	3478.54	0.00
3041	2.40	255.24	314.65	0.43				
5		12674	1768.00	3477.00	3479.22	3478.65	3479.41	0.00
3111	3.61	539.30	417.81	0.48				
5		11337	592.00	3469.00	3470.47	3470.44	3470.89	0.01
4287	5.25	115.46	134.51	0.94				
5		11337	1768.00	3469.00	3471.40	3471.40	3472.19	0.01
1380	7.37	259.90	173.86	0.94				
5		10937	592.00	3464.00	3465.88	3465.69	3466.18	0.00
9696	4.40	134.50	135.92	0.78				
5		10937	1768.00	3464.00	3466.73	3466.67	3467.39	0.01
1861	6.57	275.01	197.71	0.93				
5		10288	592.00	3456.00	3456.97	3456.97	3457.25	0.02
0992	4.29	138.04	258.98	1.04				
5		10288	1768.00	3456.00	3457.50	3457.50	3457.89	0.01
8227	5.03	351.36	466.54	1.02				
5		9690	751.00	3450.00	3451.61	3451.24	3451.73	0.00
4736	2.71	276.77	337.73	0.53				
5		9690	2568.00	3450.00	3452.40	3452.03	3452.69	0.00
5801	4.32	602.35	473.42	0.64				
5		9009	751.00	3445.00	3446.57	3446.45	3446.81	0.01
2198	3.97	189.12	265.03	0.83				
5		9009	2568.00	3445.00	3447.55		3447.89	0.00
8737	4.66	550.62	472.01	0.76				
5		8130	751.00	3440.00	3441.70	3441.21	3441.78	0.00
3259	2.34	320.72	368.87	0.44				
5		8130	2568.00	3440.00	3442.51	3441.99	3442.74	0.00
4151	3.85	678.70	498.79	0.55				
5		7717	751.00	3437.80	3438.75	3438.75	3439.05	0.01
9448	4.38	171.46	294.31	1.01				
5		7717	2568.00	3437.80	3439.61	3439.49	3440.03	0.01
1696	5.19	494.88	449.87	0.87				
5		7253	857.00	3435.00	3436.46	3435.95	3436.52	0.00
1736	1.83	475.06	528.78	0.33				
5		7253	4793.00	3435.00	3437.73	3436.95	3437.98	0.00
2925	4.15	1224.55	656.51	0.49				
5		6343	1668.00	3430.00	3430.80	3430.80	3431.14	0.01
8115	4.65	358.99	534.73	1.00				
5		6343	6409.00	3430.00	3431.79	3431.79	3432.49	0.01
3082	6.69	974.08	787.68	0.97				
5		5363	1668.00	3425.00	3426.46	3425.87	3426.52	0.00
1774	2.03	843.04	870.74	0.34				
5		5363	6409.00	3425.00	3427.60	3426.70	3427.77	0.00
2053	3.49	2022.32	1207.27	0.41				

FloodPlain.rep

5		4221		1914.00	3420.00	3421.13	3421.13	3421.50	0.01
7296	4.88	393.73		550.87	0.99				
5		4221		6969.00	3420.00	3422.09	3422.09	3422.69	0.01
3866	6.36	1150.73		1009.59	0.98				
5		3489		1914.00	3416.00	3417.31	3416.78	3417.37	0.00
2270	2.22	933.15		1005.93	0.38				
5		3489		6969.00	3416.00	3418.33	3417.53	3418.52	0.00
2578	3.59	1994.93		1076.90	0.45				
5		2989		1914.00	3413.80	3414.63	3414.63	3414.95	0.01
8186	4.47	416.79		634.84	0.99				
5		2989		6969.00	3413.80	3415.54	3415.49	3416.14	0.01
2585	6.56	1134.92		879.23	0.95				
5		2774		1914.00	3409.00	3414.10	3412.71	3414.15	0.00
0369	2.44	1448.49		1053.50	0.20				
5		2774		6969.00	3409.00	3415.01	3413.39	3415.19	0.00
1205	4.96	2435.25		1120.52	0.37				
5		2773		Culvert					
5		2734		1914.00	3408.90	3412.71	3412.71	3412.89	0.00
1632	4.11	665.51		431.91	0.39				
5		2734		6969.00	3408.90	3413.55	3413.55	3414.44	0.00
6458	9.48	1063.05		510.66	0.81				
5		1888		1943.00	3408.00	3409.38	3408.84	3409.47	0.00
2740	2.33	834.45		849.81	0.41				
5		1888		7042.00	3408.00	3410.48	3409.72	3410.68	0.00
2812	3.54	2065.39		1419.98	0.46				
5		1060		2032.00	3402.70	3404.27	3404.27	3404.70	0.01
7302	5.25	386.84		463.15	1.01				
5		1060		7268.00	3402.70	3405.41	3405.41	3406.07	0.01
4850	6.53	1112.35		856.01	1.01				

Profile Output Table - Report

Reach	River Sta	Q Total	Min Ch El	W.S. Elev	Crit W.S.	Max Chl Dpth	E.G
Elev	E.G. Slope	Sta W.S. Lft	Sta W.S. Rgt	Flow Area	Top Width	Froude #	Chl
(ft)	(ft/ft)	(cfs)	(ft)	(ft)	(sq ft)	(ft)	(ft)
		(ft)					
5	12674	592.00	3477.00	3478.45	3478.05	1.45	3
478.54	0.003041	348.61		663.25	255.24	314.65	0.43
5	12674	1768.00	3477.00	3479.22	3478.65	2.22	3

FloodPlain.rep

479.41	0.003111	3.61	294.31	712.12	539.30	417.81	0.48	
5	11337		592.00	3469.00	3470.47	3470.44	1.46	3
470.89	0.014287	5.25	425.01	559.52	115.46	134.51	0.94	
5	11337		1768.00	3469.00	3471.40	3471.40	2.40	3
472.19	0.011380	7.37	404.87	578.73	259.90	173.86	0.94	
5	10937		592.00	3464.00	3465.88	3465.69	1.88	3
466.18	0.009696	4.40	469.19	605.11	134.50	135.92	0.78	
5	10937		1768.00	3464.00	3466.73	3466.67	2.73	3
467.39	0.011861	6.57	438.14	635.86	275.01	197.71	0.93	
5	10288		592.00	3456.00	3456.97	3456.97	0.97	3
457.25	0.020992	4.29	398.55	657.53	138.04	258.98	1.04	
5	10288		1768.00	3456.00	3457.50	3457.50	1.50	3
457.89	0.018227	5.03	346.65	813.19	351.36	466.54	1.02	
5	9690		751.00	3450.00	3451.61	3451.24	1.61	3
451.73	0.004736	2.71	429.90	767.63	276.77	337.73	0.53	
5	9690		2568.00	3450.00	3452.40	3452.03	2.40	3
452.69	0.005801	4.32	345.19	818.61	602.35	473.42	0.64	
5	9009		751.00	3445.00	3446.57	3446.45	1.57	3
446.81	0.012198	3.97	444.50	709.53	189.12	265.03	0.83	
5	9009		2568.00	3445.00	3447.55		2.55	3
447.89	0.008737	4.66	362.59	834.60	550.62	472.01	0.76	
5	8130		751.00	3440.00	3441.70	3441.21	1.70	3
441.78	0.003259	2.34	454.54	823.41	320.72	368.87	0.44	
5	8130		2568.00	3440.00	3442.51	3441.99	2.51	3
442.74	0.004151	3.85	389.53	888.33	678.70	498.79	0.55	
5	7717		751.00	3437.80	3438.75	3438.75	0.95	3
439.05	0.019448	4.38	326.48	620.79	171.46	294.31	1.01	
5	7717		2568.00	3437.80	3439.61	3439.49	1.81	3
440.03	0.011696	5.19	262.15	712.02	494.88	449.87	0.87	


FloodPlain.rep

5	7253		857.00	3435.00	3436.46	3435.95	1.46	3
436.52	0.001736	1.83	400.15	928.93	475.06	528.78		0.33
5	7253		4793.00	3435.00	3437.73	3436.95	2.73	3
437.98	0.002925	4.15	335.02	991.53	1224.55	656.51		0.49
5	6343		1668.00	3430.00	3430.80	3430.80	0.80	3
431.14	0.018115	4.65	763.44	1298.18	358.99	534.73		1.00
5	6343		6409.00	3430.00	3431.79	3431.79	1.79	3
432.49	0.013082	6.69	677.18	1464.86	974.08	787.68		0.97
5	5363		1668.00	3425.00	3426.46	3425.87	1.46	3
426.52	0.001774	2.03	697.73	1568.47	843.04	870.74		0.34
5	5363		6409.00	3425.00	3427.60	3426.70	2.60	3
427.77	0.002053	3.49	588.77	1796.04	2022.32	1207.27		0.41
5	4221		1914.00	3420.00	3421.13	3421.13	1.13	3
421.50	0.017296	4.88	517.29	1068.16	393.73	550.87		0.99
5	4221		6969.00	3420.00	3422.09	3422.09	2.09	3
422.69	0.013866	6.36	318.52	1328.11	1150.73	1009.59		0.98
5	3489		1914.00	3416.00	3417.31	3416.78	2.31	3
417.37	0.002270	2.22	-118.39	887.55	933.15	1005.93		0.38
5	3489		6969.00	3416.00	3418.33	3417.53	3.33	3
418.52	0.002578	3.59	-133.97	942.92	1994.93	1076.90		0.45
5	2989		1914.00	3413.80	3414.63	3414.63	0.83	3
414.95	0.018186	4.47	175.68	810.52	416.79	634.84		0.99
5	2989		6969.00	3413.80	3415.54	3415.49	1.74	3
416.14	0.012585	6.56	3.77	883.00	1134.92	879.23		0.95
5	2774		1914.00	3409.00	3414.10	3412.71	5.10	3
414.15	0.000369	2.44	-408.24	645.26	1448.49	1053.50		0.20
5	2774		6969.00	3409.00	3415.01	3413.39	6.01	3
415.19	0.001205	4.96	-437.14	683.38	2435.25	1120.52		0.37


FloodPlain.rep

				Culvert					
5	2773								
5	2734			1914.00	3408.90	3412.71	3412.71	3.81	3
412.89	0.001632	4.11		83.74	515.65	665.51	431.91		0.39
5	2734			6969.00	3408.90	3413.55	3413.55	4.65	3
414.44	0.006458	9.48		39.16	549.82	1063.05	510.66		0.81
5	1888			1943.00	3408.00	3409.38	3408.84	1.38	3
409.47	0.002740	2.33		178.44	1028.25	834.45	849.81		0.41
5	1888			7042.00	3408.00	3410.48	3409.72	2.48	3
410.68	0.002812	3.54		-218.68	1201.30	2065.39	1419.98		0.46
5	1060			2032.00	3402.70	3404.27	3404.27	1.57	3
404.70	0.017302	5.25		648.43	1111.58	386.84	463.15		1.01
5	1060			7268.00	3402.70	3405.41	3405.41	2.71	3
406.07	0.014850	6.53		480.47	1336.48	1112.35	856.01		1.01


WCS Plan: PMPR1
Sta. 12674




WCS Plan: PMPR1
Sta. 11337



WCS Plan: PMPR1
Sta 10937



WCS Plan: PMPR1
Sta. 10288



WCS Plan: PMPR1
Sta 9690

033 033 033


Legend	
EG PF 3	▲
WS PF 3	▲
EG PF 2	▲
WS PF 2	▲
Ground	■
Bank Sta	●

Elevation (ft)


3458
3456
3454
3452
3450

0 200 400 600 800 1000 1200

Station (ft)




WCS Plan: PMPR1
Sta. 9009




Legend	
EG PF 3	(Dashed line with triangle markers)
WS PF 3	(Solid line with triangle markers)
EG PF 2	(Dashed line with triangle markers)
WS PF 2	(Solid line with triangle markers)
Ground	(Solid line with square markers)
Bank Sta	(Black dot)

WCS Plan: PMPR1
Sta 8130




Legend	
EG PF 3	▲
WS PF 3	▲
EG PF 2	▲
WS PF 2	▲
Ground	■
Bank Sta	●

WCS Plan: PMPR1
Sta 7717




Legend	
EG PF 3	(Dashed line with triangles)
WS PF 3	(Solid line with triangles)
EG PF 2	(Dashed line with triangles)
WS PF 2	(Solid line with triangles)
Ground	(Solid line with squares)
Bank Sta	(Black dot)

WCS Plan: PMPR1
Sta. 7253




WCS Plan: PMPR1
Sta 6343




Legend	
EG PF 3	(Dotted line with triangle)
WS PF 3	(Solid line with triangle)
EG PF 2	(Dotted line with triangle)
WS PF 2	(Solid line with triangle)
Ground	(Solid line with square)
Bank Sta	(Solid line with circle)

WCS Plan: PMPR1
Sta 5363




Legend	
EG PF 3	(dashed line with triangle)
WS PF 3	(solid line with triangle)
EG PF 2	(dotted line with triangle)
WS PF 2	(solid line with triangle)
Ground	(solid line with square)
Bank Sta	(solid line with circle)

WCS Plan: PMPR1
Sta 4221




WCS Plan: PMPR1
Sta 3489




Legend	
EG PF 3	(dashed line with triangle)
WS PF 3	(solid line with triangle)
EG PF 2	(dotted line with triangle)
WS PF 2	(solid line with triangle)
Ground	(solid line with square)
Bank Sta	(shaded area)

WCS Plan: PMPR1
Sta. 2989




WCS Plan: PMPR1
 Sta. 2774 Upstream of culverts




Legend

- EG PF 3
- WS PF 3
- EG PF 2
- WS PF 2
- Ground
- Ineff
- Bank Sta


WCS Plan: PMPR1




WCS Plan: PMPR1



WCS Plan: PMPR1
 Sta. 2734 Downstream of culverts




WCS Plan: PMPR1
Sta 1888



Legend	
EG PF 3	(dashed line with triangle marker)
WS PF 3	(horizontal line with triangle marker)
EG PF 2	(solid line with triangle marker)
WS PF 2	(horizontal line with triangle marker)
Ground	(solid line with square marker)
Bank Sta	(solid line with circle marker)

WCS Plan: PMPR1
Sta 1060



Legend	
—▲—	EG PF 3
—▲—	WS PF 3
—▲—	EG PF 2
—▲—	WS PF 2
—■—	Ground
●	Bank Sta

APPENDIX G

HEC-HMS MODEL FOR THE CALCULATION OF THE DEVELOPED LOW LEVEL & BYPRODUCT FACILITY 100-YEAR PEAK DISCHARGES


HMS * Summary of Results

Project : WCS

Run Name : 100YrNOD3/11/06

Start of Run : 01Dec00 0000 Basin Model : 100YrAM3/11/06NOD
 End of Run : 02Dec00 0000 Met. Model : Met100 Year
 Execution Time : 20Mar06 1832 Control Specs : Control 1

Hydrologic Element	Discharge Peak (cfs)	Time of Peak	Volume (ac ft)	Drainage Area (sq mi)
Subbasin-4B	239.00	01 Dec 00 1240	42.425	0.423
Reach-2	239.00	01 Dec 00 1255	42.172	0.423
Subbasin-4A	43.152	01 Dec 00 1232	6.7441	0.067
Reach-1RA	43.152	01 Dec 00 1235	6.7361	0.067
Subbasin-2	440.24	01 Dec 00 1305	105.39	1.063
playa	0.0	30 Nov 00 2400	0.0	1.063
Reach-1RB	0.0	30 Nov 00 2400	0.0	1.063
Junction-1RC	43.152	01 Dec 00 1235	6.7361	1.130
Reach-1RC	43.152	01 Dec 00 1240	6.7228	1.130
Subbasin-3A	55.732	01 Dec 00 1229	8.3632	0.083
Junction-1RB	96.283	01 Dec 00 1234	15.086	1.213
Reach-1RD	96.283	01 Dec 00 1250	14.990	1.213
Subbasin-1A	256.61	01 Dec 00 1328	73.808	0.691
Reach-1A	256.61	01 Dec 00 1344	73.328	0.691
Subbasin-1B	174.42	01 Dec 00 1241	31.477	0.314
Junction-1A	384.76	01 Dec 00 1302	119.80	2.218
Reach-1B	384.76	01 Dec 00 1305	119.65	2.218
Subbasin-3B	57.918	01 Dec 00 1223	7.5802	0.075
Junction-1	405.72	01 Dec 00 1302	127.23	2.293
Reach-3	405.72	01 Dec 00 1319	126.34	2.293
Subbasin-5A	118.86	01 Dec 00 1234	19.306	0.192
Junction-2	678.91	01 Dec 00 1303	187.82	2.908
Reach-4	678.91	01 Dec 00 1324	186.20	2.908
Subbasin-5B	128.06	01 Dec 00 1251	26.440	0.265
Junction-3	770.36	01 Dec 00 1320	212.64	3.173
Reach-5	770.36	01 Dec 00 1334	211.39	3.173
Subbasin-6	54.403	01 Dec 00 1225	7.4715	0.074
Junction-4	782.50	01 Dec 00 1333	218.86	3.247
Reach-6	782.50	01 Dec 00 1333	218.86	3.247
Subbasin-7	43.582	01 Dec 00 1304	10.316	0.104
Junction-5	817.50	01 Dec 00 1332	229.18	3.351



HMS * Basin Model * SCS Curve Number

Sort Help

Basin Model ID: 100YrAM3/11/06NOD

Subbasin Name	SCS Curve Number	Initial Abstraction (in)	Imperviousness (%)
Subbasin-1A	62		0.0
Subbasin-2	60		0.0
Subbasin-3B	60		0.0
Subbasin-4B	60		0.0
Subbasin-5B	60		0.0
Subbasin-6	60		0.0
Subbasin-1B	60		0.0
Subbasin-5A	60		0.0
Subbasin-7	60		0.0
Subbasin-4A	60		0.0
Subbasin-3A	60		0.0

HMS * Basin Model * SCS UH

Sort Help

Basin Model ID: 100YrAM3/11/06NOD

Time Units : Minutes

Subbasin Name	SCS Lag (min)
Subbasin-1A	86
Subbasin-2	65
Subbasin-3B	28
Subbasin-4B	43
Subbasin-5B	53
Subbasin-6	30
Subbasin-1B	44
Subbasin-5A	38
Subbasin-7	64
Subbasin-4A	36
Subbasin-3A	34

HMS * Basin Model * Lag Routing

Help

Basin Model ID : 100YrAM3/11/06NOD

Interval : Minutes

Reach Name	Lag (min)
Reach-1RB	13
Reach-2	15
Reach-3	17
Reach-4	21
Reach-5	14
Reach-1A	16.8
Reach-6	0
Reach-1RA	3
Reach-1RC	5.7
Reach-1RD	16.3
Reach-1B	3

HMS * Basin Model * Reservoir Editor

Edit File Help

Reservoir Name:

Description:

Storage

Method:

Initial

Elevation (ft)	Storage (acre-feet)	Outflow (cfs)
3478.0	0.0	0.0
3480.0	24.0	0.0
3482.0	61.0	0.0
3484.0	170.0	0.0
3486.0	457.0	0.0
3487.0	693.0	863.0
3488.0	928.0	2427.0

Meteorologic Model Input

The screenshot shows the 'HMS * Meteorologic Model' application window. It features a menu bar with 'File', 'Edit', and 'Help'. Below the menu bar, there are two input fields: 'Meteorologic Model' with the value 'Met100 Year' and 'Description' with the value '100 Year, 24 Hour Storm'. A tabbed interface is visible with 'Precipitation' and 'Evapotranspiration' tabs. The 'Precipitation' tab is active, showing a 'Method' dropdown menu set to 'SCS Hypothetical Storm'. Below this, there is a 'Storm Selection' dropdown menu set to 'Type II' and a 'Storm Depth (in):' text box containing the value '6.0'.

HMS * Meteorologic Model

File Edit Help

Meteorologic Model: Met100 Year

Description: 100 Year, 24 Hour Storm



Precipitation Evapotranspiration

Method: SCS Hypothetical Storm



Storm Selection: Type II

Storm Depth (in): 6.0



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS




WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



APPENDIX H

HEC-RAS MODEL FOR THE CALCULATION OF THE DEVELOPED LOW LEVEL & BYPRODUCT FACILITY 100-YEAR WATER SURFACE PROFILES

Reach	River Sta	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Sta W.S. Lft (ft)	Sta W.S. Rgt (ft)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
5	12874	257.00	3477.00	3478.09	3477.76	1.09	3478.13	0.002960	1.72	373.93	640.46	150.10	266.53	0.40
5	12674	257.00	3477.00	3478.09	3477.76	1.09	3478.13	0.002960	1.72	373.93	640.46	150.10	266.53	0.40
5	12674	257.00	3477.00	3478.09	3477.76	1.09	3478.13	0.002960	1.72	373.93	640.46	150.10	266.53	0.40
5	12874	257.00	3477.00	3478.09	3477.76	1.09	3478.13	0.002960	1.72	373.93	640.46	150.10	266.53	0.40
5	11337	257.00	3469.00	3470.07	3470.03	1.07	3470.31	0.016404	3.95	433.58	551.36	65.20	117.78	0.92
5	11337	257.00	3469.00	3470.07	3470.03	1.07	3470.31	0.016404	3.95	433.58	551.36	65.20	117.78	0.92
5	11337	257.00	3469.00	3470.07	3470.03	1.07	3470.31	0.016404	3.95	433.58	551.36	65.20	117.78	0.92
5	11337	257.00	3469.00	3470.07	3470.03	1.07	3470.31	0.016404	3.95	433.58	551.36	65.20	117.78	0.92
5	10937	257.00	3464.00	3465.37	3465.18	1.37	3465.56	0.008905	3.46	487.21	588.35	74.30	101.14	0.71
5	10937	257.00	3464.00	3465.37	3465.18	1.37	3465.56	0.008905	3.46	487.21	588.35	74.30	101.14	0.71
5	10937	257.00	3464.00	3465.37	3465.18	1.37	3465.56	0.008905	3.46	487.21	588.35	74.30	101.14	0.71
5	10937	257.00	3464.00	3465.37	3465.18	1.37	3465.56	0.008905	3.46	487.21	588.35	74.30	101.14	0.71
5	10288	257.00	3456.00	3456.67	3456.67	0.67	3456.87	0.022405	3.56	427.25	615.43	72.21	188.17	1.01
5	10288	257.00	3456.00	3456.67	3456.67	0.67	3456.87	0.022405	3.56	427.25	615.43	72.21	188.17	1.01
5	10288	257.00	3456.00	3456.67	3456.67	0.67	3456.87	0.022405	3.56	427.25	615.43	72.21	188.17	1.01
5	10288	257.00	3456.00	3456.67	3456.67	0.67	3456.87	0.022405	3.56	427.25	615.43	72.21	188.17	1.01
5	9690	385.00	3450.00	3451.27	3450.94	1.27	3451.34	0.004386	2.23	473.16	739.88	172.58	266.72	0.49
5	9690	385.00	3450.00	3451.27	3450.94	1.27	3451.34	0.004386	2.23	473.16	739.88	172.58	266.72	0.49
5	9690	385.00	3450.00	3451.27	3450.94	1.27	3451.34	0.004386	2.23	473.16	739.88	172.58	266.72	0.49
5	9690	385.00	3450.00	3451.27	3450.94	1.27	3451.34	0.004386	2.23	473.16	739.88	172.58	266.72	0.49
5	9009	385.00	3445.00	3446.20	3446.12	1.20	3446.41	0.014078	3.65	475.39	662.37	105.53	186.98	0.86
5	9009	385.00	3445.00	3446.20	3446.12	1.20	3446.41	0.014078	3.65	475.39	662.37	105.53	186.98	0.86
5	9009	385.00	3445.00	3446.20	3446.12	1.20	3446.41	0.014078	3.65	475.39	662.37	105.53	186.98	0.86
5	9009	385.00	3445.00	3446.20	3446.12	1.20	3446.41	0.014078	3.65	475.39	662.37	105.53	186.98	0.86
5	8130	385.00	3440.00	3441.33	3440.91	1.33	3441.39	0.003030	1.93	497.63	788.76	199.71	291.13	0.41
5	8130	385.00	3440.00	3441.33	3440.91	1.33	3441.39	0.003030	1.93	497.63	788.76	199.71	291.13	0.41
5	8130	385.00	3440.00	3441.33	3440.91	1.33	3441.39	0.003030	1.93	497.63	788.76	199.71	291.13	0.41
5	8130	385.00	3440.00	3441.33	3440.91	1.33	3441.39	0.003030	1.93	497.63	788.76	199.71	291.13	0.41
5	7717	385.00	3437.80	3438.49	3438.49	0.69	3438.71	0.021709	3.79	346.21	582.10	101.69	235.89	1.02
5	7717	385.00	3437.80	3438.49	3438.49	0.69	3438.71	0.021709	3.79	346.21	582.10	101.69	235.89	1.02
5	7717	385.00	3437.80	3438.49	3438.49	0.69	3438.71	0.021709	3.79	346.21	582.10	101.69	235.89	1.02
5	7717	385.00	3437.80	3438.49	3438.49	0.69	3438.71	0.021709	3.79	346.21	582.10	101.69	235.89	1.02
5	7253	406.00	3435.00	3436.11	3435.70	1.10	3436.14	0.001870	1.39	418.61	911.18	292.04	492.58	0.32
5	7253	406.00	3435.00	3436.11	3435.70	1.10	3436.14	0.001870	1.39	418.61	911.18	292.04	492.58	0.32
5	7253	406.00	3435.00	3436.11	3435.70	1.10	3436.14	0.001870	1.39	418.61	911.18	292.04	492.58	0.32
5	7253	406.00	3435.00	3436.11	3435.70	1.10	3436.14	0.001870	1.39	418.61	911.18	292.04	492.58	0.32
5	6343	679.00	3430.00	3430.47	3430.47	0.46	3430.67	0.021530	3.60	817.66	1287.56	188.77	469.90	1.00
5	6343	679.00	3430.00	3430.47	3430.47	0.46	3430.67	0.021530	3.60	817.66	1287.56	188.77	469.90	1.00
5	6343	679.00	3430.00	3430.47	3430.47	0.46	3430.67	0.021530	3.60	817.66	1287.56	188.77	469.90	1.00
5	6343	679.00	3430.00	3430.47	3430.47	0.46	3430.67	0.021530	3.60	817.66	1287.56	188.77	469.90	1.00
5	5363	679.00	3425.00	3426.01	3425.54	1.01	3426.04	0.001717	1.41	740.85	1478.40	481.80	737.55	0.31
5	5363	679.00	3425.00	3426.01	3425.54	1.01	3426.04	0.001717	1.41	740.85	1478.40	481.80	737.55	0.31
5	5363	679.00	3425.00	3426.01	3425.54	1.01	3426.04	0.001717	1.41	740.85	1478.40	481.80	737.55	0.31
5	5363	679.00	3425.00	3426.01	3425.54	1.01	3426.04	0.001717	1.41	740.85	1478.40	481.80	737.55	0.31
5	4221	770.00	3420.00	3420.70	3420.70	0.70	3420.95	0.020777	3.99	572.78	972.14	192.79	399.36	1.01
5	4221	770.00	3420.00	3420.70	3420.70	0.70	3420.95	0.020777	3.99	572.78	972.14	192.79	399.36	1.01
5	4221	770.00	3420.00	3420.70	3420.70	0.70	3420.95	0.020777	3.99	572.78	972.14	192.79	399.36	1.01
5	4221	770.00	3420.00	3420.70	3420.70	0.70	3420.95	0.020777	3.99	572.78	972.14	192.79	399.36	1.01
5	3489	770.00	3416.00	3416.90	3416.51	1.90	3416.94	0.002166	1.64	130.24	869.79	485.64	739.55	0.35
5	3489	770.00	3416.00	3416.90	3416.51	1.90	3416.94	0.002166	1.64	130.24	869.79	485.64	739.55	0.35
5	3489	770.00	3416.00	3416.90	3416.51	1.90	3416.94	0.002166	1.64	130.24	869.79	485.64	739.55	0.35
5	3489	770.00	3416.00	3416.90	3416.51	1.90	3416.94	0.002166	1.64	130.24	869.79	485.64	739.55	0.35
5	2989	770.00	3413.80	3414.31	3414.31	0.51	3414.50	0.022178	3.33	185.93	785.54	222.10	599.61	0.99
5	2989	770.00	3413.80	3414.31	3414.31	0.51	3414.50	0.022178	3.33	185.93	785.54	222.10	599.61	0.99
5	2989	770.00	3413.80	3414.31	3414.31	0.51	3414.50	0.022178	3.33	185.93	785.54	222.10	599.61	0.99
5	2989	770.00	3413.80	3414.31	3414.31	0.51	3414.50	0.022178	3.33	185.93	785.54	222.10	599.61	0.99
5	2774	770.00	3409.00	3413.72	3412.70	4.72	3413.73	0.000063	0.96	176.34	629.53	1107.47	453.19	0.08
5	2774	770.00	3409.00	3413.72	3412.70	4.72	3413.73	0.000063	0.96	176.34	629.53	1107.47	453.19	0.08
5	2774	770.00	3409.00	3413.72	3412.70	4.72	3413.73	0.000063	0.96	176.34	629.53	1107.47	453.19	0.08
5	2774	770.00	3409.00	3413.72	3412.70	4.72	3413.73	0.000063	0.96	176.34	629.53	1107.47	453.19	0.08
5	2773	Cuvert												
5	2734	770.00	3408.90	3412.70	3412.70	3.80	3412.73	0.000267	1.66	84.13	515.36	662.35	431.23	0.16
5	2734	770.00	3408.90	3412.70	3412.70	3.80	3412.73	0.000267	1.66	84.13	515.36	662.35	431.23	0.16
5	2734	770.00	3408.90	3412.70	3412.70	3.80	3412.73	0.000267	1.66	84.13	515.36	662.35	431.23	0.16
5	2734	770.00	3408.90	3412.70	3412.70	3.80	3412.73	0.000267	1.66	84.13	515.36	662.35	431.23	0.16
5	1888	783.00	3408.00	3408.48	3408.48	0.48	3408.69	0.021962	3.65	277.69	808.19	214.56	530.50	1.01
5	1888	783.00	3408.00	3408.48	3408.48	0.48	3408.69	0.021962	3.65	277.69	808.19	214.56	530.50	1.01

HEC-RAS Plan: 3-21-06 River Ditch A Reach: 5 (Continued)

Reach	River Sta	Q Total (cfs)	Min Chl El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Sta W.S. Lft (ft)	Sta W.S. Rgt (ft)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
5	1888	783.00	3408.00	3408.48	3408.48	0.48	3408.69	0.021962	3.65	277.69	808.19	214.56	530.50	1.01
5	1888	783.00	3408.00	3408.48	3408.48	0.48	3408.69	0.021962	3.65	277.69	808.19	214.56	530.50	1.01
5	1060	818.00	3402.70	3404.50	3403.76	1.80	3404.54	0.001656	1.50	614.45	1554.00	511.24	626.40	0.31
5	1060	818.00	3402.70	3405.00	3403.76	2.30	3405.01	0.000442	0.89	540.97	1554.00	921.10	1013.03	0.16
5	1060	818.00	3402.70	3406.00	3403.76	3.30	3406.00	0.000039	0.41	394.00	1554.00	2007.61	1160.00	0.05
5	1060	818.00	3402.70	3407.00	3403.76	4.30	3407.00	0.000009	0.28	247.00	1554.00	3241.11	1307.00	0.03

FloodPlain.rep

HEC-RAS Version 3.0.1 Mar 2001
U.S. Army Corp of Engineers
Hydrologic Engineering Center
609 Second Street, Suite D
Davis, California 95616-4687
(916) 756-1104

```
X   X  XXXXXX   XXXX       XXXX       XX       XXXX
X   X  X       X   X       X   X       X   X       X
X   X  X       X           X   X       X   X       X
XXXXXXXX XXXX   X           XXX XXXX   XXXXXX   XXXX
X   X  X       X           X   X       X   X           X
X   X  X       X   X       X   X       X   X       X
X   X  XXXXXX   XXXX       X   X       X   X       XXXXX
```

PROJECT DATA

Project Title: WCS
Project File : FloodPlain.prj
Run Date and Time: 3/21/06 9:23:32 AM

Project in English units

PLAN DATA

Plan Title: Plan 33
Plan File : D:\program files\WCS\FloodPlain.p33

Geometry Title: 1-20-04SecRemoved
Geometry File : D:\program files\WCS\FloodPlain.g03

Flow Title : 100YrAM3-11-06ManyNOD
Flow File : D:\program files\WCS\FloodPlain.f24

Plan Summary Information:

Number of: Cross Sections	=	18	Multiple Openings	=	0
Culverts	=	1	Inline Weirs	=	0
Bridges	=	0			

Computational Information

Water surface calculation tolerance	=	0.01
Critical depth calculaton tolerance	=	0.01
Maximum number of interations	=	20
Maximum difference tolerance	=	0.3
Flow tolerance factor	=	0.001

Computation Options

Critical depth computed only where necessary	
Conveyance Calculation Method:	At breaks in n values only
Friction Slope Method:	Average Conveyance
Computational Flow Regime:	Mixed Flow

FLOW DATA

Flow Title: 100YrAM3-11-06ManyNOD
Flow File : D:\program files\WCS\FloodPlain.f24

FloodPlain.rep

Flow Data (cfs)

River	Reach	RS	100 Yr.-WS3404.5	100 Yr.-WS3405	100 Yr.-WS3406
100 Yr.-WS3407					
Ditch A	5	12674	257	257	257
257					
Ditch A	5	9690	385	385	385
385					
Ditch A	5	7253	406	406	406
406					
Ditch A	5	6343	679	679	679
679					
Ditch A	5	4221	770	770	770
770					
Ditch A	5	1888	783	783	783
783					
Ditch A	5	1060	818	818	818
818					

Boundary Conditions

River stream	Reach	Profile	Upstream	Down
Ditch A	5	100 Yr.-WS3404.5	Critical	Known WS
= 3404.5				
Ditch A	5	100 Yr.-WS3405	Critical	Known
WS = 3405				
Ditch A	5	100 Yr.-WS3406	Critical	Known
WS = 3406				
Ditch A	5	100 Yr.-WS3407	Critical	Known
WS = 3407				

GEOMETRY DATA

Geometry Title: 1-20-04SecRemoved
 Geometry File : D:\program files\WCS\FloodPlain.g03

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 12674

INPUT

Description: Sta. 12674

Station Elevation Data		num= 6							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev		
100	3482	380	3478	560	3477	635	3478	761	3480
964	3482								

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val		
100	.033	380	.033	635	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	380	635		1206	1337	1433	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3478.13	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.05	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3478.09	Reach Len. (ft)	1206.00	1337.00	1433.00
Crit W.S. (ft)	3477.76	Flow Area (sq ft)	0.26	149.60	0.24
E.G. Slope (ft/ft)	0.002960	Area (sq ft)	0.26	149.60	0.24
Q Total (cfs)	257.00	Flow (cfs)	0.08	256.85	0.07
Top Width (ft)	266.53	Top Width (ft)	6.07	255.00	5.46
Vel Total (ft/s)	1.71	Avg. Vel. (ft/s)	0.30	1.72	0.30
Max Chl Dpth (ft)	1.09	Hydr. Depth (ft)	0.04	0.59	0.04
Conv. Total (cfs)	4723.4	Conv. (cfs)	1.5	4720.6	1.3
Length Wtd. (ft)	1336.99	Wetted Per. (ft)	6.07	255.01	5.46
Min Ch El (ft)	3477.00	Shear (lb/sq ft)	0.01	0.11	0.01
Alpha	1.00	Stream Power (lb/ft s)	0.00	0.19	0.00
Frctn Loss (ft)	7.80	Cum Volume (acre-ft)	9.36	59.51	1.69
C & E Loss (ft)	0.02	Cum SA (acres)	11.60	96.79	1.53

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 11337

INPUT

Description: Sta. 11337

Station Elevation Data		num= 8							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3477	315	3474	392	3472	435	3470	499	3469
550	3470	591	3472	694	3474				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	435	.033	550	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	435	550		545	400	332	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3470.31	Element	Left OB	Channel	Right OB
----------------	---------	---------	---------	---------	----------

FloodPlain.rep					
Vel Head (ft)	0.24	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3470.07	Reach Len. (ft)	545.00	400.00	332.00
Crit W.S. (ft)	3470.03	Flow Area (sq ft)	0.05	65.11	0.04
E.G. Slope (ft/ft)	0.016404	Area (sq ft)	0.05	65.11	0.04
Q Total (cfs)	257.00	Flow (cfs)	0.03	256.95	0.03
Top Width (ft)	117.78	Top Width (ft)	1.42	115.00	1.36
Vel Total (ft/s)	3.94	Avg. Vel. (ft/s)	0.59	3.95	0.59
Max Chl Dpth (ft)	1.07	Hydr. Depth (ft)	0.03	0.57	0.03
Conv. Total (cfs)	2006.6	Conv. (cfs)	0.2	2006.2	0.2
Length Wtd. (ft)	400.00	Wetted Per. (ft)	1.42	115.02	1.36
Min Ch El (ft)	3469.00	Shear (lb/sq ft)	0.03	0.58	0.03
Alpha	1.00	Stream Power (lb/ft s)	0.02	2.29	0.02
Frctn Loss (ft)	4.72	Cum Volume (acre-ft)	9.35	56.22	1.69
C & E Loss (ft)	0.02	Cum SA (acres)	11.50	91.11	1.42

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 10937

INPUT

Description: Sta. 10937

Station Elevation Data		num= 9									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3470	351	3468	428	3467	465	3466	536	3464		
543	3464	609	3466	683	3468	811	3472				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	428	.033	609	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	428	609		729	649	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3465.56	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.19	Wt. n-Val.		0.033	
W.S. Elev (ft)	3465.37	Reach Len. (ft)	729.00	649.00	445.00
Crit W.S. (ft)	3465.18	Flow Area (sq ft)		74.30	
E.G. Slope (ft/ft)	0.008905	Area (sq ft)		74.30	

		FloodPlain.rep			
Q Total (cfs)	257.00	Flow (cfs)		257.00	
Top Width (ft)	101.14	Top Width (ft)		101.14	
Vel Total (ft/s)	3.46	Avg. Vel. (ft/s)		3.46	
Max Chl Dpth (ft)	1.37	Hydr. Depth (ft)		0.73	
Conv. Total (cfs)	2723.5	Conv. (cfs)		2723.5	
Length Wtd. (ft)	649.00	Wetted Per. (ft)		101.18	
Min Ch El (ft)	3464.00	Shear (lb/sq ft)		0.41	
Alpha	1.00	Stream Power (lb/ft s)		1.41	
Frctn Loss (ft)	8.70	Cum Volume (acre-ft)	9.35	55.58	1.69
C & E Loss (ft)	0.00	Cum SA (acres)	11.49	90.12	1.41

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 10288

INPUT

Description: Sta. 10288

Station Elevation Data				num=	12				
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3464	177	3462	238	3460	298	3458	493	3456
519	3456	662	3457	778	3457.1	857	3458	903	3460
947	3462	989	3464						

Manning's n Values				num=	3				
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
100	.033	298	.033	857	.033				

Bank Sta:	Left	Right	Lengths: Left Channel		Right	Coeff Contr.	Expan.
	298	857	552	598	633	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3456.87	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.20	Wt. n-Val.		0.033	
W.S. Elev (ft)	3456.67	Reach Len. (ft)	552.00	598.00	633.00
Crit W.S. (ft)	3456.67	Flow Area (sq ft)		72.21	
E.G. Slope (ft/ft)	0.022405	Area (sq ft)		72.21	
Q Total (cfs)	257.00	Flow (cfs)		257.00	
Top Width (ft)	188.17	Top Width (ft)		188.17	

		FloodPlain.rep			
Vel Total (ft/s)	3.56	Avg. Vel. (ft/s)		3.56	
Max Chl Dpth (ft)	0.67	Hydr. Depth (ft)		0.38	
Conv. Total (cfs)	1717.0	Conv. (cfs)		1717.0	
Length Wtd. (ft)	598.00	Wetted Per. (ft)		188.18	
Min Ch El (ft)	3456.00	Shear (lb/sq ft)		0.54	
Alpha	1.00	Stream Power (lb/ft s)		1.91	
Frctn Loss (ft)	4.35	Cum Volume (acre-ft)	9.35	54.49	1.69
C & E Loss (ft)	0.04	Cum SA (acres)	11.49	87.96	1.41

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations. Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections. Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections. Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 9690

INPUT

Description: Sta. 9690

Station Elevation Data		num= 8									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3454.5	202	3454	381	3452	632	3450	638	3450		
799	3452	897	3454	1010	3458						

Manning's n Values

num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	381	.033	799	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	381	799		639	681	658	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3451.34	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.08	Wt. n-Val.		0.033	
W.S. Elev (ft)	3451.27	Reach Len. (ft)	639.00	681.00	658.00
Crit W.S. (ft)	3450.94	Flow Area (sq ft)		172.58	
E.G. Slope (ft/ft)	0.004386	Area (sq ft)		172.58	

FloodPlain.rep

Q Total (cfs)	385.00	Flow (cfs)	385.00		
Top Width (ft)	266.72	Top Width (ft)	266.72		
Vel Total (ft/s)	2.23	Avg. Vel. (ft/s)	2.23		
Max Chl Dpth (ft)	1.27	Hydr. Depth (ft)	0.65		
Conv. Total (cfs)	5813.2	Conv. (cfs)	5813.2		
Length Wtd. (ft)	681.00	Wetted Per. (ft)	266.73		
Min Ch El (ft)	3450.00	Shear (lb/sq ft)	0.18		
Alpha	1.00	Stream Power (lb/ft s)	0.40		
Frctn Loss (ft)	4.92	Cum Volume (acre-ft)	9.35	52.81	1.69
C & E Loss (ft)	0.01	Cum SA (acres)	11.49	84.84	1.41

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 9009

INPUT

Description: Sta. 9009

Station Elevation Data		num= 9							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3452	203	3450	325	3448	492	3446	596	3445
637	3446	892	3448	1007	3450	1124	3452		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	325	.033	892	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	325	892		898	879	794	.1
							.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3446.41	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.21	Wt. n-Val.		0.033	
W.S. Elev (ft)	3446.20	Reach Len. (ft)	898.00	879.00	794.00
Crit W.S. (ft)	3446.12	Flow Area (sq ft)		105.53	
E.G. Slope (ft/ft)	0.014078	Area (sq ft)		105.53	
Q Total (cfs)	385.00	Flow (cfs)		385.00	
Top Width (ft)	186.98	Top Width (ft)		186.98	

		FloodPlain.rep			
Vel Total (ft/s)	3.65	Avg. Vel. (ft/s)		3.65	
Max Chl Dpth (ft)	1.20	Hydr. Depth (ft)		0.56	
Conv. Total (cfs)	3244.9	Conv. (cfs)		3244.9	
Length Wtd. (ft)	879.00	Wetted Per. (ft)		187.00	
Min Ch El (ft)	3445.00	Shear (lb/sq ft)		0.50	
Alpha	1.00	Stream Power (lb/ft s)		1.81	
Frctn Loss (ft)	4.97	Cum Volume (acre-ft)	9.35	50.63	1.69
C & E Loss (ft)	0.04	Cum SA (acres)	11.49	81.29	1.41

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 8130

INPUT

Description: Sta. 8130

Station Elevation Data		num= 8							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3448	303	3444	419	3442	654	3440	663	3440
852	3442	995	3444	1104	3446				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	419	.033	852	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	419	852		399	413	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3441.39				
Vel Head (ft)	0.06	Wt. n-Val.		0.033	
W.S. Elev (ft)	3441.33	Reach Len. (ft)	399.00	413.00	456.00
Crit W.S. (ft)	3440.91	Flow Area (sq ft)		199.71	
E.G. Slope (ft/ft)	0.003030	Area (sq ft)		199.71	
Q Total (cfs)	385.00	Flow (cfs)		385.00	
Top Width (ft)	291.13	Top Width (ft)		291.13	
Vel Total (ft/s)	1.93	Avg. Vel. (ft/s)		1.93	
Max Chl Dpth (ft)	1.33	Hydr. Depth (ft)		0.69	
Conv. Total (cfs)	6994.2	Conv. (cfs)		6994.2	

FloodPlain.rep

Length Wtd. (ft)	413.00	Wetted Per. (ft)	291.14
Min Ch El (ft)	3440.00	Shear (lb/sq ft)	0.13
Alpha	1.00	Stream Power (lb/ft s)	0.25
Frctn Loss (ft)	2.65	Cum Volume (acre-ft)	9.35 47.55 1.69
C & E Loss (ft)	0.02	Cum SA (acres)	11.49 76.47 1.41

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 7717

INPUT

Description: Sta 7717

Station Elevation Data		num= 8		Sta Elev		Sta Elev		Sta Elev	
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3442	233	3440	383	3438	492	3437.8	510	3438
657	3439	747	3440	879	3442				

Manning's n Values		num= 3		Sta n Val	
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	233	.033	747	.033

Bank Sta:	Left	Right	Lengths: Left Channel		Right	Coeff Contr.	Expan.
	233	747	444	464	510	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3438.71	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.22	Wt. n-Val.		0.033	
W.S. Elev (ft)	3438.49	Reach Len. (ft)	444.00	464.00	510.00
Crit W.S. (ft)	3438.49	Flow Area (sq ft)		101.69	
E.G. Slope (ft/ft)	0.021709	Area (sq ft)		101.69	
Q Total (cfs)	385.00	Flow (cfs)		385.00	
Top Width (ft)	235.89	Top Width (ft)		235.89	
Vel Total (ft/s)	3.79	Avg. Vel. (ft/s)		3.79	
Max Chl Dpth (ft)	0.69	Hydr. Depth (ft)		0.43	
Conv. Total (cfs)	2613.0	Conv. (cfs)		2613.0	
Length Wtd. (ft)	464.00	Wetted Per. (ft)		235.89	
Min Ch El (ft)	3437.80	Shear (lb/sq ft)		0.58	

		FloodPlain.rep			
Alpha	1.00	Stream Power (lb/ft s)		2.21	
Frctn Loss (ft)	2.02	Cum Volume (acre-ft)	9.35	46.12	1.69
C & E Loss (ft)	0.06	Cum SA (acres)	11.49	73.97	1.41

Warning: The energy equation could not be balanced within the specified number of iterations. The program used critical depth for the water surface and continued on with the calculations.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 7253

INPUT

Description: Sta. 7253

Station Elevation Data		num= 9							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3438	109	3438.7	321	3438	424	3436	668	3435
906	3436	1005	3438	1200	3440	1365	3442		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	424	.033	906	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	424	906		756	910	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3436.14				
Vel Head (ft)	0.03	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3436.11	Reach Len. (ft)	756.00	910.00	980.00
Crit W.S. (ft)	3435.70	Flow Area (sq ft)	0.28	291.48	0.27
E.G. Slope (ft/ft)	0.001870	Area (sq ft)	0.28	291.48	0.27
Q Total (cfs)	406.00	Flow (cfs)	0.08	405.85	0.07
Top Width (ft)	492.58	Top Width (ft)	5.39	482.00	5.18
Vel Total (ft/s)	1.39	Avg. Vel. (ft/s)	0.27	1.39	0.27
Max Chl Dpth (ft)	1.10	Hydr. Depth (ft)	0.05	0.60	0.05
Conv. Total (cfs)	9389.2	Conv. (cfs)	1.8	9385.8	1.7

FloodPlain.rep

Length Wtd. (ft)	909.99	Wetted Per. (ft)	5.39	482.00	5.19
Min Ch El (ft)	3435.00	Shear (lb/sq ft)	0.01	0.07	0.01
Alpha	1.00	Stream Power (lb/ft s)	0.00	0.10	0.00
Frctn Loss (ft)	5.45	Cum Volume (acre-ft)	9.35	44.03	1.68
C & E Loss (ft)	0.02	Cum SA (acres)	11.46	70.15	1.38

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 6343

INPUT

Description: Sta. 6343

Station Elevation Data num= 9

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3434	346	3433	663	3432	732	3431	860	3430.2
981	3430	1273	3430	1320	3431.5	1566	3432		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	663	.033	1320	.033

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.

663	1320	767	980	1051	.1	.3
-----	------	-----	-----	------	----	----

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3430.67	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.20	Wt. n-Val.		0.033	
W.S. Elev (ft)	3430.47	Reach Len. (ft)	767.00	980.00	1051.00
Crit W.S. (ft)	3430.47	Flow Area (sq ft)		188.77	
E.G. Slope (ft/ft)	0.021530	Area (sq ft)		188.77	
Q Total (cfs)	679.00	Flow (cfs)		679.00	
Top Width (ft)	469.90	Top Width (ft)		469.90	
Vel Total (ft/s)	3.60	Avg. Vel. (ft/s)		3.60	
Max Chl Dpth (ft)	0.46	Hydr. Depth (ft)		0.40	
Conv. Total (cfs)	4627.5	Conv. (cfs)		4627.5	
Length Wtd. (ft)	980.00	Wetted Per. (ft)		469.91	
Min Ch El (ft)	3430.00	Shear (lb/sq ft)		0.54	

		FloodPlain.rep			
Alpha	1.00	Stream Power (lb/ft s)		1.94	
Frctn Loss (ft)	4.09	Cum Volume (acre-ft)	9.35	39.01	1.68
C & E Loss (ft)	0.05	Cum SA (acres)	11.41	60.20	1.32

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 5363

INPUT

Description: Sta. 5363

Station Elevation Data		num= 10							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3432	282	3430	550	3428	742	3426	885	3425
1097	3425	1476	3426	1877	3428	1966	3428	2160	3430

Manning's n Values

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	742	.033	1476	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	742	1476		1199	1142	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3426.04				
Vel Head (ft)	0.03	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3426.01	Reach Len. (ft)	1199.00	1142.00	713.00
Crit W.S. (ft)	3425.54	Flow Area (sq ft)	0.01	481.78	0.01
E.G. Slope (ft/ft)	0.001717	Area (sq ft)	0.01	481.78	0.01
Q Total (cfs)	679.00	Flow (cfs)	0.00	679.00	0.00
Top Width (ft)	737.55	Top Width (ft)	1.15	734.00	2.40
Vel Total (ft/s)	1.41	Avg. Vel. (ft/s)	0.06	1.41	0.06
Max Chl Dpth (ft)	1.01	Hydr. Depth (ft)	0.01	0.66	0.01
Conv. Total (cfs)	16384.5	Conv. (cfs)	0.0	16384.4	0.0

FloodPlain.rep

Length Wtd. (ft)	1142.00	Wetted Per. (ft)	1.15	734.00	2.40
Min Ch El (ft)	3425.00	Shear (lb/sq ft)	0.00	0.07	0.00
Alpha	1.00	Stream Power (lb/ft s)	0.00	0.10	0.00
Frctn Loss (ft)	5.08	Cum Volume (acre-ft)	9.35	31.47	1.68
C & E Loss (ft)	0.02	Cum SA (acres)	11.40	46.66	1.29

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 4221

INPUT

Description: Sta. 4221

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3423	341	3422	544	3421	640	3420	669	3420
753	3420.2	829	3420	837	3420	1030	3421	1320	3422
1407	3423	1497	3424						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
100	.033	544	.033	1407	.033

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
544	1407	749	732	843	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3420.95	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.25	Wt. n-Val.		0.033	
W.S. Elev (ft)	3420.70	Reach Len. (ft)	749.00	732.00	843.00
Crit W.S. (ft)	3420.70	Flow Area (sq ft)		192.79	
E.G. Slope (ft/ft)	0.020777	Area (sq ft)		192.79	
Q Total (cfs)	770.00	Flow (cfs)		770.00	
Top Width (ft)	399.36	Top Width (ft)		399.36	
Vel Total (ft/s)	3.99	Avg. Vel. (ft/s)		3.99	
Max Chl Dpth (ft)	0.70	Hydr. Depth (ft)		0.48	
Conv. Total (cfs)	5341.9	Conv. (cfs)		5341.9	
Length Wtd. (ft)	736.33	Wetted Per. (ft)		399.36	
Min Ch El (ft)	3420.00	Shear (lb/sq ft)		0.63	

FloodPlain.rep

Alpha	1.00	Stream Power (lb/ft s)	2.50		
Frctn Loss (ft)	3.65	Cum Volume (acre-ft)	9.35	22.63	1.68
C & E Loss (ft)	0.06	Cum SA (acres)	11.39	31.80	1.27

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program selected the water surface that had the least amount of error between computed and assumed values.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 3489

INPUT

Description: Sta. 3489

Station Elevation Data		num= 15									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3417	258	3416.5	299	3416	309	3415	318	3416		
405	3416	422	3416	539	3416.4	581	3416.2	642	3416.4		
744	3416	830	3416	918	3418	1068	3420	1159	3421		

Manning's n Values

num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	539	.033	918	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	539	918		464	500	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3416.94	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.04	Wt. n-Val.	0.033	0.033	
W.S. Elev (ft)	3416.90	Reach Len. (ft)	464.00	500.00	457.00
Crit W.S. (ft)	3416.51	Flow Area (sq ft)	255.79	229.85	
E.G. Slope (ft/ft)	0.002166	Area (sq ft)	255.79	229.85	
Q Total (cfs)	770.00	Flow (cfs)	392.11	377.89	
Top Width (ft)	739.55	Top Width (ft)	408.76	330.79	
Vel Total (ft/s)	1.59	Avg. Vel. (ft/s)	1.53	1.64	

		FloodPlain.rep			
Max Chl Dpth (ft)	1.90	Hydr. Depth (ft)	0.63	0.69	
Conv. Total (cfs)	16544.2	Conv. (cfs)	8424.9	8119.4	
Length Wtd. (ft)	482.34	Wetted Per. (ft)	408.87	330.80	
Min Ch El (ft)	3416.00	Shear (lb/sq ft)	0.08	0.09	
Alpha	1.00	Stream Power (lb/ft s)	0.13	0.15	
Frctn Loss (ft)	2.43	Cum Volume (acre-ft)	7.15	19.08	1.68
C & E Loss (ft)	0.01	Cum SA (acres)	7.87	25.67	1.27

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2989

INPUT

Description: Sta. 2989

Station Elevation Data		num= 12									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
170	3414.8	196	3414	436	3413.8	613	3414	651	3414		
700	3414	747	3414	761	3414	841	3415.01	920	3416		
976	3418	1067	3420								

Manning's n Values				num= 3		
Sta	n Val	Sta	n Val	Sta	n Val	
170	.033	436	.033	841	.033	

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.	
	436	841		317	215	172	.3	.5

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3414.50				
Vel Head (ft)	0.19	Wt. n-Val.	0.033	0.033	
W.S. Elev (ft)	3414.31	Reach Len. (ft)	317.00	215.00	172.00
Crit W.S. (ft)	3414.31	Flow Area (sq ft)	99.91	122.19	
E.G. Slope (ft/ft)	0.022178	Area (sq ft)	99.91	122.19	
Q Total (cfs)	770.00	Flow (cfs)	363.42	406.58	
Top Width (ft)	599.61	Top Width (ft)	250.07	349.54	
Vel Total (ft/s)	3.47	Avg. Vel. (ft/s)	3.64	3.33	
Max Chl Dpth (ft)	0.51	Hydr. Depth (ft)	0.40	0.35	
Conv. Total (cfs)	5170.5	Conv. (cfs)	2440.3	2730.2	

Length Wtd. (ft)	260.63	FloodPlain.rep Wetted Per. (ft)	250.07	349.54	
Min Ch El (ft)	3413.80	Shear (lb/sq ft)	0.55	0.48	
Alpha	1.01	Stream Power (lb/ft s)	2.01	1.61	
Frctn Loss (ft)	0.06	Cum Volume (acre-ft)	5.26	17.06	1.68
C & E Loss (ft)	0.09	Cum SA (acres)	4.36	21.77	1.27

Warning: The energy equation could not be balanced within the specified number of iterations.
The program used critical depth for the water surface and continued on with the calculations.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 2774

INPUT

Description: Sta. 2774 Upstream of culverts

Station	Elevation	Data	num=	13	Sta	Elev	Sta	Elev	Sta	Elev
100	3413.8				175	3413.8	204	3412	261	3412
402	3410.9				437	3410	469	3409	491	3409
560	3412				641	3414	725	3416	298	3411.2
									511	3410

Manning's n	Values	num=	3
Sta	n Val	Sta	n Val
100	.033	437	.033
		511	.033

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	437	511		40	40	.3	.5

Ineffective Flow	num=	2
Sta L	Sta R	Elev
888	F	
888	F	

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3413.73	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.01	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3413.72	Reach Len. (ft)	40.00	40.00	40.00
Crit W.S. (ft)	3412.70	Flow Area (sq ft)	591.62	323.04	192.81
E.G. Slope (ft/ft)	0.000063	Area (sq ft)	591.62	323.04	192.81
Q Total (cfs)	770.00	Flow (cfs)	365.74	308.81	95.44
Top Width (ft)	453.19	Top Width (ft)	260.66	74.00	118.53

FloodPlain.rep

Vel Total (ft/s)	0.70	Avg. Vel. (ft/s)	0.62	0.96	0.50
Max Chl Dpth (ft)	4.72	Hydr. Depth (ft)	2.27	4.37	1.63
Conv. Total (cfs)	96842.1	Conv. (cfs)	45999.3	38839.0	12003.8
Length Wtd. (ft)	40.00	Wetted Per. (ft)	260.73	74.04	118.59
Min Ch El (ft)	3409.00	Shear (lb/sq ft)	0.01	0.02	0.01
Alpha	1.20	Stream Power (lb/ft s)	0.01	0.02	0.00
Frctn Loss (ft)		Cum Volume (acre-ft)	2.74	15.96	1.30
C & E Loss (ft)		Cum SA (acres)	2.51	20.72	1.04

CULVERT RIVER: Ditch A
 REACH: 5 RS: 2773

INPUT

Description:

Distance from Upstream XS = 8
 Deck/Roadway Width = 24
 Weir Coefficient = 3

Upstream Deck/Roadway Coordinates

num=	Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
6	26	3413.8				100	3413.8				402	3412.7			
	500	3412.8				600	3413.9				700	3415.7			

Upstream Bridge Cross Section Data

Station Elevation Data		num=		13		Sta	Elev	Sta	Elev	Sta	Elev
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3413.8	175	3413.8	204	3412	261	3412	298	3411.2		
402	3410.9	437	3410	469	3409	491	3409	511	3410		
560	3412	641	3414	725	3416						

Manning's n Values

num=	Sta	n	Val	Sta	n	Val	Sta	n	Val
3	100	.033		437	.033		511	.033	

Bank Sta: Left Right Coeff Contr. Expan.
 437 511 .3 .5

Ineffective Flow num= 2
 Sta L Sta R Elev Permanent

888 F
 888 F

Downstream Deck/Roadway Coordinates

num=	Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
6	26	3413.8				100	3413.8				402	3412.7			
	500	3412.8				600	3413.9				700	3415.7			

Downstream Bridge Cross Section Data

Station Elevation Data		num=		15		Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
26	3413.8	100	3412.4	155	3412	299	3411.4	349	3410						
387	3408.9	391.4	3408.9	395.8	3408.9	400.2	3408.9	404.6	3408.9						
409	3408.9	434	3410	487	3412	568	3414	658	3416						

FloodPlain.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 26 .033 349 .033 434 .033

Bank Sta: Left Right Coeff Contr. Expan.
 349 434 .3 .5

Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 888 F
 888 F

Upstream Embankment side slope = 3 horiz. to 1.0 vertical
 Downstream Embankment side slope = 3 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 3412.7
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Culverts = 1

Culvert Name Shape Rise Span
 Culvert #1 Pipe Arch 1.833 2.43
 FHWA Chart # 34- 18 inch corner radius; Corrugated metal
 FHWA Scale # 1 - 90 Degree headwall
 Solution Criteria = Highest U.S. EG
 Culvert Upstrm Dist Length n Value Entrance Loss Coef Exit Loss Coef
 1 39 .024 .5 1

Number of Barrels = 6
 Upstream Elevation = 3409
 Centerline Stations

Sta.	Sta.	Sta.	Sta.	Sta.	Sta.
469	473.4	477.8	482.2	486.6	491

Downstream Elevation = 3408.9

Centerline Stations
 Sta. Sta. Sta. Sta. Sta. Sta.
 387 391.4 395.8 400.2 404.6 409

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 2734

INPUT

Description: Sta. 2734 Downstream of culverts

Station	Elevation	Data	num=	15	Sta	Elev	Sta	Elev	Sta	Elev
26	3413.8	100	3412.4	155	3412	299	3411.4	349	3410	
387	3408.9	391.4	3408.9	395.8	3408.9	400.2	3408.9	404.6	3408.9	
409	3408.9	434	3410	487	3412	568	3414	658	3416	

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 26 .033 349 .033 434 .033

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 349 434 745 846 1015 .3 .5

Ineffective Flow num= 2
 Sta L Sta R Elev Permanent
 888 F
 888 F

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3412.73	Element	Left OB	Channel	Right OB
----------------	---------	---------	---------	---------	----------

		FloodPlain.rep			
Vel Head (ft)	0.03	Wt. n-Val.	0.033	0.033	0.033
W.S. Elev (ft)	3412.70	Reach Len. (ft)	745.00	846.00	1015.00
Crit W.S. (ft)	3412.70	Flow Area (sq ft)	273.94	288.37	100.04
E.G. Slope (ft/ft)	0.000267	Area (sq ft)	273.94	288.37	100.04
Q Total (cfs)	770.00	Flow (cfs)	206.26	479.23	84.51
Top Width (ft)	431.23	Top Width (ft)	264.87	85.00	81.36
Vel Total (ft/s)	1.16	Avg. Vel. (ft/s)	0.75	1.66	0.84
Max Chl Dpth (ft)	3.80	Hydr. Depth (ft)	1.03	3.39	1.23
Conv. Total (cfs)	47090.5	Conv. (cfs)	12614.4	29308.0	5168.1
Length Wtd. (ft)	841.78	Wetted Per. (ft)	264.90	85.04	81.40
Min Ch El (ft)	3408.90	Shear (lb/sq ft)	0.02	0.06	0.02
Alpha	1.44	Stream Power (lb/ft s)	0.01	0.09	0.02
Frctn Loss (ft)	0.74	Cum Volume (acre-ft)	2.34	15.68	1.17
C & E Loss (ft)	0.05	Cum SA (acres)	2.27	20.65	0.95

Warning: The energy equation could not be balanced within the specified number of iterations.
The program used critical depth for the water surface and continued on with the calculations.
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.
Note: Multiple critical depths were found at this location. The critical depth with the lowest, valid, energy was used.

CROSS SECTION RIVER: Ditch A
REACH: 5 RS: 1888

INPUT

Description: Sta. 1888

Station Elevation Data		num= 6							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3410.2	110	3410	331	3408	532	3408	690	3408
1180	3410								

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
100	.033	100	.033	1180	.033

FloodPlain.rep

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
100	1180	305	828	980	.1	.3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

		Element	Left OB	Channel	Right OB
E.G. Elev (ft)	3408.69				
Vel Head (ft)	0.21	Wt. n-Val.		0.033	
W.S. Elev (ft)	3408.48	Reach Len. (ft)	305.00	828.00	980.00
Crit W.S. (ft)	3408.48	Flow Area (sq ft)		214.56	
E.G. Slope (ft/ft)	0.021962	Area (sq ft)		214.56	
Q Total (cfs)	783.00	Flow (cfs)		783.00	
Top Width (ft)	530.50	Top Width (ft)		530.50	
Vel Total (ft/s)	3.65	Avg. Vel. (ft/s)		3.65	
Max Chl Dpth (ft)	0.48	Hydr. Depth (ft)		0.40	
Conv. Total (cfs)	5283.6	Conv. (cfs)		5283.6	
Length Wtd. (ft)	828.00	Wetted Per. (ft)		530.50	
Min Ch El (ft)	3408.00	Shear (lb/sq ft)		0.55	
Alpha	1.00	Stream Power (lb/ft s)		2.02	
Frctn Loss (ft)	1.09	Cum Volume (acre-ft)		10.79	
C & E Loss (ft)	0.06	Cum SA (acres)		14.67	

Warning: The energy equation could not be balanced within the specified number of iterations.
 The program used critical depth for the water surface and continued on with the calculations.
 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
 Warning: The energy loss was greater than 1.0 ft (0.3 m) between the current and previous cross section. This may indicate the need for additional cross sections.
 Warning: During the standard step iterations, when the assumed water surface was set equal to critical depth, the calculated water surface came back below critical depth. This indicates that there is not a valid subcritical answer. The program defaulted to critical depth.

CROSS SECTION RIVER: Ditch A
 REACH: 5 RS: 1060

INPUT

Description: Sta. 1060
 Station Elevation Data num= 6

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
100	3408	394	3406	879	3402.7	909	3402.7
1206	3405						
1554	3404.3						

FloodPlain.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 100 .033 394 .033 1554 .033

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 394 1554 60 60 60 .1 .3

CROSS SECTION OUTPUT Profile #100 Yr.-WS3405

E.G. Elev (ft)	3405.01	Element	Left OB	Channel	Right OB
Vel Head (ft)	0.01	Wt. n-Val.		0.033	
W.S. Elev (ft)	3405.00	Reach Len. (ft)			
Crit W.S. (ft)	3403.76	Flow Area (sq ft)		921.10	
E.G. Slope (ft/ft)	0.000442	Area (sq ft)		921.10	
Q Total (cfs)	818.00	Flow (cfs)		818.00	
Top Width (ft)	1013.03	Top Width (ft)		1013.03	
Vel Total (ft/s)	0.89	Avg. Vel. (ft/s)		0.89	
Max Chl Dpth (ft)	2.30	Hydr. Depth (ft)		0.91	
Conv. Total (cfs)	38907.7	Conv. (cfs)		38907.7	
Length Wtd. (ft)		Wetted Per. (ft)		1013.75	
Min Ch El (ft)	3402.70	Shear (lb/sq ft)		0.03	
Alpha	1.00	Stream Power (lb/ft s)		0.02	
Frctn Loss (ft)		Cum Volume (acre-ft)			
C & E Loss (ft)		Cum SA (acres)			

Warning: Divided flow computed for this cross-section.

Note: Hydraulic jump has occurred between this cross section and the previous upstream section.

SUMMARY OF MANNING'S N VALUES

River:Ditch A

Reach	River Sta.	n1	n2	n3
5	12674	.033	.033	.033
5	11337	.033	.033	.033
5	10937	.033	.033	.033
5	10288	.033	.033	.033
5	9690	.033	.033	.033
5	9009	.033	.033	.033
5	8130	.033	.033	.033
5	7717	.033	.033	.033
5	7253	.033	.033	.033

		FloodPlain..rep		
5	6343	.033	.033	.033
5	5363	.033	.033	.033
5	4221	.033	.033	.033
5	3489	.033	.033	.033
5	2989	.033	.033	.033
5	2774	.033	.033	.033
5	2773	Culvert		
5	2734	.033	.033	.033
5	1888	.033	.033	.033
5	1060	.033	.033	.033

SUMMARY OF REACH LENGTHS

River: Ditch A

Reach	River Sta..	Left	Channel	Right
5	12674	1206	1337	1433
5	11337	545	400	332
5	10937	729	649	445
5	10288	552	598	633
5	9690	639	681	658
5	9009	898	879	794
5	8130	399	413	456
5	7717	444	464	510
5	7253	756	910	980
5	6343	767	980	1051
5	5363	1199	1142	713
5	4221	749	732	843
5	3489	464	500	457
5	2989	317	215	172
5	2774	40	40	40
5	2773	Culvert		
5	2734	745	846	1015
5	1888	305	828	980
5	1060	60	60	60

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS

River: Ditch A

Reach	River Sta..	Contr.	Expan.
5	12674	.1	.3
5	11337	.1	.3
5	10937	.1	.3
5	10288	.1	.3
5	9690	.1	.3
5	9009	.1	.3
5	8130	.1	.3
5	7717	.1	.3
5	7253	.1	.3
5	6343	.1	.3
5	5363	.1	.3
5	4221	.1	.3
5	3489	.1	.3
5	2989	.3	.5
5	2774	.3	.5
5	2773	Culvert	

FloodPlain.rep

5	2734	.3	.5
5	1888	.1	.3
5	1060	.1	.3

Profile Output Table - Standard Table 1


Reach	River Sta	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. S	
lope	Vel Chnl	Flow Area	Top Width	Froude #	Chl			
(ft)	(ft/s)	(sq ft)	(ft)	(ft)	(ft)	(ft)	(ft)	
5		12674	257.00	3477.00	3478.09	3477.76	3478.13	
2960	1.72	150.10	266.53	0.40				
5		11337	257.00	3469.00	3470.07	3470.03	3470.31	
6404	3.95	65.20	117.78	0.92				
5		10937	257.00	3464.00	3465.37	3465.18	3465.56	
8905	3.46	74.30	101.14	0.71				
5		10288	257.00	3456.00	3456.67	3456.67	3456.87	
2405	3.56	72.21	188.17	1.01				
5		9690	385.00	3450.00	3451.27	3450.94	3451.34	
4386	2.23	172.58	266.72	0.49				
5		9009	385.00	3445.00	3446.20	3446.12	3446.41	
4078	3.65	105.53	186.98	0.86				
5		8130	385.00	3440.00	3441.33	3440.91	3441.39	
3030	1.93	199.71	291.13	0.41				
5		7717	385.00	3437.80	3438.49	3438.49	3438.71	
1709	3.79	101.69	235.89	1.02				
5		7253	406.00	3435.00	3436.11	3435.70	3436.14	
1870	1.39	292.04	492.58	0.32				
5		6343	679.00	3430.00	3430.47	3430.47	3430.67	
1530	3.60	188.77	469.90	1.00				
5		5363	679.00	3425.00	3426.01	3425.54	3426.04	
1717	1.41	481.80	737.55	0.31				
5		4221	770.00	3420.00	3420.70	3420.70	3420.95	
0777	3.99	192.79	399.36	1.01				
5		3489	770.00	3416.00	3416.90	3416.51	3416.94	
2166	1.64	485.64	739.55	0.35				
5		2989	770.00	3413.80	3414.31	3414.31	3414.50	
2178	3.33	222.10	599.61	0.99				
5		2774	770.00	3409.00	3413.72	3412.70	3413.73	
0063	0.96	1107.47	453.19	0.08				
5		2773	Culvert					
5		2734	770.00	3408.90	3412.70	3412.70	3412.73	
0267	1.66	662.35	431.23	0.16				
5		1888	783.00	3408.00	3408.48	3408.48	3408.69	
1962	3.65	214.56	530.50	1.01				
5		1060	818.00	3402.70	3405.00	3403.76	3405.01	
0442	0.89	921.10	1013.03	0.16				

Profile Output Table - Report Standard Table 1

Reach	River Sta	Q Total	Min Ch El	W.S. Elev	Crit W.S.	Max Chl Dpth	E.G
Elev	E.G. Slope	Sta W.S. Lft	Sta W.S. Rgt	Flow Area	Top Width	Froude #	Chl
(ft)	(ft/ft)	(ft/s)	(cfs)	(ft)	(ft)	(ft)	(ft)
(ft)	(ft/ft)	(ft/s)	(ft)	(ft)	(sq ft)	(ft)	(ft)

FloodPlain.rep

5	12674		257.00	3477.00	3478.09	3477.76	1.09	3	
478.13	0.002960	1.72	373.93	640.46	150.10	266.53		0.40	
5	11337		257.00	3469.00	3470.07	3470.03	1.07	3	
470.31	0.016404	3.95	433.58	551.36	65.20	117.78		0.92	
5	10937		257.00	3464.00	3465.37	3465.18	1.37	3	
465.56	0.008905	3.46	487.21	588.35	74.30	101.14		0.71	
5	10288		257.00	3456.00	3456.67	3456.67	0.67	3	
456.87	0.022405	3.56	427.25	615.43	72.21	188.17		1.01	
5	9690		385.00	3450.00	3451.27	3450.94	1.27	3	
451.34	0.004386	2.23	473.16	739.88	172.58	266.72		0.49	
5	9009		385.00	3445.00	3446.20	3446.12	1.20	3	
446.41	0.014078	3.65	475.39	662.37	105.53	186.98		0.86	
5	8130		385.00	3440.00	3441.33	3440.91	1.33	3	
441.39	0.003030	1.93	497.63	788.76	199.71	291.13		0.41	
5	7717		385.00	3437.80	3438.49	3438.49	0.69	3	
438.71	0.021709	3.79	346.21	582.10	101.69	235.89		1.02	
5	7253		406.00	3435.00	3436.11	3435.70	1.10	3	
436.14	0.001870	1.39	418.61	911.18	292.04	492.58		0.32	
5	6343		679.00	3430.00	3430.47	3430.47	0.46	3	
430.67	0.021530	3.60	817.66	1287.56	188.77	469.90		1.00	
5	5363		679.00	3425.00	3426.01	3425.54	1.01	3	
426.04	0.001717	1.41	740.85	1478.40	481.80	737.55		0.31	
5	4221		770.00	3420.00	3420.70	3420.70	0.70	3	
420.95	0.020777	3.99	572.78	972.14	192.79	399.36		1.01	
5	3489		770.00	3416.00	3416.90	3416.51	1.90	3	
416.94	0.002166	1.64	130.24	869.79	485.64	739.55		0.35	
5	2989		770.00	3413.80	3414.31	3414.31	0.51	3	
414.50	0.022178	3.33	185.93	785.54	222.10	599.61		0.99	
5	2774		770.00	3409.00	3413.72	3412.70	4.72	3	
413.73	0.000063	0.96	176.34	629.53	1107.47	453.19		0.08	
5	2773		Culvert						
5	2734		770.00	3408.90	3412.70	3412.70	3.80	3	
412.73	0.000267	1.66	84.13	515.36	662.35	431.23		0.16	
5	1888		783.00	3408.00	3408.48	3408.48	0.48	3	
408.69	0.021962	3.65	277.69	808.19	214.56	530.50		1.01	
5	1060		818.00	3402.70	3405.00	3403.76	2.30	3	
405.01	0.000442	0.89	540.97	1554.00	921.10	1013.03		0.16	




WCS


Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD


Sta. 11337

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta








WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 9690




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD

Sta. 9009

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta



WCS


Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD


Sta. 8130


.033 .033 .033

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta








WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD

Sta. 6343

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 5363

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 4221

Legend


- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta



WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD

Sta. 3489




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 2989


Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 2774 Upstream of culverts




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD



WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD
Sta. 2734 Downstream of culverts



WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD

Sta. 1888

.033


Legend

EG 100 Yr.-WS3405

WS 100 Yr.-WS3405

Ground

Bank Sta




WCS

Geom: 1-20-04SecRemoved Flow: 100YrAM3-11-06ManyNOD

Sta. 1060

Legend

- EG 100 Yr.-WS3405
- WS 100 Yr.-WS3405
- Ground
- Bank Sta



APPENDIX I

HEC-HMS MODEL FOR THE CALCULATION OF THE DEVELOPED LOW LEVEL & BYPRODUCT FACILITY 500-YEAR PEAK DISCHARGES

HMS * Summary of Results

Project : WCS

Run Name : 500 Year Storm NOD

Start of Run : 01Dec00 0000 Basin Model : 100YrAM3/11/06NOD

End of Run : 02Dec00 0000 Met. Model : Met 500 Year

Execution Time : 20Mar06 1840 Control Specs : Control 1

Hydrologic Element	Discharge Peak (cfs)	Time of Peak	Volume (ac ft)	Drainage Area (sq mi)
Subbasin-4B	515.23	01 Dec 00 1238	85.822	0.423
Reach-2	515.23	01 Dec 00 1253	85.385	0.423
Subbasin-4A	92.952	01 Dec 00 1230	13.635	0.067
Reach-1RA	92.952	01 Dec 00 1233	13.622	0.067
Subbasin-2	949.25	01 Dec 00 1302	213.56	1.063
playa	0.0	30 Nov 00 2400	0.0	1.063
Reach-1RB	0.0	30 Nov 00 2400	0.0	1.063
Junction-1RC	92.952	01 Dec 00 1233	13.622	1.130
Reach-1RC	92.952	01 Dec 00 1238	13.599	1.130
Subbasin-3A	120.01	01 Dec 00 1228	16.906	0.083
Junction-1RB	207.24	01 Dec 00 1233	30.505	1.213
Reach-1RD	207.24	01 Dec 00 1249	30.340	1.213
Subbasin-1A	533.30	01 Dec 00 1325	146.15	0.691
Reach-1A	533.30	01 Dec 00 1341	145.34	0.691
Subbasin-1B	376.03	01 Dec 00 1239	63.679	0.314
Junction-1A	827.56	01 Dec 00 1258	239.36	2.218
Reach-1B	827.56	01 Dec 00 1301	239.11	2.218
Subbasin-3B	124.49	01 Dec 00 1221	15.317	0.075
Junction-1	872.40	01 Dec 00 1258	254.42	2.293
Reach-3	872.40	01 Dec 00 1315	252.91	2.293
Subbasin-5A	256.07	01 Dec 00 1232	39.040	0.192
Junction-2	1470.0	01 Dec 00 1300	377.34	2.908
Reach-4	1470.0	01 Dec 00 1321	374.55	2.908
Subbasin-5B	276.18	01 Dec 00 1249	53.528	0.265
Junction-3	1668.1	01 Dec 00 1317	428.07	3.173
Reach-5	1668.1	01 Dec 00 1331	425.94	3.173
Subbasin-6	116.97	01 Dec 00 1223	15.099	0.074
Junction-4	1692.0	01 Dec 00 1330	441.03	3.247
Reach-6	1692.0	01 Dec 00 1330	441.03	3.247
Subbasin-7	93.976	01 Dec 00 1301	20.903	0.104
Junction-5	1767.1	01 Dec 00 1330	461.94	3.351

Meteorologic Model Input

HMS * Meteorologic Model

File Edit Help

Meteorologic Model: Met 500 Year Subbasin List

Description: 500 Year, 24 Hour Storm

Precipitation | Evapotranspiration

Method: SCS Hypothetical Storm

Storm Selection: Type II

Storm Depth (in): 8.71

OK Apply Cancel

HMS * Basin Model * SCS Curve Number

Sort Help

Basin Model ID: 100YrAM3/11/06NOD

Subbasin Name	SCS Curve Number	Initial Abstraction (in)	Imperviousness (%)
Subbasin-1A	62		0.0
Subbasin-2	60		0.0
Subbasin-3B	60		0.0
Subbasin-4B	60		0.0
Subbasin-5B	60		0.0
Subbasin-6	60		0.0
Subbasin-1B	60		0.0
Subbasin-5A	60		0.0
Subbasin-7	60		0.0
Subbasin-4A	60		0.0
Subbasin-3A	60		0.0

OK Apply Cancel

HMS * Basin Model * SCS UH

Sort Help

Basin Model ID: 100YrAM3/11/06NOD

Time Units : Minutes

Subbasin Name	SCS Lag (min)
Subbasin-1A	86
Subbasin-2	65
Subbasin-3B	28
Subbasin-4B	43
Subbasin-5B	53
Subbasin-6	30
Subbasin-1B	44
Subbasin-5A	38
Subbasin-7	64
Subbasin-4A	36
Subbasin-3A	34

OK Apply Cancel

HMS * Basin Model * Lag Routing

Help

Basin Model ID : 100YrAM3/11/06NOD

Interval : Minutes

Reach Name	Lag (min)
Reach-1RB	13
Reach-2	15
Reach-3	17
Reach-4	21
Reach-5	14
Reach-1A	16.8
Reach-6	0
Reach-1RA	3
Reach-1RC	5.7
Reach-1RD	16.3
Reach-1B	3

OK Apply Cancel

HMS * Basin Model * Reservoir Editor

Edit File Help

Reservoir Name:

Description:

Storage | Outlet | Spillway | Overflow | Dam Break

Method:



Initial

Elevation (ft)	Storage (acre-feet)	Outflow (cfs)
3478.0	0.0	0.0
3480.0	24.0	0.0
3482.0	61.0	0.0
3484.0	170.0	0.0
3486.0	457.0	0.0
3487.0	693.0	863.0
3488.0	928.0	2427.0



Graph

OK Apply Cancel



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS





WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS



WCS FACILITY FLOOD PLAIN STUDY HYDROGRAPHS

