NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 7 PAGES Amendment No. 39

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1.	Licer Ferris State University	nsee		In accordance May 23, 2018.	with letter dated	4. Exp	piration Date: September 30, 2025
2.	Radiation Safety Office 200 Ferris Dr. Big Rapids, MI 49307		200	3. License num amended in follows:	aber: 21-15237-01 is its entirety to read as		cket No.: 030-08783 ference No.:
6.	Byproduct, source, and/or special nuclear material	7.	Chemical and/or physical fo	orm	Maximum amount that licen may possess at any one tim under this license		Authorized use
A .	Barium-133	Α.	Sealed Sources	A .	10 microcuries per source and 1 millicurie total		 For use in student instruction and instrument calibration and reference.
В.	Cadmium-109	В.	Sealed Sources	Signal B	10 microcuries per source and 1 millicurie total	e B	 For use in student instruction and instrument calibration and reference.
C.	Manganese-54	C.	Sealed Sources	a ala	10 microcuries per source and 1 millicurie total	e C	 For use in student instruction and instrument calibration and reference.
D.	Cobalt-60	D.	Sealed Sources	D.	1 microcurie per source , and 20 microcuries total	0	 For use in student instruction and instrument calibration and reference.
E .	Europium-152	E.	Sealed Sources	E.	1 microcurie per source and 20 microcuries total	E	 For use in student instruction and instrument calibration and reference.
F.	lodine-129	F.	Sealed Sources	F.	0.1 microcuries per source and 10 microcuries total	e F	 For use in student instruction and instrument calibration and reference.
G.	Cesium-137	G.	Sealed Sources	G.	10 microcuries per source and 1 millicurie total	e G	 For use in student instruction and instrument calibration and reference.

NRC	FORM 374A		U.S. NUCLE	AR REGULATORY COMM	IISSION		PAGE 2 OF 7 PAGES	
				Docket or Reference Number 030-08783		nber		
	SUPPLEMENTA		Amendment No. 39	Amendment No. 39				
		·····	1		· · · · · · · · · · · · · · · · · · ·			
6.	Byproduct, source, and/or special nuclear material	7. Chemical an		may possess	ount that licensee at any one time ense	9.	Authorized use	
H.	Sodium-22	H. Sealed Sou	rces CLEAT	H. 10 microour and 1 millici	ies per source Trie total		For use in student instruction and instrument calibration and reference.	
Ι.	Cobalt-57	I. Sealed Sou	rces	I. 10 microcur and 1 millic	ies per source urie total		For use in student instruction and instrument calibration and reference.	
J.	Molybdenum-99/ Technetium-99m	J. Generators	S	J. 1 curie total			For use in student instruction and instrument calibration and reference.	
K.	Cesium-137	K. Sealed Sou Electronic Dwg. No. A	aboratories, Model	K. Two source per source millicuries to	and the second s		For use in Troxler Electronic Laboratories Model 3440 portable gauging devices for student instruction in measuring physical properties of materials.	
L.	Americium-241		rces (Troxler aboratories, Model -102451)			۲ L.	Same as in Subitem No. 9.K.	
		•	VO	CONDITIONS	63			
10.	Licensed material ma	ay be used or store	d at the licensee's fac	cilities located at;	2			
	A. Ferris State Unive B. Ferris State Unive	•						
B. Ferris State University, 1020 E Maple St., Big Rapids, Michigan, 49307 C. Ferris State University, 151 Fountain St. NE, Grand Rapids, Michigan, 49503								

	U.S. NUCLEAR REGULATO	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 3 OF 7 PAGES					
MATERIALS LICENSE	License Number 21-15237-01	Docket or Reference Number 030-08783					
SUPPLEMENTARY SHEET	Amendment No. 39						
 Nuclear Regulatory Commission maining jurisdiction within Agreement States. I contact the Federal agency controlling jurisdiction. Authorization for use of radiobtained from the appropriate state region. 11. The Radiation Safety Officer (RSO) for a control of the appropriate state region. 12. A. Licensed material shall only be us <u>Authorized Individual</u> Tracy L. Glentz Sheila MacEachron Timothy Vander Laan B. Licensed material listed in Subiter Larabel or other individuals who h Individuals Working In or Frequent 13. A. Sealed sources shall be tested for 	tains jurisdiction for regulating the f the jurisdiction status of a Federa the job site in question to determini- dioactive materials at job sites in A gulatory agency. This ficense is Brad McCormick. ed by, or under the supervision of: <u>Material and Use</u> Subitem Nos: 6.A. through (Subitem Nos) (S	5.J. in student instruction and instrument 6.J. in student instruction and instrument 7.J. in student instruction and instrument 7.J. in student instruction and in the physic 7. In student instruction and in the physic 7. In the training courses described in the sec 7. Solution 1, Rev. 1, dated November 200 7. Intervals not to exceed the intervals specifier 7. In CFR 32.210 or by an Agreement Sta	calibration and reference calibration and reference				

B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

NRC	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 4 OF 7 PAGES							
NRCI		License Number 21-15237-01	Docket or Reference Number 030-08783					
	SUPPLEMENTARY SHEET	Amendment No. 39						
	 C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material. D. Sealed sources need not be tested if they are in storage and are not being used However, when they are removed from storage for use 							
			uired leak test interval, they shall be tested before use or ars without being tested for leakage and/or contamination.					
	E. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.							
	F. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis: analysis of leak samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.							
	G. Records of leak test results shall be	e kept in units of becquerels (microcurie	es) and shall be maintained for 3 years.					
14.	 Sealed sources or Source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized. 							
15.			ave the moisture/density gauge unattended. Upon completion g to prevent unauthorized use, loss, or theft.					
16.		n. The gauge or its container must be lo	ned to prevent unauthorized or accidental removal of the ocked when in transport or storage, or when not under the					

NRC F	FORM 374A	U.S. NUCLEAR REGULATORY COMM	ISSION	PAGE 5 OF 7 PAGES				
MATERIALS LICENSE		License Number 21-15237-01	Docket or Reference Number 030-08783					
	SUPPLEMENTARY SHEET	Amendment No. 39						
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					
17.	17. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.							
18.	18. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.							
19.	9. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.							
20.	0. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.							
	B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U. S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.							
21.	The licensee shall develop, implement a "Radiation Safety Program - Operating a							

NRC FORM 374A	U.S. NUCLEAR REGULATORY COM	IISSION	PAGE 6 OF	7 PAGES
MATERIALS LICENSE	License Number 21-15237-01	Docket or Reference Number 030-08783		
SUPPLEMENTARY SHEET	Amendment No. 39			

- 22. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
 - A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after the have been released from the licensee.
 - B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
- 23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated March 19, 2015 (ML15086A533)

B. Letter dated January 27, 2009 (ML090440104)

NRC FORM 374A	U.S. NUCLEAR REGULA	TORY COMMISSION	PAGE 7 OF 7 PAGES			
MATERIALS LICENSE	License Number 21-15237-01	Docket or Reference Number 030-08783				
SUPPLEMENTARY SHEET	Amendment No. 39					
C. Letter dated September 1, 2015 (ML	.15260A773)	~				
D. Letter dated June 26, 2015 (ML1818	15260A773) 33A328) CLEAR RE	GUI				
	Chi	A P				
	2	· · · · · · · · · · · · · · · · · · ·				
		31				
	ŭ la					
<	< El Connela					
ł		SSIWW				
ζ		3				
	O St BILLI	B 5				
	H W	SAL S				
	The The					
	~ <u>^</u>					
	12.42.	A 42				
		N A				
	and the second	FOR THE U.S. NUCLEAR REGULA	TORY COMMISSION			
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Date: August 23, 2018 BF: Acre L. Forste						
Date. August 23, 2010		Sara A. Forster				
		Region 3				
	1					