


U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 4

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;"><b>Licensee</b></p> <p>1. Spectron mrc, LLC</p> <p>2. 17490 Dugdale Drive South Bend, IN 46635</p>		<p>In accordance with letter dated June 18, 2018</p>	<p>4. Expiration Date: October 31, 2020</p>
		<p>3. License No.: 13-32726-01MD is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-38044 Reference No.:</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material with Atomic Nos. 1 through 83 with half-life less than or equal to 120 days, with exceptions</p> <p>B. Molybdenum-99</p> <p>C. Technetium-99m</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Generators</p> <p>C. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 200 millicuries per source and 2 curies total</p> <p>B. 20 curies total</p> <p>C. 20 curies total</p>	<p>9. Authorized use</p> <p>A. Preparation and distribution of radioactive drugs and redistribution of used and unused generators described in letter dated March 11, 2010, to authorized recipients in accordance with 10 CFR 32.72. Preparation and distribution of radioactive drugs and radiochemicals, and redistribution of used and unused generators described in letter dated March 11, 2010, to authorized recipients for non-medical use. Also, for research and development as described in 10 CFR 30.4.</p> <p>B. Same as Item 9.A.</p> <p>C. Same as Item 9.A.</p>



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

 License No.  
13-32726-01MD

 Docket or Reference No.  
030-38044

Amendment No. 4

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
D. Actinium-225	D. Any	D. 300 millicuries total	D. Preparation and distribution of radioactive drugs to authorized recipients in accordance with 10 CFR 32.72. Also, for research and development as described in 10 CFR 30.4.
E. Astatine-211	E. Any	E. 300 millicuries total	E. Same as Item 9.D.
F. Carbon-11	F. Any	F. 10 curies total	F. Same as Item 9.A.
G. Copper-62	G. Any	G. 300 millicuries total	G. Same as Item 9.A.
H. Copper-64	H. Any	H. 3 curies total	H. Same as Item 9.A.
I. Fluorine-18	I. Any	I. 20 curies total	I. Same as Item 9.A.
J. Gallium-68	J. Any	J. 5 curies total	J. Same as Item 9.A.
K. Indium-113m	K. Any	K. 1 curie total	K. Same as Item 9.A.
L. Lutetium-177	L. Any	L. 15 curies total	L. Same as Item 9.D.
M. Nitrogen-13	M. Any	M. 1 curie total	M. Same as Item 9.A.
N. Oxygen-15	N. Any	N. 1 curie total	N. Same as Item 9.A.
O. Rhenium-188	O. Any	O. 1 curie total	O. Same as Item 9.A.
P. Rubidium-82	P. Any	P. 3 curies total	P. Same as Item 9.A.
Q. Strontium-82	Q. Any	Q. 3 curies total	Q. Same as Item 9.A.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.  
13-32726-01MD

Docket or Reference No.  
030-38044

Amendment No. 4

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
R. Tin-113	R. Any	R. 1 curie total	R. Same as Item 9.A.
S. Tantalum-178	S. Any	S. 300 millicuries total	S. Same as Item 9.A.
T. Tungsten -178	T. Any	T. 300 millicuries total	T. Same as Item 9.A.
U. Tungsten-188	U. Any	U. 1 curie total	U. Same as Item 9.A.
V. Zinc-62	V. Any	V. 300 millicuries total	V. Same as Item 9.A.
W. Zirconium-89	W. Any	W. 2 curies total	W. Same as Item 9.D.
X. Any byproduct material authorized under 10 CFR 35.65	X. Sealed sources	X. 30 millicuries per source and 50 millicuries total	X. Calibration and checking of the licensee's instruments.
Y. Uranium - depleted in Uranium-235	Y. Metal	Y. 100 kilograms total	Y. For shielding for generators and shipping containers.

**CONDITIONS**

10. Licensed material shall be used or stored only at the licensee's facilities located at 17490 Dugdale Drive, South Bend, Indiana, 46635.

11. Licensed material shall be used by, or under the supervision of:

A. A pharmacist working or designated as an authorized nuclear pharmacist in accordance with 10 CFR 32.72(b)(2)(i) and (4).

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.  
13-32726-01MDDocket or Reference No.  
030-38044

Amendment No. 4

**B. Authorized Nuclear Pharmacists:**Greg Hiatt, R.Ph.  
Stanley Miller, R.Ph.Bettina Hickman, R.Ph.  
Mark Peters, R.Ph.Todd Holiday, R.Ph.  
John A. Zehner, R.Ph.**C. Authorized User:** David Trump, Ph.D., for licensed material listed in Items 6.A. through 6.W. for research and development.

12. The Radiation Safety Officer (RSO) for this license is Greg Hiatt, R.Ph.
13. In addition to the possession limits in Item 8, the licensee shall further restrict possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d), 40.36(b), and 70.25(d) for establishing financial assurance for decommissioning.
14. This license does not authorize distribution to persons exempt from licensing.
15. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months, or at such other intervals as specified.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.  
13-32726-01MD  
Amendment No. 4Docket or Reference No.  
030-38044

- C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for three years.
16. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee, except as specifically authorized.
17. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for three years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.  
13-32726-01MDDocket or Reference No.  
030-38044

Amendment No. 4

18. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.
19. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- B. A record of each such disposal permitted under this license condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
20. Experimental animals, or the products from experimental animals, that have been administered licensed material shall not be used for human consumption.
21. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.  
13-32726-01MDDocket or Reference No.  
030-38044

Amendment No. 4

22. The licensee is authorized to retrieve, receive and dispose of radioactive waste from its customers, limited to radiopharmacy-supplied syringes and vials and their contents.
23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 29, 2009 (ML13256A308)
  - B. Letter dated September 30, 2009 (ML092750334)
  - C. Letter dated December 14, 2009 (ML093491139)
  - D. Letter dated January 19, 2010 (ML100200911)
  - E. Letter dated March 11, 2010 (ML100710734)
  - F. Letter dated December 12, 2013 (ML13351A266)
  - G. Letter dated January 29, 2014 (ML14038A221)
  - H. Letter dated September 20, 2017 (excluding references to Ge-68/Ga-68 generator and DFP) (ML17265A586)
  - I. Letter dated November 21, 2017 (ML17333A093)



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.  
13-32726-01MD

Docket or Reference No.  
030-38044


Amendment No. 4

- J. Letter dated June 18, 2018 (ML18170A024)
- K. Letter dated June 28, 2018 (ML18243A027)
- L. Letter dated September 7, 2018 (ML18254A224)



FOR THE U. S. NUCLEAR REGULATORY COMMISSION

Date: SEP 17 2018

By:   
Bryan A. Parker  
Region III