

~~OFFICIAL USE ONLY~~



September 18, 2018
ACO 18-0027

ATTN: Document Control Desk
Mr. Marc L. Dapas, Director
Office of Nuclear Material Safety and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

**American Centrifuge Lead Cascade Facility
Docket Number 70-7003; License Number SNM-7003
Notice of Scheduled Date for 2018 Biennial Emergency Preparedness Exercise – Official Use
Only Information**

**INFORMATION TRANSMITTED HERE WITH IS PROTECTED FROM PUBLIC
DISCLOSURE AS OFFICIAL USE ONLY INFORMATION PURSUANT TO 10 CFR
2.390**

Dear Mr. Dapas:

The purpose of this letter is to forward the 2018 Biennial Exercise Packet to the U.S. Nuclear Regulatory Commission (NRC) as committed within USEC-02, *Portsmouth Gaseous Diffusion Plant (PORTS) Emergency Plan*. Fluor-BWXT Portsmouth, LLC, has scheduled the PORTS site wide 2018 Biennial Emergency Preparedness Exercise for Wednesday, October 17, 2018.

American Centrifuge Operating, LLC (ACO) is no longer an active member of the PORTS Emergency Response organization due to the absence of any radiological hazards within ACO's facilities that could result in an accidental release of special nuclear material or associated chemical hazards. All NRC regulated material has been properly dispositioned as reflected in the applicable Nuclear Materials Management and Safeguards System inventory report. ACO has requested termination of the American Centrifuge Lead Cascade Facility Materials License (Reference 1).

Document transmitted herewith contains ~~OFFICIAL USE ONLY~~ information.
When separated from Enclosure 1, this letter is UNCLASSIFIED.

~~OFFICIAL USE ONLY~~

American Centrifuge Operating, LLC
3930 U.S. Route 23 South - P.O. Box 628
Piketon, OH 45661

IX49
NMSS20
NMSS

~~OFFICIAL USE ONLY~~

Mr. Marc L. Dapas
September 18, 2018
ACO 18-0027, Page 2

The 2018 Biennial Exercise Packet is enclosed. The enclosure contains Official Use Only information; therefore, ACO requests the enclosure be withheld from public disclosure per 10 *Code of Federal Regulations* 2.390(d)(1).

Any questions concerning this packet should be directed to the Exercise Coordinator, Stephen Corwin at (740) 897-3511.

Sincerely,



Kelly L. Wiehle
Regulatory Manager

Enclosure: As Stated

Reference:

1. Letter ACO 18-0024 from L.B. Cutlip to M.L. Dapas (NRC) regarding Termination of American Centrifuge Lead Cascade Facility NRC Materials License, dated August 9, 2018

cc: (w/out enclosure, unless otherwise noted):

R. DeVault, DOE-NEOR
Y. Faraz, NRC HQ (Enclosure)
S. Koenick, NRC HQ
M. Learn, NRC Region III (Enclosure)
L. Pitts, NRC Region II
J. Smith, NRC HQ
J. Zimmerman, NRC HQ

Document transmitted herewith contains ~~OFFICIAL USE ONLY~~ information.
When separated from Enclosure 1, this letter is UNCLASSIFIED.

~~OFFICIAL USE ONLY~~