

**EXPORT LICENSE**

NRC FORM 250  
(10-07)

**UNITED STATES OF AMERICA**  
Nuclear Regulatory Commission  
Washington, D.C. 20555

NRC LICENSE NO.: PXB114.05

Page 1 of 3

NRC DOCKET NO.: 11006026

LICENSE EXPIRES: September 30, 2020

Pursuant to the Atomic Energy Act of 1954, as amended, and the regulations issued by the Nuclear Regulatory Commission (NRC) pursuant thereto, and in reliance on statements and representations heretofore made by the applicant/licensee, this license is hereby issued authorizing the licensee to export the byproduct materials listed below, subject to the terms and conditions herein. This license is only valid if the licensee or 'Other Party(ies) to Export' maintain the requisite NRC or Agreement State domestic license(s).

**LICENSEE**

Baker Hughes Oilfield Operations, Inc.  
2001 Rankin Road  
Houston, Texas 77073

Attn: James Elrod

**ULTIMATE CONSIGNEE(S) IN FOREIGN COUNTRY(IES)**

See page 2

**INTERMEDIATE CONSIGNEE(S) IN FOREIGN COUNTRY(IES)**

See page 2

**OTHER U.S. PARTY(IES) TO EXPORT**

NONE

APPLICANT'S REFERENCE NO.: BHI-Renewal-PXB114.04

ULTIMATE DESTINATION: Iraq

**CONDITIONS, NOTES, AND DESCRIPTIONS OF 10 CFR PART 110, APPENDIX P,  
BYPRODUCT MATERIALS TO BE EXPORTED**

(NOTE: SEE PAGE 3 FOR DEFINITIONS OF CATEGORY 1 AND CATEGORY 2)

Export to Iraq of specified quantities of [redacted], and [redacted] for use in wire line operations, and specified quantities of [redacted] for use in well logging operations and surface monitoring is authorized. When combined for shipping, each shipment must be within Category 2 quantities. **See Page 2 for total number of sources and maximum activity levels for each source.**

Sealed sources must remain in the custody of either ultimate consignee at all times, and when not in use, must be stored in a secure facility controlled by either ultimate consignee.

Licensee is responsible for compliance with all applicable export, and other domestic regulatory requirements, including all terms and conditions of domestic material possession licenses. Licensee, if not already submitted with your application, must submit information required by 10 CFR § 110.32(d) and pertinent documentation required by 10 CFR § 110.32(g) at least **24 hours prior to shipment**. See Page 3 for Mandatory Advanced Notifications.

Licensee shall submit by February 1 of each year one copy of a report of all americium shipments (under this license or under a general license) during the previous calendar year required by 10 CFR § 110.54(b). The report must include: (1) a description of the material, including quantity; (2) approximate shipment dates; and (3) a list of recipient countries, end users, and intended use keyed to the items shipped.


License expiration date is based upon established limits. This license replaces PXB114.04 and amends its authority by extending the expiration date from April 30, 2018 to September 30, 2020.

Neither this license nor any right under this license shall be assigned or otherwise transferred in violation of the provisions of the Atomic Energy Act of 1954, as amended.

This license is subject to the right of recapture or control by Section 108 of the Atomic Energy Act of 1954, as amended, and to all of the other provisions of said Acts, now or hereafter in effect and to all valid rules and regulations of the NRC.

**THIS LICENSE IS INVALID UNLESS SIGNED BELOW  
BY AUTHORIZED NRC REPRESENTATIVE**

SIGNATURE: \_\_\_\_\_



NAME AND TITLE: \_\_\_\_\_

David L. Skeen, Deputy Director  
Office of International Programs

DATE OF ISSUANCE: \_\_\_\_\_

**SEP 28 2018**

**EXPORT LICENSE**

**MANDATORY ADVANCED NOTIFICATIONS PER 10 CFR PART 110.50(c)**

The following Advanced Notifications must be made to both the NRC and, in case of exports, the government of the importing country in advance of each shipment:

Advanced Notifications to the NRC are to be emailed to [hoo.hoc@nrc.gov](mailto:hoo.hoc@nrc.gov) (preferred method) or faxed to the NRC at 301-816-5151. In the subject line of the email or on the fax cover page include: "10 CFR 110.50(c) Notification." For technical assistance, use the same e-mail address or call 301-816-5100.

Advanced Notifications to the government of the importing country must be emailed or faxed to the appropriate foreign government authorities. To locate the point-of-contact for international Prior Shipment Notifications see: <http://www-ns.iaea.org/downloads/rw/imp-export/import-export-contact-points.pdf>. In the subject line of the email or on the fax cover page include: "NOTIFICATION TO THE IMPORTING STATE PRIOR TO SHIPMENT OF CATEGORY 1 OR 2 RADIOACTIVE SOURCES." For technical assistance or for countries not listed, contact the Office of International Programs' export/import staff at 301-287-9056.

**Table 1: Appendix P to Part 110 Category 1 and Category 2 Radioactive Material Threshold Limits**

Radioactive Material	Category 1		Category 2	
	Terabequerels (TBq)	Curies (Ci) <sup>1</sup>	Terabequerels (TBq)	Curies(Ci) <sup>1</sup>
Americium-241 (Am-241)	60	1,600	0.6	16
Americium-241/Beryllium (Am-241/Be)	60	1,600	0.6	16
Californium-252 (Cf-252)	20	540	0.2	5.4
Curium-244 (Cm-244)	50	1,400	0.5	14
Cobalt-60 (Co-60)	30	810	0.3	8.1
Cesium-137 (Cs-137)	100	2,700	1.0	27
Gadolinium-153 (Gd-153)	1,000	27,000	10.0	270
Iridium-192 (Ir-192)	80	2,200	0.8	22
Plutonium-238 <sup>2</sup> (Pu-238)	60	1,600	0.6	16
Plutonium-239/Beryllium <sup>2</sup> (Pu-239/Be)	60	1,600	0.6	16
Promethium-147 (Pm-147)	40,000	1,100,000	400	11,000
Radium-226 <sup>3</sup> (Ra-226)	40	1,100	0.4	11
Selenium-75 (Se-75)	200	5,400	2.0	54
Strontium-90 (Y-90)	1,000	27,000	10.0	270
Thulium-170 (Tm-170)	20,000	540,000	200	5,400
Ytterbium-169 (Yb-169)	300	8,100	3.0	81

**Calculation of Shipments Containing Multiple Sources or Radionuclides:**

The "sum of fractions" methodology for evaluating combinations of radionuclides being transported is to be used when import or export shipments contain multiple sources or multiple radionuclides. The threshold limit values used in a sum of the fractions calculation must be the metric values (i.e., TBq).

I. If multiple sources and/or multiple radionuclides are present in an import or export shipment, the sum of the fractions of the activity of each radionuclide must be determined to verify the shipment is less than the Category 1 or 2 limits of Table 1, as appropriate. If the calculated sum of the fractions ratio, using the following equation, is greater than or equal to 1.0, then the import or export shipment exceeds the threshold limits of Table 1 and the applicable security provisions of this part apply.

II. Use the equation below to calculate the sum of the fractions ratio by inserting the actual activity of the applicable radionuclides or of the individual sources (of the same radionuclides) in the numerator of the equation and the corresponding threshold activity limit from the Table 1 in the denominator of the equation. Ensure the numerator and denominator values are in the same units and all calculations must be performed using the TBq (i.e., metric) values of Table 1.

R1 = activity for radionuclides or source number 1      AR1 = activity limit for radionuclides or source number 1  
R2 = activity for radionuclides or source number 2      AR2 = activity limit for radionuclides or source number 2  
RN = activity for radionuclides or source number n      ARN = activity limit for radionuclides or source number n


$$\sum_1^n \left[ \frac{R_1}{AR_1} + \frac{R_2}{AR_2} + \frac{R_n}{AR_n} \right] \geq 1$$

<sup>1</sup> The values to be used to determine whether a license is required are given in TBq. Curie (Ci) values are provided for practical usefulness only and are rounded after conversion.

<sup>2</sup> The limits for exports of Pu-238 and Pu-239/Be can be found in § 110.21.

<sup>3</sup> Discrete sources of Radium-226.

ULTIMATE FOREIGN CONSIGNEE(S)



INTERMEDIATE FOREIGN CONSIGNEE(S)



SOURCES AUTHORIZED FOR WIRELINE OPERATIONS

TOTAL NUMBER OF SOURCES	SEALED SOURCE OR DEVICE TYPE	ISOTOPE	END USE	TOTAL MAXIMUM ACTIVITY OF ALL SOURCES FOR EACH ISOTOPE
			Wireline Density Logging	
			Wireline Density Logging	
			Wireline Density verifier	
			Wireline Density verifier	
			Wireline Density Lab Calibration	
			Wireline Gamma Ray Calibration	
			Wireline Density Lab Calibration	
			Wireline Density Lab Calibration	
			Wireline Density Lab Calibration	
			Production Logging	
			Production Logging	
			Density tool verification	
			Density tool verification	
			Density tool verification	
			Marking Drill Collar Location	

SOURCES AUTHORIZED FOR LOGGING WELL DRILLING OPERATIONS AND SURFACE MONITORING

TOTAL NUMBER OF SOURCES	SEALED SOURCE OR DEVICE TYPE	ISOTOPE	END USE	TOTAL MAXIMUM ACTIVITY OF ALL SOURCES FOR EACH ISOTOPE
			LWD Density Logging	
			LWD Density Logging	
			Jobsite Verification	
			Lab Tests	
			Lab Tests	
			Lab Tests	
			Lab Tests	
			Density Tool Verification	
			Density Tool Verification	
			Density Tool Verification	
			Density Tool Verification	
			Density Tool Verification	
			Surface monitor	
			Surface monitor	