MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

	and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.									
1.	Licen US Department of Health Food and Drug Administr	and H	luman Services	In accordance with application dated July 22, 2018.	4. Expiration Date: November 30, 2026					
2.				3. License number: 20-08361-01 is amended in its entirety to read as follows:	5	Docket No.: 030-04675 Reference No.: 04-09759-01;04-09763-01;05-09749-01;10-0 9754-01;19-09760-01;31-09753-02;31-2830 0-01;46-09750-01				
6.	Byproduct, source, and/or special nuclear material	7. (Chemical and/or physical f	form. 8. Maximum amount that licer may possess at any one tir under this license		e 9. Authorized use				
A.	Any byproduct material with Atomic Numbers 1 through 83 with half-life less than or equal to 120 days	A. <i>A</i>	Any	A 250 millicuries per radionuclide and 2 curie total	S	A. For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.				
B.	Any byproduct material with Atomic Numbers 1 through 83 with half-life greater than 120 days	В. А	Any	B. 10 millicuries per radionuclide and 1 curie total		B. For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.				

NRC	FORM 374A				U.S. I	NUCLEAR F	REGU	LATORY COMMI	SSION		PAGE 2 OF 11 PAGES
	MATERIALS LICENSE SUPPLEMENTARY SHEET								Docket or Reference Number 030-04675 04-09759-01;04-09763-01;05-09749-01; 0-09754-01;19-09760-01;31-09753-02;3 -28300-01;46-09750-01		4-09759-01;04-09763-01;05-09749-01;1 -09754-01;19-09760-01;31-09753-02;31
6.	Byproduct, source, and/or special nuclear material	7.	Chemic	al and/or ph	nysical form		8.		ount that licensee at any one time nse	9.	Authorized use
C.	Any byproduct material with Atomic Numbers 84 through 96	C.	Any				C.	1 millicurie pradionuclide millicuries to	and 5	C.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
D.	Hydrogen-3	D.	Any				D.	10 curies tota	al (***)	D.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
E.	Molybdenum-99	E.	Any				E .	50 curies tota	al Comment	E.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
F.	Technetium-99m	F.	Any				F .	50 curies total	al	F.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
G.	lodine-131	G.	Any				G.	3 curies tota		G.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.

NRC	FORM 374A			U.S. NUCLEAR	REGU	LATORY COMMI	SSION		PAGE 3 OF 11 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET				License Number 20-08361-01 Amendment No. 45			Docket or Reference Number 030-04675 04-09759-01;04-09763-01;05-09749-01 0-09754-01;19-09760-01;31-09753-02; -28300-01;46-09750-01		
6.	Byproduct, source, and/or special nuclear material	7. (Chemical and	or physical form	8.		ount that licensee at any one time	9.	Authorized use
H.	Xenon-133	H. A	Any		H.	1.5 curies tot	al	H.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
1.	Samarium-153	I. <i>A</i>	Any ·		I.	2 curies total		I.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
J.	Thorium-228	J. A	Any		J.	500 microcur	ies total	J.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
K.	Thorium-229	K. <i>F</i>	Any		K.	50 microcurie	es total	K.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
L.	Thorium-230	L. <i>1</i>	Any		L.	500 microcur	ries total	L.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.

NRC	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 4 OF 11 PAGES								
MATERIALS LICENSE			License Number 20-08361-01				umber 4-09759-01;04-09763-01;05-09749-01;1		
	SUPPLEMENTA	Amendment No. 45	Amendment No. 45			-09754-01;19-09760-01;31-09753-02;31 28300-01;46-09750-01			
6.	Byproduct, source, and/or special nuclear material	7. Chemical ar	nd/or physical form	8.	Maximum amount that licen may possess at any one ting under this license		Authorized use		
M.	Thorium-232	M. Any		M.	500 microcuries total	M.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.		
N.	Uranium-232	N. Any		N.	100 microcuries total	N.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.		
О.	Uranium-236	O. Any		Ο.	30 microcuries total	О.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.		
P.	Uranium-237	P. Any		P.	3 microcuries total	P.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.		
Q.	Uranium-238	Q. Any		Q.	5 microcuries total	Q.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.		

NRC	FORM 374A		U.S. NUCLEAR I	REGU	LATORY COMMISSION	PAGE 5 OF 11 PAGES	
	MATERIALS LI SUPPLEMENTAR	License Number 20-08361-01 Amendment No. 45	20-08361-01		Docket or Reference Number 030-04675 04-09759-01;04-09763-01;05-09749- 0-09754-01;19-09760-01;31-09753-0 -28300-01;46-09750-01		
6.	Byproduct, source, and/or special nuclear material	7. Chemical a	and/or physical form	8.	Maximum amount that licensee may possess at any one time under this license	9.	Authorized use
R.	Uranium- depleted in Uranium-235	R. Any		R.	10 kilograms total	R.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
S.	Uranium (Natural)	S. Any		S.	20 kilograms total	S.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
Т.	Thorium	T. Any		T.	20 kilograms total	T.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
U.	Uranium-233	U. Any		U.	400 microcuries total	U.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
V.	Uranium-235	V. Any		V.	100 microcuries total	V.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.

NRC	FORM 374A		U.S. NUCLEA	AR REGUI	LATORY COMMI	SSION		PAGE 6 OF 11 PAGES
	MATERIALS LIC	FNSF	License Number 20-08361-01			•		-09759-01;04-09763-01;05-09749-01;1
	SUPPLEMENTAR	Amendment No. 45				0-09754-01;19-09760-01;31-0975 -28300-01;46-09750-01		
6.	Byproduct, source, and/or special nuclear material	7. Chemical and	l/or physical form	8.		ount that licensee at any one time nse	9.	Authorized use
W.	Plutonium-238 and/or Plutonium-239	W. Any		W.	4 millicuries pradionuclide millicuries tot	and 20	W.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
Χ.	Nickel-63	X. Sealed, Plate	ed, or Foil Sources	X .	15 millicuries and 150 milli		X.	For research and development as defined in 10 CFR 30.4; sample analysis; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.
Y.	Americium-241	Y. Sealed Sour Products Lab 553-61)	rces (Isotope boratory, Model	Y. .	20 microcurie	es total	Y.	For possession and storage only with intent to dispose.
Z.	Nickel-63	(Eckert & Zie	ted, or Foil Sources egler/Isotope boratory, Model NER-004P)	Z.	15 millicuries and 15 millic		Z.	For use in Excellims RA4100 Electrospray Ionization High Resolution Ion Mobility Spectrometer for sample analysis.
AA	A. Hydrogen-3	AA. Any		AA.	500 millicurie	es total	AA.	For research and development as defined in 10 CFR 30.4 and 70.4; teaching and training of students; instrument development; and calibration and checking of the licensee's instruments.

CONDITIONS

- 10. A. Licensed material may be used or stored at the licensee's facilities located at Winchester Engineering and Analytical Center, 1090 Holton Street, Winchester, Massachusetts 01890-1197. Licensed material in the form of sealed sources may be used at temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.
 - B. Licensed material listed in Subitem No. 6.Z. may be used at the licensee's facilities located at the Center for Drug Evaluation and Research, 645 South Newstead Avenue, St. Louis, Missouri 63101
 - C. Licensed material listed in Subitem No. 6.AA. may be used at the licensee's facilities located at the Northeast Regional Laboratory, 158-15 Liberty Avenue, Jamaica, New York 11433.
- 11. Licensed material shall only be used by, or under the supervision of, individuals designated, in writing, by the licensee's Radiation Safety Committee. The licensee shall maintain records of individuals designated as users for 3 years after the individual's last use of licensed material.
- 12. The Radiation Safety Officer (RSO) for this license is Elon Malkin, Ph.D.
- 13. The licensee shall not use licensed material in or on human beings.
- 14. The licensee shall not use licensed material in field applications where it is released except as provided otherwise by specific condition of this license.
- 15. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.

- B. Not withstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen 3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcuries (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcuries (185 becquerels) or more of a removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with Appendix D of 10 CFR Part 20, and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 16. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

- 17. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 18. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 19. A. Detector cells containing a titanium tritide foil or scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperature from exceeding that specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations from an Agreement State.
 - B. When in use, detector cells containing a titanium tritide foil or scandium tritide foil shall be vented to the outside.
- 20. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
 - A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
 - B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	PAGE 10 OF 11 PAGES	
			04-09759-01;04-09763-01;05-09749-01;1
SUPPLEMENTARY SHEET	Amendment No. 45		0-09754-01;19-09760-01;31-09753-02;31 -28300-01;46-09750-01

- 21. Notwithstanding the requirements of License Condition 22, the licensee is authorized to make program changes and changes to procedures specifically identified in the application dated May 17, 2016, and the letter dated September 8, 2016, which were previously approved by the U.S. Nuclear Regulatory Commission and incorporated into the license without prior Commission approval as long as:
 - A. The proposed revision is documented, reviewed, and approved by the licensee's Radiation Safety Committee in accordance with established procedures prior to implementation;
 - B. The revised program is in accordance with regulatory requirements, will not change the license conditions, and will not decrease the effectiveness of the Radiation Safety Program;
 - C. The licensee's staff is trained in the revised procedures prior to implementation, and
 - D. The licensee's audit program evaluates the effectiveness of the change and its implementation.

- 22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated May 17, 2016 (ML16159A342)
 - B. Letter dated September 8, 2016 (ML16257A405)
 - C. Application dated July 2, 2018 (ML18194A928)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By:

Michael Reichard

Region 1

Date: September 19, 2018