



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

October 12, 2018

EA-18-154

Mr. Patrick J. Morello, M.D.
Radiation Safety Officer
Central Missouri Cardiology, P.C.
3501 A West Truman
Jefferson City, MO 65109

SUBJECT: NRC ROUTINE INSPECTION REPORT NO. 03036211/2018001(DNMS) AND
EXERCISE OF DISCRETION – CENTRAL MISSOURI CARDIOLOGY, P.C.

Dear Dr. Morello:

On September 19, 2018, an inspector from the U.S. Nuclear Regulatory Commission (NRC) conducted a routine inspection at your facility in Jefferson City, Missouri. The purpose of the inspection was to review activities performed under your NRC license to ensure that activities were being performed in accordance with NRC requirements. Mr. Luis Nieves of my staff conducted a final exit meeting with your staff on September 19, 2018, to discuss the inspection findings.

During this inspection, the NRC staff examined activities conducted under your license related to public health and safety, and security. Additionally, the staff examined your compliance with the Commission's rules and regulations as well as the conditions of your license. Within these areas, the inspection consisted of selected examination of procedures and representative records, observations of activities, and interviews with personnel.

Although violations of Title 10 of the *Code of Federal Regulations* (CFR) 35.60 and 35.63 were identified, and the issues were discussed during the final exit meeting, your program met all of the criteria in the NRC's Enforcement Guidance Memorandum (EGM) 13-003, "Interim Guidance for Dispositioning Violations Involving 10 CFR 35.60 and 10 CFR 35.63 for the Calibration of Instrumentation to Measure the Activity of Rubidium-82 and the Determination of Rubidium-82 Patient Dosages," for use of enforcement discretion. Therefore, the NRC is exercising enforcement discretion and will not issue any enforcement action for these violations.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC's website at <http://www.nrc.gov/reading-rm/adams.html>.

Please feel free to contact Mr. Nieves if you have any questions regarding this inspection. Mr. Nieves can be reached at 630-829-9571.

Sincerely,

/RA/

Aaron T. McCraw, Chief
Materials Inspection Branch
Division of Nuclear Materials Safety

Docket No. 030-36211
License No. 24-32441-01

cc: State of Missouri

Letter to Dr. Patrick Morello from Aaron McCraw, dated October 12, 2018.

SUBJECT: NRC ROUTINE INSPECTION REPORT NO. 03036211/2018001(DNMS) AND
EXERCISE OF DISCRETION – CENTRAL MISSOURI CARDIOLOGY, P.C.

DISTRIBUTION:

Steven West
Darrell Roberts
John Giessner
Christine Lipa
Richard Skokowski
Kenneth Lambert
Paul Pelke
MIB Inspectors

ADAMS Accession Number: ML18288A274

OFFICE	RIII-DNMS	E	RIII-EICS	E	RIII-DNMS	E	RIII	
NAME	LNieves:ps		JCameron KLambert for		AMcCraw			
DATE	10/10/2018		10/11/2018		10/12/2018			

OFFICIAL RECORD COPY