



RECRG11018*18AM11:24

Pr. 2
03015231

October 15, 2018

Sattar Lodhi, Senior Health Physicist DNMS
US NRC, Region 1
2100 Renaissance Blvd., Suite 100
King of Prussia, Pa 19406

Dear Mr. Lodhi,

Re: License #06-06284 -02 Change in Ownership and Change of Corporate Radiation Safety Officer

Pursuant to Agency information: Guidelines For Material Licensing Cases Involving Change of Ownership:

We write to notify the Nuclear Regulatory Commission (NRC) that, as announced on August 20, 2018, The Lane Construction Corporation ("Lane") has entered into an agreement to sell its Plants & Paving business to Eurovia SAS. Eurovia SAS is a subsidiary of the VINCI Group and, through its United States subsidiaries, Hubbard Construction Company and Blythe Construction, Inc., one of the leading asphalt producers in the southeast United States.

As a result of this acquisition, permits issued for Lane's Plants & Paving facilities and operations will need to be transferred, reissued or issued to Eurovia SAS or one of its subsidiaries at the time of closing. Closing is expected to occur on or about November 1, 2018. We will provide you advance notice of the closing date once it has been determined.

Pursuant to applicable requirements, Lane respectfully submits this request for NRC's written consent to the transfer of the ownership and control for Radiation Control Program Materials License No. 06-06284-02 to Eurovia Atlantic Coast LLC. The license is currently held in the name of The Lane Construction Corporation for the facilities at 90 Fieldstone Court, Cheshire CT. That facility is not being transferred to Eurovia Atlantic Coast LLC.

More specifically, we request that an amendment be made to change the ownership name (Licensee) in section 1 & 2 and the RSO section 12 on the Radiation Material License No. 06-06284-02 to the following:

Eurovia Atlantic Coast LLC
2911 N Graham Street
Charlotte, NC 28206

RSO – Michael D. Scolforo

610253
RADIATION MATERIALS

We also request that an amendment be made in section 10 to replace "90 Fieldstone Court, Cheshire, Connecticut" with "2911 N. Graham Street, Charlotte, North Carolina."

Attached please find a copy of the following:

1. Current License
2. Operating and Emergency Procedures (updated 09-14-2018)
3. Agreement to transfer permit responsibility
4. Michael D. Scolforo RSO certificate
5. Michael D. Scolforo current Hazmat Certification

By submission of this letter, we confirm to you the following:

- There will be no change in the manner or frequency of use of the licensed devices, nor will there be any change in the personnel conducting the licensed operations or their duties, with the exception of the change in RSO.
- There will be no changes to the equipment or procedures that relate to the licensed program.
- The applicable surveillance program is in effect and is described in the attached "Radiation Safety Program Operating and Emergency Instruction for Nuclear Density Gauges", last updated 09-14-2018. Lane is in compliance with the surveillance program and does not anticipate any changes at the time that control is to be transferred.
- All records concerning the radiation materials license will be transferred to Eurovia Atlantic Coast LLC.
- As indicated in the attached agreement to transfer permit responsibility, Eurovia Atlantic Coast LLC has agreed to abide by all constraints, conditions, requirements and commitments under the existing licensed program.
- Please feel free to contact Michael Scolforo at (413-259-7164; or MDScolforo@laneconstruct.com should you have any questions regarding the enclosed request, or require further information.

Very truly yours,



Sara Meehan
License RSO
The Lane Construction Corporation

**RADIATION SAFETY PROGRAM
OPERATING AND EMERGENCY INSTRUCTIONS
FOR NUCLEAR DENSITY GAUGES**

I. CORPORATE INFORMATION:

**Eurovia Atlantic Coast LLC
2911 N Graham St.
Charlotte, NC 28206**

II. NUCLEAR DENSITY GAUGES:

We utilize Troxler Electronic Laboratories, Inc., Series 3400 portable moisture/density gauges, Series 4640 asphalt density gauges, and Series 3200 asphalt content gauges, and Instrotek 3500 portable moisture density gauge. Radioactive materials involved are Cesium 137, and Americium 241:BE.

III. STORAGE:

Permanent storage locations in the State of North Carolina have been designated as:

2911 N. Graham Street Charlotte, NC 28206

and at temporary jobsites anywhere in the United States. Additionally, in those states having their own jurisdictional authority over the use of this material, storage locations are as identified in license applications for those states.

Nuclear density gauges will be kept in a locked box or cabinet, within a locked building or otherwise secure container such as a storage trailer. There must be a minimum of two locks in combination as security. "Radioactive" and "Employee Notice" posters must be posted.

IV. TRANSPORTATION:

The gauge will be transported in the Troxler transportation case at all times. The equipment must be secured in a locked box permanently affixed to the vehicle in the case of a pickup truck or other truck types, or within the locked trunk of a passenger car, secured against movement. At all times during transport, the operator must have a properly completed Bill of Lading for each gauge. Additionally, a copy of the DOT Emergency Response Information sheet (page 6 of this document) must be in the vehicle.

V. UTILIZATION PROCEDURES:

1. When the gauge is in the field, the authorized user must maintain control of the gauge at all times. The gauge must never be left unattended.
2. Gauges will only be used by or under the supervision and in the physical presence of, individuals who have satisfactorily completed the Troxler Electronics Laboratories, Inc., or similar training and who possess valid certificates of training.
3. All users must be thoroughly familiar with these operating and emergency instructions.
4. When not making measurements, the gauge should be placed in the transportation case and returned to its permanent storage area as soon as possible. The gauge is to be used for its intended purpose only. By doing so, any radiation exposure will be as low as reasonably achievable (ALARA). Eurovia is committed to assuring ALARA exposures and will implement all recommendations made by the gauge manufacturer to achieve this purpose.
5. When using the gauge, unauthorized persons must be kept at least 15 feet from the gauge.
6. Never wear another person's person monitoring device.
7. Do not touch the unshielded source rod with your fingers, hands or any part of your body or do not place hands, fingers, feet or other parts in the radiation field from an unshielded source.
8. Unless absolutely necessary, do not look under the gauge when the source rod is being lowered in the ground. If you must look under the gauge to align the source rod with the hole, follow the manufacturer's procedures to minimize radiation exposure.

VI. RADIATION EXPOSURE MONITORING:

1. When using the gauge, the authorized user must wear a radiation film badge. This badge (TLD Dosimeter) will measure X-ray, Gamma and Beta radiation exposure to the user. Film badges will be obtained from and evaluated after exposure by Landauer, Inc., Glenwood, Illinois. Any exposure in excess of 5,000 mREM per year for the whole body, 50,000 mREM per year for the extremities and skin, or 15,000 mREM per year for

the eyes, will be cause to remove the exposed individual from gauge use, to be evaluated by medical personnel, and to be reported to the governing agency. Exposure to a declared pregnant woman must not exceed 500 mREM for the nine-month period of pregnancy. Occupational exposure to workers under the age of 18 is restricted to 1/10 of the adult annual dose. These limits apply only to occupational exposure. Badges will be exchanged and evaluated quarterly during use. When not using the equipment, the badge must be stored in a radiation-free area.

2. Badges must also be worn during gauge maintenance and during leak testing.
3. We will either possess and use, or have access to and use, a radiation survey meter that meets the criteria in the section entitled " Radiation Safety Program – Instruments' NUREG-1556 Vol 1 Rev 1 , Consolidated Guidance about Material Licenses: Program-Specific Guidance about Portable Gauge Licenses, In the event of an incident involving the gauge for determining the source integrity.

VII. MAINTENANCE AND LEAK TESTING:

1. Maintenance procedures will follow the manufacturer's recommendations. No maintenance will be performed which involves removal of the source from the gauge.
2. Troxler Electronics Laboratories, Inc. will perform all service work beyond normal routine maintenance provided for in the manufacturer's instructions.
3. Film badges must be worn during cleaning, leak testing, and other maintenance of the gauge.
4. Leak tests will be performed at intervals approved by NRC or an Agreement State as specified in the sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services to other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions. Troxler gauges will be performed every twelve months, unless the gauge has not been used in the preceding twelve months, using the Troxler Model 3880 Leak Test Kit. Troxler gauges may not be used if in storage in excess of twelve months and until such time a leak-test has been performed and results have been received. All other gauges will be leak tested on a six month cycle.

5. Physical inventories will be conducted at intervals not to exceed 6 months, to account for all sealed sources and devices received and possessed under the license. Ensuring that no gauge has been lost or stolen, or misplaced.

VIII. UTILIZATION LOG:

Utilization logs will be maintained at each location in possession of a gauge. The log must be capable of identifying the location of each gauge at all times and in whose possession it is. Logs must show:

1. Model and Serial Number
2. Date and Time Removed and Returned
3. User
4. Destination
5. Signature of User

IX. AUDITS

The corporate RSO, or his designee, who has oversight responsibilities for both state and federal radiation programs, will conduct a management audit every 12 months.

X. EMERGENCY PROCEDURES:

1. In the event of physical damage to the gauge or the source fails to return to the shielded position (e.g. as a result of being damaged, source becomes stuck below the surface) or any other emergency or unusual situation arises (e.g. the gauge is struck by a moving vehicle, is dropped in a vehicle in an accident) the following steps must be taken:
 - a. Locate the source.
 - b. An area of 15 feet in radius from the gauge must be cordoned off and entry of unauthorized persons prevented.
 - c. Keep gauge users and other potentially contaminated individuals at the scene until emergency assistance arrives.
 - d. If a vehicle is involved, it must not be moved until the extent of contamination has been determined.
 - e. A visual inspection of the gauge must be made to determine whether any damage to the source housing or shield has been sustained.
 - f. Make necessary notifications to local authorities as well as the Department as required. (Even if not required to do so. You may report ANY incident to the Department by calling the Tennessee Emergency Management Agency's Operations Center at 1-800-262-3300. Which is staffed 24 hours a day. Department notification is required when gauges containing licensed material are lost or

stolen, when gauges are damaged or involved in incidents that result in doses in excess of SRPAR 0400-20-05-.50, .55, .56 and .60 and when it becomes apparent that attempts to recover a source stuck below the surface will be unsuccessful.

- g. Reports to the Department must be made within the reporting timeframes and specified in SRPAR.
 - h. Reporting doses requirements are found in SRPAR 0400-20-05-.140, .141 and .143
 - i. As soon as possible, after the situation has been established, notify management. Instructions will be given regarding procedures and further notification. If the situation involves an emergency during transportation, emergency assistance and information will be provided by Troxler at (919) 549-9539.
2. In the event that the gauge is lost or stolen, the RSO must be notified immediately.

XI. SHIPPING:

Shipping of gauges must follow all applicable regulations. Federal Express or Yellow Freight Lines will be used. Due to the infrequency of gauge shipment by outside personnel, the person performing the shipment should contact the RSO for information regarding proper transportation methods, or, in the event that the gauge is being shipped back to Troxler, personnel at Troxler Electronics Laboratories should be contacted concerning proper documentation.

XII. TRANSFERS:

Inventory cards must reflect all moves and will be verified every six months. Prior to transfer, the RSO must be notified. If being transferred to an Agreement State, the appropriate agencies will be notified in order to obtain a materials license, or reciprocity, depending on the need.

XIII. DISPOSAL:

Disposal will be handled solely by Troxler Electronics Laboratories, Inc., the Humboldt Mfg. Corp., or Instrotek, Inc.

XIV. RESPONSIBILITY:

Each user is responsible for the proper use of the gauges and must follow the above procedures at all times. The Corporate Radiation Safety Officer (RSO), is responsible for assuring overall compliance with these procedures and for maintaining current knowledge of all applicable rules and regulations.

**TROXLER NUCLEAR GAUGE EMERGENCY RESPONSE INFORMATION
REQUIRED FOR TRANSPORTATION
(Reference DOT P5800.5 ERG93, and 49CFR)**

1. PROPER SHIPPING NAME:

- ❖ RADIOACTIVE MATERIAL, SPECIAL FORM, NON-FISSILE/FISSILE EXCEPTED, 7 UN3332

POTENTIAL HAZARDS

2. HEALTH HAZARDS

- ❖ Radiation presents minimal risk to lives of persons during transportation accidents.
- ❖ Undamaged packages are safe; damaged packages or materials released from packages can cause external radiation hazards. Contamination is not suspected.
- ❖ Packages (cartons, boxes, drums, articles, etc.) identified as "Type A" by marking on packages or by shipping papers contain non-life endangering amounts. Radioactive sources may be released if packaged are damaged in moderately-severe accidents.\
- ❖ Packages (large and small, usually metal) identified by "Type B" by marking on packages or by shipping papers contain potentially life endangering amounts. Because of design, evaluation, and testing of packages, life-endangering releases are not expected in accidents except those of utmost severity.
- ❖ Commonly available instruments can detect most of these materials.
- ❖ Water from cargo fire control is not expected to cause pollution.

3. FIRE OR EXPLOSION

- ❖ Packaging can be consumed without content loss form sealed source capsule.
- ❖ Radioactive source capsules and Type B packages are designed to withstand temperatures of 1475 °F (800 °C).

EMERGENCY ACTION

4. IMMEDIATE PRECAUTIONS

- ❖ Priority response actions may be performed before taking radiation measurements.
- ❖ Priorities are life saving, control of fire and other hazards, and first aid.
- ❖ Isolate hazard area and deny entry. Notify Radiation authority of accident conditions.
- ❖ Delay final cleanup until instruction or advice of Radiation Authority.
- ❖ Positive pressure self-contained breathing apparatus (SCBA) and structural firefighter's protection clothing will provide adequate protection against internal radiation exposure, but not external radiation exposure.
- ❖ **Call Troxler Electronic Laboratories, Inc. at (919) 549-9539 for Emergency Assistance.**

5. FIRE

- ❖ Do not move damaged packages; move undamaged packages out of fire zone.
- ❖ **Small Fires:** Dry chemical, CO₂ water spray or regular foam.
- ❖ **Large Fires:** Water spray, fog (flooding amounts).

6. SPILL OR LEAK

- ❖ **Do not touch damaged packages or spilled material.**
- ❖ Slightly damaged or damp outer surfaces seldom indicate failure of inner container.
- ❖ If source is identified as being out of package, stay away and await advice from Radiation Authority.

❖

7. FIRST AID

- ❖ Use first aid treatment according to the nature of the injury.
- ❖ Persons exposed to special form sources are not likely to be contaminated with radioactive material.
- ❖ Report all incidents to RSO

Certificate of Completion

This certifies that

Michael D. Scolforo

has successfully completed the
Radiation Safety Officer Training Class
conducted by the training department of

Troxler Electronic Laboratories, Inc.

Robyn Myers

Robyn Myers
Instructor

April 12, 2012

Date

William F. Troxler, Jr.
President



Troxler Electronic Laboratories, Inc.
PO Box 12057 • 5008 Cornwallis Rd. • Research Triangle Park, NC 27709
Phone: (919) 548-8661 • Fax: (919) 549-0761 • Web site: www.troxlerlabs.com

41730557

Hazmat Certification
as required by U.S DOT and IATA

This certifies that

Michael Scolforo

has been trained and tested in accordance with the U.S. Department of Transportation and International Air Transport Association (IATA) hazardous material requirements for general awareness/familiarization, function-specific, safety and security awareness training as related to the transportation of nuclear gauges. A description of the training course materials is available from Troxler Electronic Laboratories, Inc.

Date Sep 25, 2018 Expires Sep 24, 2021

EMPLOYER CERTIFICATION

I certify that the hazmat employee identified on this certificate has been trained and tested as required by U.S. DOT Hazardous Material Regulations (49 CFR 172 Subpart H).

Signature *Elm LaBelle* Title *R50* Date *2018, 09, 26*



Troxler Electronic Laboratories, Inc.
P.O.BOX 12057 - 3008 E. Cornwallis Road - Research Triangle Park, NC 27709
Phone:(919) 549-8661 - Fax: (919) 549-0761 - www.troxlerlabs.com

AGREEMENT TO TRANSFER PERMIT
RESPONSIBILITY, COVERAGE AND LIABILITY FOR
U.S. NRC MATERIALS LICENSE NO. 06-06284

This Agreement to Transfer Permit Responsibility, Coverage and Liability is entered into by and between The Lane Construction Corporation (hereinafter referred to as "Lane"), and Eurovia Atlantic Coast LLC (hereinafter referred to as "Eurovia") on this 12 of OCTOBER, 2018.

WHEREAS, Lane and an affiliate of Eurovia have entered into a Transaction Agreement dated August 17, 2018 (the "Transaction Agreement") by which Lane intends to transfer certain assets to Eurovia, including but not limited to U.S. NRC Materials License No. 06-06284.

WHEREAS, Lane and Eurovia desire continuous, uninterrupted operations with respect to U.S. NRC Materials License No. 06-06284.


NOW, THEREFORE, in consideration of the premises and for other good and valuable consideration the receipt and sufficiency of which are hereby acknowledged by both parties hereto, Lane and Eurovia hereby agree as follows:

1. That on the closing of the Transaction Agreement currently expected to occur on or about November 1, 2018 (the "Effective Date"), all responsibilities, coverage, and liabilities with respect to U.S. NRC Materials License No. 06-06284, arising from operations on or after such date, will be borne by Eurovia.
2. That the undersigned are authorized representatives of Lane and Eurovia, respectively, having authority to bind said companies.


3. This Agreement may be executed in two or more counterparts, each of which, including those received via facsimile transmission or email, shall be deemed an original, and all of which shall constitute one and the same Agreement.

Signed this 12 day of OCTOBER, 2018.

Transferor: The Lane Construction Corporation

By: 
Name: Rodney P. Lane
Title: Executive Vice President and Assistant Secretary

Transferee: Eurovia Atlantic Coast LLC

By: 
Name: P. Frederick O'Dea, Jr.
Title: V.P., C.F.O., Treasurer and Secretary

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. The Lane Construction Corporation</p> <p>2. 90 Fieldstone Court Cheshire, CT 06410</p>	<p>In accordance with letter dated September 28, 2017,</p> <p>3. License number: 06-06284-02 is amended in its entirety to read as follows:</p>	<p>4. Expiration Date: February 28, 2025</p> <p>5. Docket No.: 030-15231 Reference No.:</p>
--	---	---

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
A. Cesium-137	A. Sealed Sources (AEA Technology/QSA Inc., Model CDCW556; Isotope Product Laboratories, Model HEG-137)	A. 9 millicuries per source and 405 millicuries total	A. For use in Troxler Electronic Laboratories Model 3400 Series, 3411-B, and 4640 portable gauging devices for measuring physical properties of materials.
B. Cesium-137	B. Sealed Sources (AEA Technology/QSA, Inc., Model CDC.805; Isotope Product Laboratories, Model HEG-137)	B. 11 millicuries per source and 22 millicuries total	B. For use in Humboldt Scientific, Inc., Model 5001 and InstroTek, Inc. 3500 portable gauging devices for measuring physical properties of materials.
C. Americium-241/ Beryllium	C. Sealed Neutron Source (AEA Technology/QSA, Inc., Model AMNV.997; Isotope Products Laboratories, Model Am1.NO2, 3021, 3027)	C. 44 millicuries per source and 660 millicuries total	C. For use in Troxler Electronics Laboratories models 3400 series and 3411-B portable gauging devices for measuring physical properties of materials.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
06-06284-02

Docket or Reference Number
030-15231

Amendment No. 24

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
D. Americium-241/ Beryllium	D. Sealed Neutron Source (AEA Technology/QSA, Inc., Model AMN.V997; Isotope Products Laboratories, Model Am1.NO2)	D. 44 millicuries per source and 88 millicuries total	D. For use in Humboldt Scientific, Inc., Model 5001 and InstroTek, Inc. 3500 portable gauging devices for measuring physical properties of materials.
E. Americium-241/ Beryllium	E. Sealed Neutron Source (Amersham Corporation, Model AMNV.340)	E. 110 millicuries per source and 110 millicuries total	E. For use in Troxler Electronics Laboratories model 3241-C portable gauging devices for measuring physical properties of materials.

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at: 90 Fieldstone Court, Cheshire, Connecticut. Licensed material may be used at temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated October 30, 2014. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
12. The Radiation Safety Officer (RSO) for this license is Sara J. Meehan.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
06-06284-02Docket or Reference Number
030-15231

Amendment No. 24

13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
14. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
06-06284-02Docket or Reference Number
030-15231

Amendment No. 24

15. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
06-06284-02Docket or Reference Number
030-15231

Amendment No. 24


18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated October 30, 2014 (ML14322A708)
- B. Letter received January 23, 2015 (ML15030A196)
- C. Letter dated September 28, 2017 (ML17278A772)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: December 7, 2017

By: _____


Dennis Lawyer
Region 1



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee The Lane Construction Corporation ATTN: Michael D. Scolforo, Area Safety Manager 90 Fieldstone Court Cheshire, CT 06410	Date October 18, 2018
	License Number(s) 06-06284-02
	Mail Control Number(s) 610253
	Licensing and/or Technical Reviewer or Branch Commercial, Industrial, R&D, & Academic Branch

This is to acknowledge receipt of your: Letter and/or Application Dated: 10/15/2018

The initial processing, which included an administrative review, has been performed.
 Amendment Termination New License Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
 Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region I
U. S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610) 337-5260, (610) 337-5313,
(610) 337-5398, or (610) 337-5239