



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

OCT 31 2018

Joshua Varelmann
Radiation Safety Officer
DLZ Corporation
6121 Huntley Road
Columbus, OH 43229

Dear Mr. Varelmann:

Enclosed is Amendment No. 15 to your NRC Material License No. 13-20218-01 in accordance with your request. Please note that the format of your license has been changed due to our new licensing process.

Items 6-9 on your license have been updated in accordance with your request and the applicable Sealed Sources and Devices Registries. Additionally, the following License Conditions have been updated in accordance with our licensing policy: Condition 10 regarding requirements for gauge usage in Agreement States, Condition 11 regarding the training requirements for users, Condition 13 regarding the leak test requirements for sealed sources, and Condition 15 regarding the biannual inventory requirement. License Condition 17 has been updated to remove the statement regarding the use of two physical barriers as this is now required by 10 CFR 30.34(i). Lastly, License Condition 19, as described on your original license, regarding transportation requirements has been deleted as these requirements are already specified in the regulations in 10 CFR Part 71.

Additionally, in your correspondence to us dated August 3, 2018, you indicated that you wished to release for unrestricted use two former addresses of use located at 111 West Columbia Street, Suite 100, Fort Wayne, IN and 2815 Indianapolis Boulevard, Whiting, IN. Based on the information provided, the staff has concluded that all licensable material has been removed from these facilities, and residual radioactive material attributable to licensed activities does not exceed current NRC criteria. Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required for these addresses of use and these locations are suitable for unrestricted use.

Further, we have reviewed your request to terminate NRC License No. 21-35256-01 and transfer the licensed facility, material, and all related records to your NRC License No. 13-20218-01. The NRC staff has reviewed the information provided. Based on its review, the staff has concluded that residual radioactive material attributable to licensed activities does not exceed current NRC criteria. Based on these conclusions the facility, licensed material, and records have been transferred to NRC License No. 13-20218-01, and NRC License Number 21-35256-01 is hereby terminated.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with

NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with Title 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

Laura B. Cender

Laura B. Cender
Health Physicist
Materials Licensing Branch

License No. 13-20218-01, 21-35256-01
Docket No. 030-18110, 030-38854

Enclosure: License No. 13-20218-01 Amendment No. 15
License No. 21-35256-01 Amendment No. 1