

Hill, Carol

From: Simmons, Michelle
Sent: Monday, November 05, 2018 7:31 AM
To: Hill, Carol
Subject: RE: RSO Change

Public nonsensitive.

You can give it to me since I am working on one for them now.

Thanks

From: Steve Adams [mailto:steve.adams@fallinetesting.com]
Sent: Saturday, November 03, 2018 5:52 AM
To: Hill, Carol <Carol.Hill@nrc.gov>; Simmons, Michelle <Michelle.Simmons@nrc.gov>
Cc: Sandy Ragan <sandy.ragan@fallinetesting.com>
Subject: [External_Sender] RSO Change

Dear Ms. Hill - Please find attached the required documentation for a change in our RSO personnel.. I trust you will find everything in order. Should you have any questions or comments, please do not hesitate to contact me at your earliest convenience.

Respectfully,

Stephen G. Adams

Vice President – Construction Services

Fall Line Testing & Inspection

A Division of RIZZO International, Inc.

500 Penn Center Blvd., Suite 100

Pittsburgh, PA 15235

T: (412) 825-2088

F: (412) 856-9749

C: (412) 849-0698

Notice: This e-mail, and any attachments accompanying this transmission, may contain confidential information. This e-mail is intended solely for the use of the addressee(s) named above. If you are not the intended recipient, you are hereby notified that any use of, disclosure, copying, or distribution of the contents of this e-mail is prohibited. Please advise the sender of the error in transmission and immediately delete/destroy this message and any accompanying attachments. Thank you!



ROCKY MOUNTAIN REGION
3538 Peoria Street, Suite 511
Aurora, CO 80010, USA

www.rizzointl.com



November 2, 2018
Project Number: 189000

carol.hill@nrc.gov

Mr. Carol Hill
U.S. Nuclear Regulatory Commission
Region IV
1600 East Lamar Boulevard
Arlington, TX 76011

NOTIFICATION OF RSO CHANGE FOR LICENSE #05-32831-01

Dear Ms. Hill:

This letter serves to notify you that the Radiation Safety Officer (RSO) for License #05-32831-01 has changed. Robert Montalvo, the current listed RSO, is no longer with our company. Effective with the date of this letter, R. Chase Velarde, will be assuming this position for all activities involving portable nuclear gauges as granted by this license.

Attached is information regarding training and qualifications for Mr. Velarde:

- Resume
- RSO Certification
- Hazardous Material DOT Training
- Nuclear Gauge Certificate (Yearly Refresher)

Please amend our license to replace Robert Montalvo as RSO with R. Chase Velarde filling that position. Contact information is chase.velarde@rizzointl.com and (303) 288-1194.

Thank you for your prompt attention to this matter. Please let me know if there are any questions or comments. I can be reached by cell (412) 849 0698 or by email at Steve.Adams@fallinetesting.com.

Respectfully yours,
Fall Line Testing & Inspection
A Division of RIZZO International, Inc.

Stephen G. Adams
Vice President – Construction Services

SGA/sjr

cc: michelle.simmons@nrc.gov

PUBLIC

- Immediate Release
- Normal Release

NON-PUBLIC

- A.3 Sensitive-Security Related
- A.7 Sensitive Internal
- Other: _____

Reviewer: CAH Date: 11/8/18

Years of Experience

13

**Professional Registrations/
Certifications - Current**

ACI

Concrete Laboratory Testing
Technician – Level 1

Concrete Field Testing Technician –
Grade I

Concrete Strength Testing Technician
Aggregate Testing Technician –
Level 1

NICET Certifications

Level II in Construction Materials
Testing – Soils

Level II in Construction Materials
Testing – Asphalt

Level II in Construction Materials
Testing – Concrete

Level II in Transportation Engineering
Technology Highway Materials

California Department of Transportation
Certificate of Proficiency Construction
Testing and Engineering

Various Caltrans Certifications

Nuclear Gauge Safety Certification
Radiation Safety Officer Certification
U.S. D.O.T. HAZMAT Certification

SKILL AREAS:

Mr. Velarde is the Laboratory Manager for Fall Line Testing and Inspection (Fall Line), a Division of RIZZO International. In his current position, Mr. Velarde is responsible for the overall direction of all laboratory procedures for Fall Line. He is also responsible for marketing, business development, and estimating.

Mr. Velarde is also an experienced lab technician. He is capable of performing concrete strength testing, including concrete mix designs, various aggregate and soils lab testing, and asphalt testing.

EXPERIENCE:

**Fall Line Laboratory | Laboratory Manager
Denver, Colorado**

October 2018 – Present

Mr. Velarde is currently serving as the Laboratory Manager and is responsible for overall operation of the laboratory on a day-to-day basis:

- Performs and enforces activities in accordance with the QA Manual and other procedures applicable to the position.
- Supervision of laboratory personnel, equipment, and test procedures.
- Ensure equipment calibrations are to date.
- Ensures the lab is complaint with all existing certifications and quality programs.
- Responsible for RCC and conventional concrete mix design and testing projects.
- Analyze testing data prepared by others and developing reports for Project submission and records.
- Project Management
 - Ensures the correct resources, including equipment, are allocated to projects.
 - Ensures projects are correctly staffed through interfacing with HR.
 - Ensures projects are technically and commercially in line with the Contract.

**CTE | Laboratory Manager
Escondido, California**

September 2016 – October 2018

Responsible for daily lab testing and all laboratory business including:

- Geotechnical Soils Investigations
- Calibration of Field and Lab Testing Equipment
- Maintained AASHTO, CCRL, and other various agency accreditations
- Tested proficiency samples for numerous agencies
- Trained, staffed, and qualified personnel
- Reviewed test reports
- Assisted with other CTE branch labs

Group Delta Consultants | Lab Technician
San Diego, California

October 2014- September 2016

- Data and report entry of various lab testing
- Geotechnical and Construction related to testing including:
 - Concrete
 - Steel
 - Asphalt
 - Masonry
 - Soil
- Calibration of laboratory and field equipment
- Proficiency testing (AMRL & CCRL)
- Assisted in quarterly ISO 17025 review
- Assisted in computer maintenance as needed

CTE | Lab Technician / Assistant Lab Manager / I.T. Assistant
Escondido, California

May 2005- October 2014

- Data and report entry of various lab testing
- Geotechnical and construction related testing including:
 - Concrete
 - Steel
 - Asphalt
 - Masonry
 - Soil
- Calibration of laboratory and field equipment
- Proficiency testing (AMRL & CCRL)
- Monthly Lab Billing
- Maintain and update lab computer
- Monitor and update company servers

PROJECT SPECIFIC EXPERIENCE:

Jacobs Medical Center at UC San Diego Health 2013-2014

- Batch Plant Inspector
- Responsible for Monitoring Overall Quality of Concrete and As-Needed Adjustments.

Palomar Medical Center, Escondido 2012-2013

- Laboratory Technician
- Responsible for QA/QC of all Laboratory Material Testing for Project

I-405 Freeway, Los Angeles 2014-2016

- Laboratory Technician
- Assisted with Materials Testing

Highway 94, San Diego

- Laboratory Manager
- Oversaw QC/QA of Asphalt Testing and Reporting. Verified Results within Project Specifications.

APNGA
Certificate of Achievement

This confirms that
Robert Velarde

Has successfully completed the APNGA Portable Nuclear Gauge

Radiation Safety Officer Class

on this day

October 30, 2018

American Portable Nuclear Gauge Association
P.O. Box 423, Emmitsburg, MD 21727 • www.apnga.com


George E. Marshall - Director
301.929.9771

nTGTb7pSGP

U.S. D.O.T. HAZMAT CERTIFICATION

Refresher Training for Portable Nuclear Gauges

Certificate of Completion to:
Robert Velarde

Training must be renewed within three years from today's date:
October 31, 2018

This course satisfies the training requirements of 49 CFR 172, Subpart H, including:

- General Awareness/Familiarization
- Function Specific Training
- Safety Training
- Security Awareness
- Driver Training

The organization RSO/Official must certify that the employee has been properly trained and tested per the requirements of 49 CFR 172, Subpart H. The acknowledgement and signature of the RSO/Official makes the training and certificate relevant and valid.


Company Name

Company RSO/Official (print)

Signature of RSO/Official

American Portable Nuclear Gauge Association
P.O. Box 423, Emmitsburg, MD 21727 • www.apnga.com

5W8P9904bM


George E. Marshall - Director
240-888-6426

APNGA
Annual Refresher Training for Portable Nuclear Gauges

Certificate of Completion to:
Robert Velarde

Date:

November 1, 2018

This class covers Annual Refresher Training for portable nuclear gauge operators and for non gauge staff that need a general knowledge and familiarization class. The class covers:

- Safety
- Radiation Safety Program Review
- Operating Procedures Review
- Security
- Emergency Procedures/Response Review
- Incident Review
- New Guidance Coverage

The organization RSO/Official should also re-familiarize the employee with state specific regulations and the company radiation safety program, specifically gauge safety operating and emergency response procedures.

The acknowledgement and signature of the RSO/Official makes the training and certificate relevant and valid.


Company Name

Company RSO/Official (print)

Signature of RSO/Official

American Portable Nuclear Gauge Association
P.O. Box 423, Emmitsburg, MD 21727 • www.apnga.com

gE4RaglTGD


George E. Marshall - Director
240-888-6426

M 6 1 0 4 2 6

Hill, Carol

From: Steve Adams <steve.adams@fallinetesting.com>
Sent: Saturday, November 03, 2018 5:52 AM
To: Hill, Carol; Simmons, Michelle
Cc: Sandy Ragan
Subject: [External_Sender] RSO Change
Attachments: RSO NRC Change of RSO 2018 to Velarde.pdf

Dear Ms. Hill - Please find attached the required documentation for a change in our RSO personnel.. I trust you will find everything in order. Should you have any questions or comments, please do not hesitate to contact me at your earliest convenience.

Respectfully,

Stephen G. Adams

Vice President – Construction Services

Fall Line Testing & Inspection

A Division of RIZZO International, Inc.

500 Penn Center Blvd., Suite 100

Pittsburgh, PA 15235

T: (412) 825-2088

F: (412) 856-9749

C: (412) 849-0698

www.fallinetesting.com

Notice: This e-mail, and any attachments accompanying this transmission, may contain confidential information. This e-mail is intended solely for the use of the addressee(s) named above. If you are not the intended recipient, you are hereby notified that any use of, disclosure, copying, or distribution of the contents of this e-mail is prohibited. Please advise the sender of the error in transmission and immediately delete/destroy this message and any accompanying attachments. Thank you!



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee Mr. Roberto Montalvo Director of Operations Rizzo International, Inc. 500 Penn Center Boulevard Penn Center East, Suite 100 Pittsburgh, Pennsylvania 15235	Date 11/08/2018
	License Number(s) 05-32831-01
	Mail Control Number(s) 610426
	Licensing and/or Technical Reviewer or Branch C. Hill

This is to acknowledge receipt of your: Letter and/or Application Dated: 11/02/2018

The initial processing, which included an administrative review, has been performed.
 Amendment Termination New License Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
 Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region IV
 U. S. Nuclear Regulatory Commission
 DNMS/NMSB - B
 1600 E. Lamar Boulevard
 Arlington, TX 76011-4511
 (817) 200-1103 or (817) 200-1140

✓ 11/18

BETWEEN:
Accounts Receivable/Payable
and
Regional Licensing Branches

[FOR ARPB USE]
INFORMATION FROM WBL

Program Code: 03121
Status Code: Pending Amendment
Fee Category: 3P
Exp. Date: 09/30/2033
Fee Comments:
Decom Fin Assur Req: N

License Fee Worksheet - License Fee Transmittal

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: Rizzo International, Inc.
Received Date: 11/08/2018
Docket Number: 3038696
Mail Control Number: 610426
License Number: 05-32831-01
Action Type: Amendment

2. FEE ATTACHED

Amount: _____

Check No.: _____

3. COMMENTS

Signed: _____



Date: _____

11/8/18

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment: _____

Renewal: _____

License: _____

3. OTHER _____

Signed: _____

Date: _____
