



2400 W. Lloyd Expressway
Evansville, Indiana 47721
(812) 429-5000

December 13, 2018

Director, Office of Federal and State Materials
And Environmental Management Programs
Attn: Document Control Desk/GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Dear Director:

This letter is a notification per 10 CFR 31.5(c)(8) indicating that devices containing radioactive material were transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Mead Johnson Nutrition
2400 W Lloyd Expressway
Evansville, IN 47721
GL-704570-19

To Specific Licensee:

SRB Technologies, Inc.
2850 Landmark Drive
Winston Salem, NC 27103
NC DHHS Radioactive Materials License #034-0534-2

Date of Transfer:

November 29, 2018

Description of Device(s) Transferred:

Exit signs containing tritium as per attached inventory form

If there are questions or concerns, please contact me at 812-429-7936

Sincerely,

Todd Reddington
Radiation Safety Officer

CC: Art Pike
Dustin Ash

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: Mead Johnson Nutrition

BOX # 1 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	7841	6/92	20
2. OMNI GLO	700-C20	1777	1/95	20
3. OMNI GLO	700-C20	7835	6/92	20
4. OMNI GLO	700-C20	7834	6/92	20
5. OMNI GLO	700-C20	7829	6/92	20
6. OMNI GLO	700-C20	1778	1/95	20
7. OMNI GLO	700-C20	2401	2/95	20
8. OMNI GLO	700-C20	1783	1/95	20
9. OMNI GLO	700-C20	3809	?/92	20
10. OMNI GLO	700-C20	7810	6/92	20

Describe any damaged units:
Please email pictures of damaged signs to Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: Title: EHS

Print Name: Todd M. Reddington Date: 11/29/2018

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: Mead Johnson Nutrition

BOX # 2 OF 9

DESCRIPTION/MFR	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	7839	6/92	20
2. OMNI GLO	700-C20	7832	6/92	20
3. OMNI GLO	700-C20	7827	6/92	20
4. OMNI GLO	700-C20	7849	6/92	20
5. OMNI GLO	700-C20	7806	6/92	20
6. OMNI GLO	700-C20	1781	1/95	20
7. OMNI GLO	700-C20	1780	1/95	20
8. OMNI GLO	700-C20	1789	1/95	20
9. OMNI GLO	700-C20	NA	6/92	20
10. OMNI GLO	700-C20	NA	NA	20

Describe any damaged units:
Please email pictures of damaged signs to Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>Todd M. Reddington</u>	Title: <u>EHS</u>
Print Name: <u>Todd M. Reddington</u>	Date: <u>11/29/2018</u>

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

 RGA #:
 DATE ISSUED:
 EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

 INSTALLATION SITE NAME: MEAD JOHNSON

 BOX # 3 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	2539	1/94	20
2. OMNI GLO	700-C20	1548	1/95	20
3. OMNI GLO	700-C20	1552	1/95	20
4. OMNI GLO	700-C20	1553	1/95	20
5. OMNI GLO	700-C20	J-712	3/90	20
6. OMNI GLO	700-C20	6298	5/94	20
7. OMNI GLO	700-C20	1544	1/95	20
8. OMNI GLO	700-C20	6294	5/94	20
9. OMNI GLO	700-C20	NA	NA	20
10. OMNI GLO	700-C20	NA	NA	20

Describe any damaged units:
 Please email pictures of damaged signs to
 Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Title:

FHS

Print Name:

Todd M. Reddington

Date:

11/29/2018

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

 RGA #:
 DATE ISSUED:
 EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

 INSTALLATION SITE NAME: MEAD JOHNSON

 BOX # 4 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING.
1. OMNI GLO	700-C20	3593	3/94	20
2. OMNI GLO	700-C20	6296	5/94	20
3. OMNI GLO	700-C20	1549	1/95	20
4. OMNI GLO	700-C20	6303	5/94	20
5. OMNI GLO	700-C20	6293	5/94	20
6. OMNI GLO	700-C20	4284	5/95	20
7. OMNI GLO	700-C20	6305	5/97	20
8. OMNI GLO	700-C20	2400	2/95	20
9. OMNI GLO	700-C20	6299	5/94	20
10. OMNI GLO	700-C20	3596	5/94	20

Describe any damaged units:
 Please email pictures of damaged signs to
 Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>Todd M. Reddington</u>	Title: <u>EHS</u>
Print Name: <u>Todd M. Reddington</u>	Date: <u>11/29/2018</u>

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: MEAD JOHNSON

BOX # 5 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	7460	2/93	20
2. OMNI GLO	700-C20	2704	3/95	25
3. OMNI GLO	700-C20	NA	NA	20
4. OMNI GLO	700-C20	NA	2/93	20
5. OMNI GLO	700-C20	6909	9/95	20
6. OMNI GLO	700-C20	6926	9/95	20
7. OMNI GLO	700-C20	6916	9/95	20
8. OMNI GLO	700-C20	1545	1/95	20
9. OMNI GLO	700-C20	1735	1/95	20
10. OMNI GLO	700-C20	NA	NA	20

Describe any damaged units:
Please email pictures of damaged signs to Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: [Signature] Title: EHS
 Print Name: Todd M. Redding Date: 11/29/2018

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: MEAD JOHNSON

BOX # 6 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	3497	4-95	20
2. OMNI GLO	700-C20	3496	4-95	20
3. OMNI GLO	700-C20	1-522	3/90	20
4. OMNI GLO	700-C20	1732	1/95	20
5. OMNI GLO	700-C20	6302	5/94	20
6. OMNI GLO	700-C20	1550	1/95	20
7. OMNI GLO	700-C20	1566	1/95	20
8. OMNI GLO	700-C20	1567	1/95	20
9. OMNI GLO	700-C20	6925	9/95	20
10. OMNI GLO	700-C20	2835	1/94	20

<p>Describe any damaged units: Please email pictures of damaged signs to Veolia.</p>	
--	--

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>[Signature]</u>	Title: <u>LHS</u>
Print Name: <u>Josh M. Reddington</u>	Date: <u>11/29/2018</u>

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

 RGA #:
 DATE ISSUED:
 EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

 INSTALLATION SITE NAME: MEAD JOHNSON

 BOX # 7 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. OMNI GLO	700-C20	2146	2/95	20
2. OMNI GLO	700-C20	1787	1/95	20
3. OMNI GLO	700-C20	2152	2/95	20
4. OMNI GLO	700-C20	2148	2/95	20
5. OMNI GLO	700-C20	J-706	3/90	20
6. OMNI GLO	700-C20	3494	4/95	20
7. OMNI GLO	700-C20	1788	1/95	20
8. OMNI GLO	700-C20	2151	2/95	20
9. EVERGLO	710-C20	2708	3/95	25
10. EVERGLO	710-C20	2705	3/95	25

Describe any damaged units:
 Please email pictures of damaged signs to Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>Todd M. Reddington</u>	Title: <u>EHS</u>
Print Name: <u>Todd M. Reddington</u>	Date: <u>11/29/2018</u>

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. **DO NOT REMOVE THE LABEL FROM THE SIGN.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: MEAD JOHNSON

BOX # 8 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. SRB TECH	NA	189140	NA	20
2. SRB TECH	NA	189141	NA	20
3. OMNI GLO	700-C20	7803	6/92	20
4. OMNI GLO	700-C20	7824	NA	20
5. OMNI GLO	700-C20	8450	8/94	20
6. OMNI GLO	700-C20	8447	8/94	20
7. OMNI GLO	700-C20	8266	5/93	20
8. OMNI GLO	700-C20	1779	1/95	20
9. OMNI GLO	700-C20	1556	1/95	20
10. OMNI GLO	700-C20	6918	9/95	20

<p>Describe any damaged units: Please email pictures of damaged signs to Veolia.</p>	
--	--

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION	
Generator Signature: <u>[Signature]</u>	Title: <u>EHS</u>
Print Name: <u>Todd M. Reddington</u>	Date: <u>11/29/2018</u>

VEOLIA USE ONLY, FIELD SERVICES



VEOLIA USE ONLY

RGA #:
DATE ISSUED:
EXPIRATION DATE:

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. DO NOT REMOVE THE LABEL FROM THE SIGN. Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

INSTALLATION SITE NAME: MEAD JOHNSON

BOX # 9 OF 9

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT OF LIFE RATING
1. PERM-EX	T-4001	A2CT170	2-2003	25
2. ISO LITE	2000	A671139	7/96	11.5
3. ISO LITE	2000	A671141	7/96	11.5
4. ISO LITE	2000	A671138	7/96	11.5
5.				
6.				
7.				
8.				
9.				
10.				

Describe any damaged units:
Please email pictures of damaged signs to Veolia.

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: Todd M. Reddington Title: EHS
 Print Name: Todd M. Reddington Date: 11/29/2018



VEOLIA

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE

BOL No.: BL3184808000
Shipper No.:
Date 11/29/2018

Emergency Contact #: (877) 818-0087

Consignee: SRB TECHNOLOGIES, INC		Shipper: MEAD JOHNSON NUTRITION	
Street: 2580 LANDMARK DRIVE		Street: 2400 WEST LLOYD EXPRESSWAY	
City, State, Zip: WINSTON-SALEM, NC 27103		City, State, Zip: EVANSVILLE, IN, 47721	

1) Carrier: VEOLIA ES TECHNICAL SOLUTIONS	1) Carrier Number: NJD080631369
2) Carrier:	2) Carrier Number:

# of Pkgs.	HM	Cont Type	Description of articles, special marks, and exceptions	Total Quantity	UOM	Material ID
9	X	CF	UN2911, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES, 7	180	P	

Special Handling and Instructions:

- 1) W:969278 A:SRBEXITSIGNS ER Service Contracted by VESTS
- CF = Fiber or plastic boxes, cartons, cases.

This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition to transportation according to the applicable regulations of the Department of Transportation:

Shipper Signature:	Date: 11/29/18
1) Carrier Signature:	Date: 11/29/18
2) Carrier Signature:	Date:

Received, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the Bill of Lading terms and conditions in the governing classification on the date of shipment. Shipper hereby certifies that he is familiar with all the Bill of Lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns. NOTICE: Freight moving under this Lading is subject to the classifications and lawfully filed tariffs in effect on the date of the Bill of Lading. This notice supersedes and negates any claimed, alleged or asserted or written contract, promise, representation or understanding between the parties with respect to this freight, except to the extent of any written contract which establishes law, contract carriage and is signed by authorized representatives of both parties to the contract.

Consignee Signature:	Date:
----------------------	-------