



KAREN L. SMITH, MD, MPH
Director and State Public Health Officer

State of California—Health and Human Services Agency
California Department of Public Health



EDMUND G. BROWN JR.
Governor

January 1, 2019

**NOTICE OF
2019 RECIPROCAL RECOGNITION OF LICENSE FOR USE IN CALIFORNIA**

Shipper of Record

Edmond J. DeRosa
Radiation Safety Officer
Neutron Products, Inc.
22301 Mt. Ephraim Road
P.O. Box 68
Dickerson, MD 20842

REC RG 1 01 08 19 AM 07:04

Dear Mr. DeRosa:

- REFERENCE:**
- a. Your Request Received December 19, 2018
 - b. NRC Radioactive Materials License No. 19-25203-01/03038295
 - c. Receipt of Reciprocity Fee, Per 17 CCR 30231(e)

In accordance with your request (Reference a.) and pursuant to Title 17, California Code of Regulations (17 CCR) 30225(a), you are hereby authorized to use radioactive materials at temporary job sites in areas not under exclusive Federal jurisdiction throughout the State of California. Such use shall be conducted in accordance with 17 CCR, your Radioactive Materials License (Reference b), and the special conditions stated in this letter. These documents must be available at California job sites when work is being performed under this authorization. An order form to obtain a copy of the regulations is enclosed.

Notification:

You are further required to provide written notification (via mail or fax) at least three working days prior to each use of radioactive material in California so that we may inspect such use should we choose to do so. We would appreciate earlier notification, 10 working days, if possible. If there is a change in the date of work, you must notify our office immediately.

RECIPROCAL MATERIALS



Edmond J. DeRosa
January 1, 2019
Page 2


Your written notification must be sent to Kim Sakata at the address on this letter, by fax to 916-636-6397 or by email to kim.sakata@cdph.ca.gov. You should also notify the appropriate inspection office of work in their inspection area. Please see the enclosed map to determine the proper inspection office and fax number for that notification.

Special Conditions:

1. This authorization expires on **December 31, 2019**. If you intend to use radioactive materials within California after this date, you must reapply.
2. Radioactive material may not be possessed within California for more than **180** days during this authorization period.
3. A copy of this letter and the appropriate sections of 17 CCR must be carried at all times when radioactive material is used in California under this authorization.
4. All sealed sources, tools or devices coming into California must have the current leak test available for review.

If you have any questions, please contact us at the phone number shown above.

For the Department of Public Health



Gonzalo Perez, Chief
Radiologic Health Branch

Enclosures: Order Form for Regulations
Inspection Jurisdiction Map

cc: U.S. NRC Region I
2100 Renaissance Blvd., Suite 1000
King of Prussia, PA 19406-2713

Reciprocity Issue No. 2019-13