

**From:** [Doskey, Conrad](#)  
**To:** [Lawyer, Dennis](#)  
**Subject:** [External\_Sender] RE: NRC Amendment  
**Date:** Monday, March 04, 2019 5:57:12 PM

---

Thank you, Mr. Lawyer. Yes, please, the second floor designation is more specific to Ms. Malyszko's mailing address.

*Conrad A. Doskey*

**Radiation Safety Officer  
Supervisor, RADIAC Calibration Lab  
Newport News Shipbuilding  
Office: (757) 688-3410  
Cell: (757) 268-7120**

---

**From:** Lawyer, Dennis [mailto:Dennis.Lawyer@nrc.gov]  
**Sent:** Monday, March 04, 2019 4:55 PM  
**To:** Doskey, Conrad <Conrad.Doskey@hii-nns.com>  
**Subject:** EXT: NRC Amendment

Mr. Doskey,

Ms. Malyszko's address was slightly different than the license mailing address. I am pretty sure it encompasses the same place but want to make certain if you wanted to change the mailing address or not. Currently it is Department E85, Building 4632. In the letter it states: Building 4632 FL 2

The remaining part of the address is the same.

Please tell me if you want the mailing address to change or not. Please just email me back.

Dennis Lawyer  
U.S. NRC Region 1  
Health Physicist  
610-337-5366