PAGE 1 OF 6 PAGES
Amendment No. 56
Corrected Copy

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

| and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. | | | | | | | | | | |
|---|--|--|---|--|--|--|--|--|--|--|
| 1. | Licen National Aeronautics and George C. Marshall Space | ace Administration dated November 28, 2018, | | | | | | | | |
| 2. | NASA, MSFC AS10 Huntsville, AL 35812 | 3. License number: 01-06571-10 5. Docket No.: 030-03575 Reference No.: | | | | | | | | |
| | | | 1 | | | | | | | |
| 6. | Byproduct, source, and/or special nuclear material | Chemical and/or physical form 8. Maximum amount that licensee 9. Authorized use may possess at any one time under this license | | | | | | | | |
| A. | Any byproduct material between atomic numbers 3 and 83 | Any A. Q.6 millicuries per radionuclide and 2 defined in 10 CFR 30.4 millicuries total | | | | | | | | |
| В. | Any byproduct material with Atomic Numbers 84 through 96 | B. For research and development as defined in 10 CFR 30.4 | | | | | | | | |
| C. | Iron-55 | Sealed, Plated, or Foil Sources (Amersham, Model IEC.A1; and 100 millicuries total Isotope Products Laboratories, Model AN-55; PHI-055) C. 10 millicuries per source and 100 millicuries total defined in 10 CFR 30.4 | | | | | | | | |
| D. | Cobalt-60 | Sealed, Plated, or Foil Sources (Isotope Products Laboratories, Model 193; GF-60-D; GF-60-R) D. For research and development as defined in 10 CFR 30.4 | | | | | | | | |
| E. | Selenium-75 | Sealed Sources (Isotope E. 10 millicuries per source Products Laboratories, Model and 20 millicuries total defined in 10 CFR 30.4 R-75) | | | | | | | | |

| NRC | FORM 374A | | | U.S. NUCLEAR | REGU | LATORY COMMIS | SION | | PAGE 2 OF 6 PAGES | |
|---------------------------------------|--|-------|--|---|------|---|-------------------------------|--------|--|--|
| | MATERIALS I | ICENS | | License Number 01-06571-10 | | 1 | Docket or Reference 030-03575 | nce Nu | umber | |
| MATERIALS LICENSE SUPPLEMENTARY SHEET | | | Amendment No. 56 (Corrected Copy) | | | | | | | |
| 6. | Byproduct, source, and/or special nuclear material | 7. | Chemical and | or physical form | 8. | Maximum amou may possess at Cunder this licen | | 9. | Authorized use | |
| F. | Strontium-90 | F. | (AEA Techno Model SIF.D | ed, or Foil Sources logy/QSA Inc., 1; Isotope Products , Model BF090) | F. | 10 millicuries and 500 millic | | F. | For research and development as defined in 10 CFR 30.4 | |
| G. | Cadmium-109 | G. | Sealed or pla (Isotope Pro Model PHI-1 | ducts Laboratories, | G. | 10 millicuries and 100 millic | | G. | For research and development as defined in 10 CFR 30.4 | |
| H. | Barium-133 | H. | Plated Source Products Lat GF-133-D; G | ooratories, Model | H. | 2 millicuries pand 20 millicu | | Н. | For research and development as defined in 10 CFR 30.4 | |
| I. | Cesium-137 | 1. | | ces (Isotope ooratories, Model -D; GF-137-R) | 1. | 10 millicuries and 100 millic | | I. | For research and development as defined in 10 CFR 30.4 | |
| J. | Gadolinium-153 | J. | Sealed Sour Model GDC. | ces (Amersham, CY1) | J. | 10 millicuries and 100 millic | | J. | For research and development as defined in 10 CFR 30.4 | |
| K. | Radium-226 | K. | Sealed Sour Products Lat GF-226) | ces (Isotope poratories, Model | K. | 10 microcurie and 10 micro | | K. | For research and development as defined in 10 CFR 30.4 | |
| L. | Americium-241 | L. | AMC.2084; A Products Lat Series; Mons | ces QSA, Inc., Model AMN.PE1; Isotope poratories, Model AF santo Agricultural lodel 2722-BT) | | 30 millicuries and 130 millic | | L. | For research and development as defined in 10 CFR 30.4 | |
| М. | Americium-241 | M. | Foils (AEA, I | Model AMM.1001H) | М. | 10 millicuries and 20 millicu | | М. | For research and development as defined in 10 CFR 30.4 | |
| N. | Curium-244 | N. | | ed sources (Isotope poratories, Model F-244-C) | N. | 2 millicuries p and 20 millicu | | N. | For research and development as defined in 10 CFR 30.4 | |

| NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 3 OF 6 PAGES | | | | | | | | |
|--|---------------------------|--------------------------------------|---------------------------|---|--------|---|--|--|
| MATERIALS LI | ICENSE | License Number 01-06571-10 | Docket or Re 030-03575 | | lumber | | | |
| SUPPLEMENTAL | | Amendment No. 56 (Corrected Copy) | | | | | | |
| Byproduct, source, and/or special nuclear material | 7. Chemical and | d/or physical form | 8. | Maximum amount that licen may possess at any one time | | Authorized use | | |
| O. Uranium-235 | O. Any | | Ο. | 350 grams total | 0. | For research and development as defined in 10 CFR 70.4 | | |
| P. Uranium (natural and depleted) | P. Solid (powde ceramics) | ers, pellets and | P. | 14.6 kilograms total | P. | For research and development as defined in 10 CFR 30.4 | | |
| Q. Uranium- depleted in Uranium-235 | Q. Solid (non-d | disbursable) | Q. | 60 kilograms total | ., Q. | For research and development as defined in 10 CFR 30.4 | | |
| R. Krypton-85 | R. Any | Place | R. | 10 | R. | For use in Iso Vac Engineering, Inc. Radiflo Model Mark V leak testing devices. | | |
| | 1.8 | | OND | DITIONS | | | | |

- 10. Licensed material may be used or stored only at the licensee's facilities located at: George C. Marshall Space Fight Center, Huntsville, Alabama, 35812
- 11. A. The Radiation Safety Officer (RSO) for this license is Philip O. Brown.
 - B. Licensed material shall only be used by, or under the supervision of, Philip O. Brown, Mark J. Christi, and Brian Ramsey.
- 12. The licensee shall not use the licensed material in or on human beings.
- 13. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.

- 14. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
 - B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
 - C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
 - E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - F. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

| NRC FORM 374A | U.S. NUCLEAR REGULATORY COMMISSION | | | | OF | 6 | PAGES |
|---------------------|------------------------------------|--------------------------------------|--|--|----|---|-------|
| MATERIALS LICENSE | License Number 01-06571-10 | Docket or Reference Number 030-03575 | | | | | |
| SUPPLEMENTARY SHEET | Amendment No. 56 | | | | | | |
| | (Corrected Copy) | | | | | | |
| | | | | | | | |

- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
- 16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 17. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

| NRC FORM 374A | U.S. NUCLEAR REGULATORY COMM | PAGE | 6 | OF | 6 | PAGES | |
|---------------------|--------------------------------------|--------------------------------------|---|----|---|-------|--|
| MATERIALS LICENSE | License Number 01-06571-10 | Docket or Reference Number 030-03575 | | | | | |
| SUPPLEMENTARY SHEET | Amendment No. 56 (Corrected Copy) | | | | | | |

- 18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Letter dated July 11, 2006 (ML062010457)
 - B. Letter dated January 14, 2011 (ML110250591)
 - C. Letter dated May 8, 2013 (ML13141A251)
 - D. Application dated January 27, 2016 (ML 16055A402)
 - E. Letter received May 26, 2016 (ML16158A454)
 - F. Letter dated June 28, 2016 (ML16250A457)
 - G. Letter dated June 29, 2017 (ML17188A176)
 - H. Letter dated June 6, 2018 (ML18169A315)

Date: March 25, 2019

- Letter dated December 21, 2018 (ML19044A385)
- J. Letter dated February 20, 2019 (ML19060A263)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By

Dennis Lawyer

Region 1