



Sunday, October 01, 2017

Mike Plonski
Cabrera Services, Inc.
50 Founders Plaza, Suite 207
East Hartford, CT 06108

Re: ALS Workorder: 1709014
Project Name: UNC New Haven CT
Project Number: 10-1007.00

Dear Plonski:

One soil sample and one solid sample were received from Cabrera Services, Inc., on 9/1/2017. The sample was scheduled for the following analysis:

Isotopic Uranium

pages 1-10

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Lance R. Steere
Project Manager

Enclosure(s): CD

ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Louisiana (LA)	05057
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO000782008A
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280

ALS -- Fort Collins

Sample Number(s) Cross-Reference Table

OrderNum: 1709014

Client Name: Cabrera Services, Inc.

Client Project Name: UNC New Haven CT

Client Project Number: 10-1007.00

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
UNC-6H-001	1709014-1		SOIL	30-Aug-17	19:00
UNC-3H-002	1709014-2		SOLID	30-Aug-17	19:00



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: CABRERA

Workorder No: 1709014

Project Manager: LS

Initials: CDJ Date: 9-1-17

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<u>NO</u>
2. Are custody seals on shipping containers intact?	<u>NONE</u>	YES	NO
3. Are Custody seals on sample containers intact?	<u>NONE</u>	YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<u>YES</u>	NO
5. Are the COC and bottle labels complete and legible?		<u>YES</u>	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		<u>YES</u>	NO
7. Were airbills / shipping documents present and/or removable?	DROP OFF	<u>YES</u>	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	<u>N/A</u>	YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<u>N/A</u>	YES	NO
10. Is there sufficient sample for the requested analyses?		<u>YES</u>	NO
11. Were all samples placed in the proper containers for the requested analyses?		<u>YES</u>	NO
12. Are all samples within holding times for the requested analyses?		<u>YES</u>	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<u>YES</u>	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ___ < green pea ___ > green pea	<u>N/A</u>	YES	NO
15. Do any water samples contain sediment? Amount Amount of sediment: ___ dusting ___ moderate ___ heavy	<u>N/A</u>	YES	NO
16. Were the samples shipped on ice?		YES	<u>NO</u>
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 #4	<u>RAD ONLY</u>	YES	<u>NO</u>
Cooler #: <u>1</u>			
Temperature (°C): <u>Amb</u>			
No. of custody seals on cooler: <u>0</u>			
External µR/hr reading: <u>13</u>			
Background µR/hr reading: <u>10</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <u>YES</u> / NO / NA (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO / NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: [Signature] 9/6/17

UNITED STATES
AL CRAIG
CARRERA SERVICES
53 HAWKTON RD
WATERBURY CT 06708
UNITED STATES US


SHIP DATE: 2/24/2011
ACTWGT: 1.00 LB
CAD: 11120925NET3920
BILL SENDER

1709014

TO LANCE STEERE/SAMPLE CONTROL
ALS LABORATORIES
225 COMMERCE DR

FORT COLLINS CO 80524
(970) 490-1511 REF: 10-1007.00
PO. DEPT.


549J1FF19/104C



TRK# 7701 5754 7948
0207

FRI - 01 SEP 10:30A
PRIORITY OVERNIGHT

NA FTCA 80524
CO-US DEN



13-0

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

/templates/components/dotcom_label_contents/WarningsOriginalLabel/en/Folding_warning.html loading...
/templates/components/dotcom_label_contents/TnCDom/us/en/TC_dom.html loading...