

Employee Name	RICHARD FLORES
Current Asbestos License	12/31/2017
Current Asbestos Training	4/23/2017
Current Medical	4/23/2017
Current Respirator Fit Test	4/23/2017
Other	
10 Hour OSHA	8/31/2018
Polychlorinated Biphenyl	6/11/2017
Lead Awareness	6/11/2017



State of Connecticut

## Lookup Detail View

### Name

Name
RICHARD E FLORES ACEBO

### License Information

lookup

License Type	License Number	Expiration Date	Granted Date	License Name	License Status	Licensure Actions or Pending Charges
Asbestos Abatement Worker	11351	12/31/2017	08/12/2009	RICHARD E FLORES ACEBO	ACTIVE	None

Generated on: 1/26/2017 11:46:09 AM



**Environmental Compliance and Occupational Safety Training**

44-01 21st St, 3rd Fl, Long Island City, Ny 11101

Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

**Richard E. Flores Acebo**

HAS SUCCESSFULLY COMPLETED US EPA AHERA 8 HOURS COURSE ENTITLED

**ASBESTOS WORKER-REFRESHER**

(In Spanish )

This course is accredited by the State of New York and is in accordance with the EPA Revised MAP for accreditation under the TSCA Title II.

On this 23rd Day of April, 2016

Date(s) of course: 04/23/2016

Director: *Nicolas Portela*

*Nicolas Portela*


Expiration Date: 04/23/2017

Certificate #: 04232016AHRNY-22

Exam Date: 04/23/2016

Exam Grade: *92%*

*92%*



# Medical evaluation for respiratory protection

In compliance with 29 CFR 1910.134 Respiratory Protection Standard and CFR 1926.1101  
Asbestos Exposure in Construction

**ANDO-MED, INC**  
44-01 21st St. 3rd Fl.  
Long Island City, NY 11101  
tel.:(718) 349-3235

All the information that you provide in this questionnaire is strictly confidential and will become part of your medical record.

Date: 09/23/16

## Patient Information

<b>Patient SSN:</b> <b>Patient Name:</b> (First/MI/Last) <u>RICHARD FLORES</u>	<b>Sex:</b> <input checked="" type="radio"/> M <input type="radio"/> F	<b>Date of Birth:</b> (mm/dd/yyyy) <u>12-08-73</u>
<b>Patient address:</b> <u>25 FILMORE ST NEW HAVEN CT 1P1</u>		
<b>telephone number:</b> <u>203-627-6899</u>		

## Examination

<b>HEIGHT:</b> <u>5' 8"</u>	<b>WEIGHT:</b> <u>230 LB</u>	<b>BP:</b> <u>129/70</u>	<b>PULSE:</b> <u>84</u>	<b>RESP:</b> <u>18</u>
--------------------------------	---------------------------------	-----------------------------	----------------------------	---------------------------

Have you ever had any respiratory problems:

shortness of breath: no  
chest pain: no  
wheezing: no

<b>Tobacco:</b>	Do you use tobacco?..... <input type="radio"/> Currently <input type="radio"/> Previously <input checked="" type="radio"/> Never
	If previously, when did you quit?..... How many per day?.....

The above named individual has been informed of the increased risk of lung cancer attributable to the combined effects of smoking and asbestos exposure.

Based upon medical examination which included pulmonary function test it is my opinion that the above named patient

IS  **IS NOT**

physically qualified to wear a respirator in the performance of his/her job.

Christina Cronin

[Signature]

print name of physician RW  
NYS LIC # S66137

signature of physician



Safety & Environmental Training • Consulting

International, Inc.

(718) 349-3238

### QUALITATIVE RESPIRATORY FIT TEST

This Respirator Fit Test is valid for the period of twelve (12) months from the date of test.

**Richard Flores Acebo**

Name: \_\_\_\_\_

25 Filmore St. #1 New Haven CT 06513

Address: \_\_\_\_\_

SSN: 098-82-9234 DOB: 12/8/1973 TEL: (203) 627-6899

### RESPIRATORS TESTED - SUCCESSFUL TEST

Test Agent : 1. Irritant Smoke  2. Odorous Vapor \_\_\_\_\_ 3. Taste Test \_\_\_\_\_

### HALF FACE MASK ONLY

BRAND NAME: (1) NORTH (2) L SIZE (1) (2) \_\_\_\_\_

TEST DATE: 4/23/2016 FIT TEST NUMBER: 042316-HF-CA-10

Name of person performing respiratory fit test Confesor Acosta

Signature *Confesor Acosta*

ANDO International  
44-01 21st Street, #301  
Long Island City, NY 11101  
Tel: (718) 349-3235