Employee Name	EULALIO LEON
Current Asbestos License	12/31/2017
Current Asbestos Training	3/16/2017
Current Medical	3/17/2017
Current Respirator Fit Test	3/21/2017
Other	· ·
10 Hour OSHA	11/28/2018
Polychlorinated Biphenyl Confined Spaces Ladder Safety- Fall Protection Hazardous Waste & Emgcy Response PPE, Ergonomics & Hazard Asmt Lead Awareness	2/21/2015 9/24/2016 9/24/2016 10/8/2017 10/28/2016 5/31/2015



### **Lookup Detail View**

Name
Name
QUINACE THE REPORT OF THE STREET OF THE STRE
EULALIO LEON

### **License Information**

lookup

License Type	License Number	Expiration Date	Granted Date	License Name	License Status	Licensure Actions or Pending Charges
Asbestos	6548	12/31/2017	05/28/2003	Eulalio Leon	ACTIVE	None
Abatement Worker				Leon		

Generated on: 1/10/2017 11:17:16 AM



**Environmental Compliance and Occupational Safety Training** 44-01 21st St, 3rd Fl, Long Island City, NY 11101 Tel: (718) 349-3235 Fax: (718) 349-3238

## HEREBY CERTIFIES THAT

### Eulalio Leon

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

# ASBESTOS WORKER-REFRESHER (Spanish)

THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832 FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION

the Control of March, 2016 ...

Director: Nicolas Portela Nicolas Portela

23/16/2017 - Expiration Date: 63/16/2017

biodeo 15 circa Certificate #: 03162016AHRNY-06

Exam Date: 03/16/2016
Exam Grade: 76%

### Concentra Medical Centers (CT)

701 Main Street EAST HARTFORD, CT 06108 Phone: (860) 289-5561 Fax: (860) 291-1895

### PLHCP WRITTEN STATEMENT for RESPIRATORS (EMPLOYEE)

Service Date: 03/17/2016		
Employee Name:	Employee SSN:	XXX-XX-4374
eon salinas, Eulalio		
Address:		
29 concord street apt 2		
HAMDEN CT 06514		
Employer: AIG (Abatement Industries Grou	ıp) FKA Pike Falls	•
You were evaluated in this office of your me to wear a respirator. (Check 🗸 one that app	edical status related to your phy lies)	ysical capability
☐ There were no abnormal findings that would ☐ The abnormal findings listed below were no personal physician for further evaluation.	d hamper your ability to perform your related to wearing a respirator b	our job duties while wearing a respirator. out should be reported to your —
Based upon the results of this evaluation i	t is my opinion that you: (Chec	ck <u>ALL</u> that apply)
ARE qualified to wear a respirator.		
Have the following restrictions concerning r	espirator usage:	
DARE NOT qualified to wear a respirator.		
Require further testing by your private phys	sician who must submit a written re	eport of his/her findings to
Concentra Medical Centers (CT)		on your ability to wear a respirator can be mad
☐ Must wear Special prescription eye-wear n	eeded to accommodate respirator	<b>i.</b>
Must use an Eye glass conversion kit.	the seal on portain face masks	
May need to shave Facial hair to assure tig	int seal off certain face masks.	
$\square$ Need to stop smoking.		
(Check V ALL that apply)		
The above individual HAS been examined for respirator fitne	ss in accordance with 29 CFR 1910.134. This lin	mited evaluation is specific to respirator
use only. Employees should be instructed to report any difficu This evaluation included the Respiratory Questionnaire outlin	ulties in using respirators of change of any physic	cal status to their supervisor or physician.
		ation consisted of a review of OSHA's Medical Evaluation
Questionnaire in Appendix C Part A Section 2. In accordance to report any difficulties in using respirators or change of any	s with 20 MER 1910 134 this limited evaluation is	S SDECING TO TESONIATOR GOE OF THE PROPERTY OF
/ == awa tata tat		
TO US OF OCITA sequisements I have infer	med the above named individual of the results o	of this evaluation and of any medical conditions resulting from
exposures that may require further explanation or treatment. attributable to the combined effect of smoking and asbestos,	Where applicable, the above named individual i	has been informed of the increased risk of lang carries.
Respirators must be properly selected based on the containmen and warnings for proper use contained on the respirator packag and result in sickness or death. Wearer must be trained in the pr use and/or limitations.	nt and concentration levels to which the worker will	
$\sim$		
PLHCP Signature		Employee's Signature
1 C+O		3/17//7 Expiration Date
PLHCP Signature  / StOc  PLHCP Name (printed)		Expiration Date
<sup>1</sup> Physician or other Licensed Healthcare Professional		
	ained in the employee's file with a copy	y to the employee
r_plhcp_stmt_resp_employee	Page 1 of 1	Print Date: 03/17/2016  Revision Date: 04/06/2000

Revision Date: 04/06/2000

### **Concentra Medical Centers (CT)**

701 Main Street EAST HARTFORD, CT 06108 Phone: (860) 289-5561 Fax: (860) 291-1895

### EMPLOYER AUTHORIZATION AND INFORMATION FOR RESPIRATORY EVALUATION

EMPLOYER TO COMPLETE THE FOLLOWING:	Address:
Employee Name: Loop colines Eulalia	29 concord street apt 2
Employee Name: Leon salinas, Eulalio	HAMDEN CT 06514
Employer: AIG (Abatement Industries Group) FKA Pike Falls	Employee SSN: XXX-XX-4374
Check Type of Respirator(s) To Be Used (Check ✓ ALL that apply)	Extent of Useage (Check ✓ ALL that apply)
Air-purifying (non-powered)  Air-purifying (powered)	On a daily basis Total Hours
Atmosphere supplying Respirator	Occasionally - but not more than twice a week Total Hours
Combination air-line and SCBA	Rarely - or for Emergency situations only Total Hours
Continous-Flow Respirator	Expected Physical Effort Required (Check  ALL that apply)
☐ Supplied-Air Respirator	☐ Light ☐ Moderate ☐ Heavy
Open Circuit SCBA Closed Circuit SCBA	
Dust Mask 1/2 Face with Canisters Full Face with Canisters	
Make: Model: Cartridge:	☐ Arsenic ☐ Benzene
Special Work Conditions	☐ Coke Oven ☐ Cotton Seed / Dust
(Check ALL That Apply When Wearing Respirator)	☐ Cadmium ☐ Formaldehyde ☐ Methylene Chloride ☐ Lead
High Places	
Temperature Extremes Mostly Cold Mostly Hot	
Other:	Other(s):
Questionare will be: HAND CARRIED MAILED OTHER	EVALUATION AUTHORIZATION BY:
DO NOT WRITE BELOW THIS LINE DO NOT WRITE	BELOW THIS LINE DO NOT WRITE BELOW THIS LINE
PLHCP <sup>1</sup> WRITTEN STATEMENT for RESPI	RATORS (EMPLOYER)
This report may contain confidential medical information and is intended for the designated employ (ADA) imposes very strict limitations on the use of information obtained during physical examination must be collected and maintained on seperate forms, in seperate files, and must be treated as a confidence of Supervisors and managers may be informed about necessary restrictions on the work or duties	n of qualified individuals with disabilities. All information onfidential medical record, with the following exceptions:
First aid and safety personnel may be informed, when appropriate, if the disability might require	emergency treatment.
Based upon my findings, I have determined that this Individual (Check VALL that apply)	
Employee must schedule a medical examination with Concentra Medical Centers	prior to respirator approval and usage.
Class I - No Restrictions on Respirator Use  Class II - Some Specific Use Restrictions  To be used for Emergency Response	or Escape Only Other:
	of Escape only
Class III - Respirator Use is NOT PERMITTED  Further Testing / Evaluation is Required. 2	
Fit Test Required  Fit Test Performed Satisfactorily	
Fit Test Performed Unsatisfactorily  Fit Test NOT Performed at: Concent	ra Medical Centers (CT
Special prescription eyewear needed to accommodate respirator  Special prescription in Special prescri	escription eyewear needed to accommodate respirator
Facial hair needs to be shaved to assure tight seal on certain face masks.	
Physician or other Licensed Healthcare Professional Employee must seek further medical evaluation by a private physician who must submit a repo of his/her findings to	rt to Concentra Medical Centers (CT)
(Check_V ALL that apply)	
The above individual <u>HAS</u> been examined for respirator fitness in accordance with 29 CFR 19 use only. Employees should be instructed to report any difficulties in using respirators or change.	10.134. This limited evaluation is specific to respirator ge of any physical status to their supervisor or physician.
This evaluation included the Respiratory Questionnaire outlined in 29 CFR 1910.134.	
This evaluation included the respiratory education and the respirator fitness. The employee's Questionnaire in Appendix C Part A Section 2. In accordance with 29 CFR 1910.134, this limit	ed evaluation is specific to respirator use only. Employees would be instructed
to report any difficulties in using respirators or change of any physical status to their supervisor	i or physician. This evaluation included the respiratory edestronnance
outlined in 29 CFR 1910.134.  In accordance with specific OSHA requirements, I have informed the above named individual	of the results of this evaluation and of any medical conditions resulting from
exposures that may require further explanation or treatment. Where applicable, the above nar	ned individual has been informed of the increased risk of fully caricel
attributable to the combined effect of smoking and asbestos, lead and/or other chemical expo	sure(s).
Discisionals Cianobuse	Physician's Name (Printed)
Physician's Signature  P4120	3/17/17
Physician's License Number (Optional in Most States)	Date of Exam Expires On

r\_plhcp\_stmt\_resp\_employer

Page 1 of 1

Print Date:

03/17/2016

Revision Date:

06/29/1999

Concentra Medical Centers (CT)
701 Main Street EAST HARTFORD, CT 06108
Phone: (860) 289-5561 Fax: (860) 291-1895

### Medical Surveillance - Asbestos

Patient:	Leon salinas, Eulalio	Job Title:			
	XXX-XX-4374	Employer:	Pike Falls-Abate	ment Ind	
	12/07/1964	Address:	16 Hamilton St	_	
Gender:					
Marital Status:			West Haven, CT		
			Monica Giannett		
Address:	29 concord street apt 2		Primary Contact		
	HAMDEN, CT 06514	Phone:	(203) 932-9639	Ext.:	
Home Phone:	(203) 747-2771	Fax:	(203) 931-8786		
	Ext.:	Race:	ASIAN BLACK	HISPANIC INDIA	AN WHITE OTHER
The above individ	dual was seen on 03/17/2016 in a	ccordance with:	29 CFR 19 40 CFR 76		
The following w					
pulmonar	on and review of the standardized med y, cardiovascular, and gastrointestinal	systems per Appe	ndix D in 1926.1101	1.	
Review of represent	f the employer's description of: this e ative or anticipated exposure level, ar	mployee's duties as nd personal protect	s they relate to the clon equipment to be	employee's exposur e utilized by the emp	e, the employee's ployee.
Review o	f information from previous medical ex	xaminations if avail	able.		
<u> </u>	al examination with emphasis upon the			ointestinal systems.	
A pulmon	nary function test of forced vital capaci SH and ATS standards.				
A chest re	oentgenogram, posterior-anterior, 14x 6.1101. (M)(2)(ii)(C).	17 inches (or curre	nt film on file) with	interpretation in acc	ordance with 29
	According to 29 CFR 1926.1101 (M)(2)	)(li)(C), it is up to th	e discretion of the p	ohysician whether o	r not a chest X-ray
The emp	loyee was informed by the physician of estos exposure including the increase sexposure.	of the results of the ed risk of lung canc	exam and of any ner attributable to the	nedical conditions the combined effect of	nat may result f smoking and
employee at an in	noted below, this evaluation indicates ocreased risk of material health impair employee concerning the use of pers	ment trom exposur	e to aspestos, and	filete are no reconn	place the mended
Comments or limit	itations (if any):				
		n		3/1	7/16
	Provide	r Signature		/ [	)ale

Revision Date: 07/21/1999

Service Date: 03/17/2016

EasyOne™ DIAGNOSTIC 6.7 © ndd 2000-2010 SN 111890 RecNo 846 03/17/2016 02:29pm


Name ID Age Height Weight Gender Ethnic Smoker Asthma	51 5 ft 182   MAL	564374 8 in lbs,BMI 27.9	ı			ode tation ed Ref elect	-:- DI/ GC NH BE	AGNOSTIC DLD/Hardie HANES III EST VALUE	8pm
Test Results	Your Pre-Test	FEV1 is 859	% Predicted						
Parameter FVC[L] FEV1[L] FEV1/FVC[%] PEF[L/min] FEF25-75[L/s] FET[s] * Indicates Below LL	Best 4.15 3.07 74.0 424.7 2.39 7.46	Trial7 4.15 3.07 74.0 424.7 2.39 7.46 t Post Chang	Trial6 4.06 3.07 75.5 437.1 2.51 6.59	Trial3 3.77 2.89 76.7 375.2* 2.55 6.56	Pred 4.58 3.61 78.8 556.9 3.47	%Pred 91 85 94 76 69		Str	_

FVC Var=0.09L 2.2%;

Test Information

Session Quality A





Patient Information

FEV1 Var=0.00L 0.1%;

Normal Spirometry

Name


Pre-Test

Interpretation

- Pre-Test Trial7

Predicted

Legend



### **Respiratory Fit Test Record**

Employee Name: EUIQIO 1600
Social Security: 4374
Location: PIKE FALLS 16 HAMILTON STREET
WEST HAVEN CT 06516
Location if Different then Above:
Date Tested: 3131116
Type of Test: Irritant Smoke Qualitative Testing
Type of Respirator: North ½ Face (7700-30 small, medium, large) circle one
Test Results Pass Fail
Type of Respirator: <u>Racal PAPR</u> (under Negative Pressure)
Test Results: Pass Fail
Other Types of Respirator:
Test Results: Pass / Fail
•
Employee Signature: Date: 3/21/16
Administrator: