Employee Name	ALEJANDRO CORTE
Current Asbestos License	8/31/2017
Current Asbestos Training	5/25/2017
Current Medical	5/26/2017
Current Respirator Fit Test	5/31/2017
Other	
10 Hour OSHA	11/28/2018
Confined Spaces	9/24/2016
Ladder Safety-Fall Protection	9/24/2016
PPE, Ergonomics & Hazard Asmt	10/28/2016
Hazardous Waste & Emgcy Response	10/24/2016
Renovator Initial	12/23/2016
A LUANO I UVOA ACCATATION	The first of the second state of the second st



Lookup Detail View

Name

Name			
ALEJANDI	RO C	ORT	E

License Information

lookup

License Type	License Number	Expiration Date	Granted Date	License Name		Licensure Actions or Pending Charges
Asbestos Abatement Worker	10237	08/31/2017	05/28/2008	Alejandro Corte	ACTIVE	None

Generated on: 8/26/2016 10:35:41 AM



Environmental Compliance and Occupational Safety Training 44-01 21st St, 3rd Fl, Long Island City, Ny 11101 Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Alejandro Corte Barranco

HAS SUCCESSFULLY COMPLETED US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER

(In Spanish)

This course is provided in accordance with the EPA 40 CFR PART 763 under the TSCA Title II.

On this 25th Day of May, 2016 Date(s) of course: 05/25/2016

Director: Nicolas Portela

Expiration Date: 05/25/2017

Certificate #: 05/25/2016AHRNY-08

Exam Date: 05/25/2016

Exam Grade: " ["]

Concentra Medical Centers (CT)

370 James St Suite 304 NEW HAVEN, CT 06513 Phone: (203) 503-0482 Fax: (203) 503-0492

PLHCP WRITTEN STATEMENT for RESPIRATORS (EMPLOYEE)

Service Date: 05/26/2016	
Employee Name:	Employee SSN: XXX-XX-2815
Corte, Alejandro	
Address:	
1 Gilbert Street	
WEST HAVEN CT 06516	
Employer: AIG (Abatement Industries Group)	FKA Pike Falls
You were evaluated in this office of your medic	
to wear a respirator. (Check 🗸 <u>one</u> that applies	·)
There were no abnormal findings that would have the abnormal findings listed below were not repersonal physician for further evaluation.	amper your ability to perform your job duties while wearing a respirator. elated to wearing a respirator but should be reported to your
Based upon the results of this evaluation it is	my opinion that you: (Check 🗸 ALL that apply)
☐ ARE qualified to wear a respirator.	
	oirator usage:
ARE NOT qualified to wear a respirator.	
Require further testing by your private physicia	n who must submit a written report of his/her findings to
Concentra Medical Centers (CT)	so that a final decision on your ability to wear a respirator can be made.
☐ Must wear Special prescription eye-wear need	ed to accommodate respirator.
☐ Must use an Eye glass conversion kit.	
May need to shave Facial hair to assure tight s	seal on certain face masks.
☐ Need to stop smoking.	
(Check V ALL that apply)	
The above individual <u>HAS</u> been examined for respirator fitness in	accordance with 29 CFR 1910.134. This limited evaluation is specific to respirator in using respirators or change of any physical status to their supervisor or physician.
This are tradical included the Recairatory Questionnaire outlined in	29 CFR 1910 134.
The above individual <u>HAS NOT</u> been examined by me for respiral Questionnaire in Appendix C Part A Section 2. In accordance with to report any difficulties in using respirators or change of any physics.	tor fitness. The employee's medical evaluation consisted of a review of OSHA's Medical Evaluation 29 CFR 1910.134, this limited evaluation is specific to respirator use only. Employees should be instructed ical status to their supervisor or physician. This evaluation included the Respiratory Questionnaire
outlined in 29 CFR 1910.134.	the above named individual of the results of this evaluation and of any medical conditions resulting from
exposures that may require further explanation or treatment. Whe attributable to the combined effect of smoking and asbestos, lead	re applicable, the above named individual has been informed of the increased risk of fully carteer
Respirators must be properly selected based on the containment and	concentration levels to which the worker will be exposed. Failure to follow the use and fitting instruction ad/or failure to wear the respirator during all times of exposure can reduce the respirator's effectiveness care of any respirator.Refer to product literature and packaging for specific information regarding fit,
AT a	X 1
tolle PAC	Mampioyee's Signature
PLHCP Signature	
PLHCP Signature KKSley KINSlaw PM PLHCP Name (printed) 1 Physician or other Licensed Healthcare Professional	5/26/16 Expiration Date
PLHCP Name (printed)	Expiration Date
	d in the employee's file with a copy to the employee

Page 1 of 1

05/26/2016 04/06/2000

r_plhcp_stmt_resp_employee

Print Date:

Concentra Medical Centers (CT)

370 James St Suite 304 NEW HAVEN, CT 06513 Phone: (203) 503-0482 Fax: (203) 503-0492

EMPLOYER AUTHORIZATION AND INFORMATION FOR RESPIRATORY EVALUATION

EMPLOYER TO COMPLETE THE FOLLOWING:		Address:	
Employee Name: Corte, Alejandro		1 Gilbert Street	
		WEST HAVEN	CT 06516
Employer: AIG (Abatement Industries Group) FKA Pike Falls		Employee SSN: XXX-XX-2815	
Check Type of Respirator(s) To Be Used (Check ✓ALL	that apply)	Extent of Useage (Check VAL	L that apply)
☐ Air-purifying (non-powered) ☐ Air-purifying (powered)	red)	On a daily basis Total	Hours
Atmosphere supplying Respirator			han twice a week Total Hours
Combination air-line and SCBA		Rarely - or for Emergency sit	
Continous-Flow Respirator		Expected Physical Effort Requir	1 N 1 N 1 N 1 N 1 N 1 N 1 N 1 N 1 N 1 N
Supplied-Air Respirator		☐ Light ☐ Moderate	Heavy
☐ Open Circuit SCBA ☐ Closed Circuit SCBA ☐ Dust Mask ☐ 1/2 Face with Canisters ☐ Full Fa	ace with Canisters	Exposure to Hazardous Materia	
Make:Model:Cartridge	e:	☐ Arsenic	Benzene
Special Work Conditions		☐ Coke Oven	Cotton Seed / Dust
(Check ALL That Apply When Wearing Respirator)		☐ Cadmium	☐ Formaldehyde☐ Lead
The state of the s	rotective Clothing	Methylene Chloride	☐ Chromium
	lostly Hot	☐ Textiles	Li Cinomiani
Other:		Other(s):	
	OTHER	EVALUATION AUTHORIZATION I	BY:
DO NOT WRITE BELOW THIS LINE	DO NOT WRITE E	SELOW THIS LINE DO	O NOT WRITE BELOW THIS LINE
PLHCP ¹ WRITTEN STAT	EMENT for RESPIR	ATORS (EMPLOYER)	
PHYSICIAN WILL COMPLETE THE FOLLOWING			
This report may contain confidential medical information and is intended	I for the designated employe	contact only. The Americans with Disabili	iles Act
(ADA) imposes very strict limitations on the use of information obtained	during physical examination	of qualified individuals with disabilities. All	exceptions:
must be collected and maintained on seperate forms, in seperate files, a Supervisors and managers may be informed about necessary restri	and must be treated as a cor ctions on the work or duties (of an employee and necessary accommodi	ations.
First aid and safety personnel may be informed, when appropriate, i	f the disability might require	emergency treatment.	
	(Check ✓ ALL that apply)		
Employee must schedule a medical examination with Concent	a Medical Centers	(CT) prior to respirator approv	ral and usage.
Class I - No Restrictions on Respirator Use			
Class II - Some Specific Use Restrictions	d for Emergency Response of	r Escape Only Other: _	
Class III - Respirator Use is NOT PERMITTED			
Further Testing / Evaluation is Required. 2			
Fit Test Required Fit Test Perform			
	rformed at: Concentr	Medical Centers (C7	reenirator
Special prescription eyewear needed to accommodate respirator		scription eyewear needed to accommodate	respirator
Facial hair needs to be shaved to assure tight seal on certain face n	nasks.		
Physician or other Licensed Healthcare Professional Employee must seek further medical evaluation by a private physici	an who must submit a report	to Concentra Medical Cente	ers (CT)
of his/her findings to	all title these sections are		
(Cheœk ✓ ALL that apply)			
The above individual <u>HAS</u> been examined for respirator fitness in a	accordance with 20 CER 191	n 134. This limited evaluation is specific to	respirator
use only. Employees should be instructed to report any difficulties in	n using respirators or change	e of any physical status to their supervisor	or physician.
This are the time is alreaded the Respiratory Questionnaire outlined in	29 CFR 1910.134.		
—	or fitness. The employee's m	edical evaluation consisted of a review of	OSHA's Medical Evaluation
C to A - monday C Bort A Conting 2 In accordance With	29 CFR 1910.134, this limite	d evaluation is specific to respirator use or	ily. Employees would be men deter
to report any difficulties in using respirators or change of any physi	cal status to their supervisor	of physician. This evaluation included the	toophator) wastername
outlined in 29 CFR 1910.134. In accordance with specific OSHA requirements, I have informed the	ne above named individual o	f the results of this evaluation and of any m	nedical conditions resulting from
exposures that may require further explanation or treatment. When	e applicable, the above nam	ed individual has been informed of the inci-	eased risk of lung cancer
attributable to the combined effect of smoking and asbestos, lead	and/or other chemical expos	ure(s).	sla 1 PAC
Na/1.w Ptc		NOO) KIN	Sico IN
Physician's Signature		Physician's Name (F	rinted)
Physician's Signature OQ80 / CT		5/2b//b	Slaw PA (Printed) Slab/17 Expires On
Physician's License Number (Optional in Most St	ates)	Date of Exam	Expires On
r plhcp stmt resp employer	Page 1 of 1	F	Print Date: 05/26/2016

Concentra Medical Centers (CT) 370 James St Suite 304 NEW HAVEN, CT 06513 Phone: (203) 503-0482 Fax: (203) 503-0492

Medical Surveillance - Asbestos

Patient:	Corte, Alejandro	Job Title:			-
SSN:	XXX-XX-2815	Employer:	Pike Falls-Abate	ment Ind	-
DOB:	08/13/1981	Address:	16 Hamilton St	and the second s	_
Gender:	М	-			
Marital Status:	S		West Haven, CT		-
Address:	1 Gilbert Street		Monica Giannett Primary Contact		_
	WEST HAVEN OF OCEAS		(203) 932-9639		_
	WEST HAVEN, CT 06516	Fax:	(203) 931-8786		_
	(203) 430-3797 Ext.:	-			_
Work Phone:	EXI	Race:	ASIAN BLACK	HISPANIC IN	DIAN WHITE OTHER
	lual was seen on 05/26/2016 in a	accordance with:	29 CFR 19 40 CFR 76		
The following w	•	P 1 - P - 1		th angelol amphe	paia directed to the
Completio pulmonary	n and review of the standardized me r, cardiovascular, and gastrointestina	edical questionnaire al systems per Appei	and work history windix D in 1926.1101	ith special empha I.	asis directed to the
Review of representa	the employer's description of: this eative or anticipated exposure level, a	employee's duties as and personal protecti	they relate to the e	employee's expose utilized by the e	sure, the employee's mployee.
Review of	information from previous medical e	examinations if availa	able.		
A physical	examination with emphasis upon th	e pulmonary, cardio	vascular, and gastr	ointestinal syster	ns.
	ary function test of forced vital capac H and ATS standards.	ity (FVC) and forced	l expiratory volume	at one second (F	FEV 1) in accordance
	entgenogram, posterior-anterior, 14x 3.1101. (M)(2)(ii)(C).	x17 inches (or curre	nt film on file) with i	nterpretation in a	ccordance with 29
NOTE: Adis required	ccording to 29 CFR 1926.1101 (M)(2 d.	()(ii)(C), it is up to the	e discretion of the p	hysician whether	or not a chest X-ray
The emplo from asbe asbestos	byee was informed by the physician estos exposure including the increase exposure.	of the results of the ed risk of lung cance	exam and of any m er attributable to the	edical conditions combined effect	that may result of smoking and
employee at an inc	noted below, this evaluation indicates creased risk of material health impair employee concerning the use of pers	rment from exposure	e to asbestos, and t	here are no reco	ld place the mmended
Comments or limit	ations (if any):				
	AT Ilse	-	,	51:	26/16
	Provide	r Signature			Date

Revision Date: 07/21/1999

Service Date: 05/26/2016


EasyOne™ DIAGNOSTIC 6.7 © ndd 2000-2010 SN 111239 RecNo 1562 05/26/2016 03:31pm

Patient Information		<u>Test Information</u>	
Name		Test Date/Time	05/26/2016 03:31pm
ID	000002815	Post Time	-:- -
Age	34	Test Mode	DIAGNOSTIC
Height	5 ft 2 in	Interpretation	GOLD/Hardie
Weight	215 lbs,BMI 39.6	Predicted Ref	Knudson83 * 1.00
Gender	MALE	Value Select	BEST VALUE
Ethnic	HISPANIC	Tech ID	
Smoker	YES	Automated QC	ON
Asthma	NO	BTPS (IN/EX)	J 1.02

Test Results	Your FEV1 is 118% Predicted. Your Lung Age is 34					
	Pre-Test					
<u>Parameter</u>	<u>Best</u>	Trial3	Trial2	Trial1	Pred	%Pred
FVC[L]	4.31	4.31	4.19	3.71	3.46	125
FEV1[L]	3.45	3.45	3.30	2.84	2.93	118
FEV1/FVC[%]	0.08	0.08	78.7	76.7	83.1	96
PEF(L/min)	514.5	514.5	530.6	450.6	454.5	113
FEF25-75[L/s]	3.32	3.32	2.91	2.38	3.34	99
FET[s]	7.30	7.30	8.21	8.19		-

Pre-Test FEV1 Var=0.15L 4.3%; FVC Var=0.12L 2.8%; Session Quality B Interpretation Normal Spirometry

reviewed KK 5/26/14



Respiratory Fit Test Record

Employee Name: Alguado Coche
Social Security: <u>274</u> 30 28/5
Location: PIKE FALLS 16 HAMILTON STREET
WEST HAVEN CT 06516
Location if Different then Above:
Date Tested:
Type of Test: <u>Irritant Smoke Qualitative Testing</u>
Type of Respirator: North ½ Face (7700-30 small, medium, large) circle one
Test Results Pass Fail
Type of Respirator: <u>Racal PAPR</u> (under Negative Pressure)
Test Results: Pass / Fail
Other Types of Respirator:
Test Results: Pass / Fail
Employee Signature: Date: Date: Date:
Administrator: Fam May Date: 5/31/16