To: George Alexander, NRC

From: Matt Norton, CIH, CSP, DDES LLC

Date: March 25, 2019

**Subject: Elevated Measurement Comparison for the Fort Mims Site License Number: 24-16273-01**

In response to the Nuclear Regulatory Commission's (NRC) Request for Additional Information (ML19017A049) for Sigma-Aldrich's Fort Mims Site to evaluate the site-specific derived concentration guideline levels ($DGCL_w$). After review of the options for moving forward, the team has determined that performing elevated concentration measurements (ECM) of the four (4) areas which exceed the proposed DCGL for C-14 of 401 pCi/g provides the most direct method to support the unrestricted release of the property.

We have identified the following samples that had C-14 results which exceeded the proposed $DCGL_w$.

| Sample Location | Depth (meter) | Result (pCi/g) |
|---|---|---|
| 29-047 | 1 | 422 |
| 29-061 | 0.15 | 483 |
| 29-049 | 1 | 978 |
| 29-045 | 0.15 | 1,290 |

A dose assessment using RESRAD version 7.2 was performed for each of these areas. Only the area of contamination was adjusted based on the distances between adjacent sample locations, all other site-specific RESRAD parameters remained unchanged. A dose-based assessment was performed for each sample location to assess the potential dose to a member of the critical exposure group from the hot spot. The EMC assessment dose modeling results are as follows.

| Sample Location | Depth (meters) | Result (pCi/g) | TEDE (mrem/yr) | Basis |
|---|---|---|---|---|
| 29-045 | 0.15 | 1,290 | 7.67 | 1,290 was applied to the 0-0.15 meter results only |
| | 1 | 4.00 | | |
| | 2 | 0.739 | | |
| | | **Total:** | **7.67** | |
| 29-047 | 0.15 | 12.1 | 13.01 | 422 pCi/g was applied to the 0-2 meter depth |
| | 1 | 422 | | |
| | 2 | 30.8 | | |
| | | **Total:** | **13.01** | |
| 29-049 | 0.15 | 38.4 | | |

| Sample Location | Depth (meters) | Result (pCi/g) | TEDE (mrem/yr) | Basis |
|---|---|---|---|---|
| | 1 | 978 | 16.94 | 189 pCi/g was applied to 0-2 meters and the dose from 978 pCi/g for 0-1 meters was added |
| | 2 | 189 | 5.83 | |
| | | **Total:** | **22.77** | |
| 29-061 | 0.15 | 483 | 14.89 | 483 pCi/g was applied to the 0-2 meter depth |
| | 1 | 128 | | |
| | 2 | 398 | | |
| | | **Total:** | **14.89** | |

**Summary**

The results indicate that a target receptor would not receive a dose in excess of 25 millirem/year from the individual hot spots. As a conservative approach, the highest value from each location was selected to represent the entire hot-spot volume for locations 29-045, 29-047 and 29-061. For location 29-049, the calculated dose using 189 pCi/g from 0.0-2 meters (total volume) was then added to the calculated dose of 978 pCi/g from interval 0.0 – 1.0 meter. These methods would conservatively overestimate the potential doses. The actual dose would be lower than those shown in the table above. The RESRAD Summary reports are provided as Attachment 1.

The data show that the locations remaining at the Fort Mims Site with soil results above the proposed site specific DCGL of 401 pCi/g would not result in a dose exceeding 25 millirem/year to the critical group. We believe the site meets the release criteria as stated in Title 10 Code of Federal Regulations (10 CFR) Subpart E Section 1402 "*Radiological criteria for unrestricted use*."

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary ... 3
Summary of Pathway Selections ... 7
Contaminated Zone and Total Dose Summary ... 8
Total Dose Components
Time = 0.000E+00 ... 9
Time = 1.000E+00 ... 10
Time = 3.000E+00 ... 11
Time = 1.000E+01 ... 12
Time = 3.000E+01 ... 13
Time = 1.000E+02 ... 14
Time = 3.000E+02 ... 15
Time = 1.000E+03 ... 16
Dose/Source Ratios Summed Over All Pathways ... 17
Single Radionuclide Soil Guidelines ... 17
Dose Per Nuclide Summed Over All Pathways ... 18
Soil Concentration Per Nuclide ... 18

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Dose Conversion Factor (and Related) Parameter Summary
Dose Library: DCFPAK3.02 (Adult)

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|---|---|---|---|---|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | C-14 (Source: DCFPAK3.02) | 1.106E-05 | 1.106E-05 | DCF1( 1) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | C-14(p) (Class: S) | 2.120E-05 | 2.120E-05 | DCF2( 1) |
| B-1 | C-14(g) (Class: G Dioxide) | 2.310E-08 | 2.310E-08 | C14GInhDCF |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | C-14 | 2.150E-06 | 2.150E-06 | DCF3( 1) |
| D-34 | Food transfer factors: | | | |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | 5.500E+00 | 5.500E+00 | RTF( 1,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.100E-02 | 3.100E-02 | RTF( 1,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTF( 1,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | C-14 , fish | 5.000E+04 | 5.000E+04 | BIOFAC( 1,1) |
| D-5 | C-14 , crustacea and mollusks | 9.100E+03 | 9.100E+03 | BIOFAC( 1,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R011 | Area of contaminated zone (m**2) | 1.960E+02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 1.500E-01 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 1.980E+01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T( 2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T( 3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T( 4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T( 5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T( 6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T( 7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T( 8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T( 9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| | | | | | |
| R012 | Initial principal radionuclide (pCi/g): C-14 | 1.290E+03 | 0.000E+00 | --- | S1(1) |
| R012 | Concentration in groundwater (pCi/L): C-14 | not used | 0.000E+00 | --- | W1( 1) |
| | | | | | |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 4.200E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 5.000E+00 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 1.040E+01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 2.000E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 5.000E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 1.000E+00 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 2.000E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| | | | | | |
| R014 | Density of saturated zone (g/cm**3) | 3.700E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 5.000E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 3.600E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3.150E+02 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | 5.300E+00 | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | --- | UW |
| | | | | | |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 6.000E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for C-14 | | | | |
| R016 | Contaminated zone (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCC( 1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCU( 1,1) |
| R016 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | --- | DCNUCS( 1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 2.108E+00 | ALEACH( 1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK( 1) |
| R017 | Inhalation rate (m**3/yr) | 1.140E+04 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 1.700E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 6.000E-02 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE( 1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE( 2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE( 3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE( 4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE( 5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE( 6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE( 7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE( 8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE( 9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA( 1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA( 2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA( 3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA( 4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA( 5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA( 6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA( 7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA( 8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA( 9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | not used | -1 | --- | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | not used | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | --- | TE(3) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | --- | WLAM |
| | | | | | |
| C14 | C-12 concentration in water (g/cm**3) | 2.000E-05 | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3.000E-02 | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | 2.000E-02 | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | 9.800E-01 | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3.000E-01 | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 7.000E-07 | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 1.000E-10 | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | 8.000E-01 | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | 2.000E-01 | 2.000E-01 | --- | AVFG5 |
| | | | | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 2.000E+01 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| | | | | | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| | | | | | |
| TITL | Number of graphical time points | 32 | --- | --- | NPTS |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 257 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|---|---|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | suppressed |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|---|---|---|---|
| Area: | 196.00 square meters | C-14 | 1.290E+03 |
| Thickness: | 0.15 meters | | |
| Cover Depth: | 0.00 meters | | |

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| TDOSE(t): | 1.214E-03 | 3.627E-14 | 0.000E+00 | 2.346E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| M(t): | 4.857E-05 | 1.451E-15 | 0.000E+00 | 9.384E-02 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

Maximum TDOSE(t): 7.671E+00 mrem/yr at t = 9.26 ± 0.02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.259E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.259E+00 years

Water Dependent Pathways

| Radio-Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 7.671E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.671E+00 | 1.0000 |
| Total | 7.671E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.671E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 9.388E-05 | 0.0773 | 9.278E-04 | 0.7641 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.926E-04 | 0.1586 |
| Total | 9.388E-05 | 0.0773 | 9.278E-04 | 0.7641 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.926E-04 | 0.1586 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.214E-03 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.214E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.822E-15 | 0.0778 | 2.770E-14 | 0.7637 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.748E-15 | 0.1585 |
| Total | 2.822E-15 | 0.0778 | 2.770E-14 | 0.7637 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.748E-15 | 0.1585 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.627E-14 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.627E-14 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.346E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.346E+00 | 1.0000 |
| Total | 2.346E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.346E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|---|---|
| C-14 | C-14 | 1.000E+00 | 9.413E-07 | 2.811E-17 | 2.507E-38 | 1.819E-03 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| C-14 | 2.656E+07 | *4.479E+12 | *4.479E+12 | 1.375E+04 | *4.479E+12 | *4.479E+12 | *4.479E+12 | *4.479E+12 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 9.26 ± 0.02 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|---|---|---|---|---|---|---|
| C-14 | 1.290E+03 | 9.26 ± 0.02 | 5.947E-03 | 4.204E+03 | 5.947E-03 | 4.204E+03 |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 045 015 IND C14.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 1.214E-03 | 3.627E-14 | 0.000E+00 | 2.346E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 1.290E+03 | 3.877E-08 | 3.501E-29 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.36 seconds

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary ... 3
Summary of Pathway Selections ... 7
Contaminated Zone and Total Dose Summary ... 8
Total Dose Components
Time = 0.000E+00 ... 9
Time = 1.000E+00 ... 10
Time = 3.000E+00 ... 11
Time = 1.000E+01 ... 12
Time = 3.000E+01 ... 13
Time = 1.000E+02 ... 14
Time = 3.000E+02 ... 15
Time = 1.000E+03 ... 16
Dose/Source Ratios Summed Over All Pathways ... 17
Single Radionuclide Soil Guidelines ... 17
Dose Per Nuclide Summed Over All Pathways ... 18
Soil Concentration Per Nuclide ... 18

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Dose Conversion Factor (and Related) Parameter Summary
Dose Library: DCFPAK3.02 (Adult)

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|---|---|---|---|---|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | C-14 (Source: DCFPAK3.02) | 1.106E-05 | 1.106E-05 | DCF1( 1) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | C-14(p) (Class: S) | 2.120E-05 | 2.120E-05 | DCF2( 1) |
| B-1 | C-14(g) (Class: G Dioxide) | 2.310E-08 | 2.310E-08 | C14GInhDCF |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | C-14 | 2.150E-06 | 2.150E-06 | DCF3( 1) |
| D-34 | Food transfer factors: | | | |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | 5.500E+00 | 5.500E+00 | RTF( 1,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.100E-02 | 3.100E-02 | RTF( 1,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTF( 1,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | C-14 , fish | 5.000E+04 | 5.000E+04 | BIOFAC( 1,1) |
| D-5 | C-14 , crustacea and mollusks | 9.100E+03 | 9.100E+03 | BIOFAC( 1,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R011 | Area of contaminated zone (m**2) | 1.210E+02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 1.000E+00 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 1.550E+01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T( 2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T( 3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T( 4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T( 5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T( 6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T( 7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T( 8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T( 9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| | | | | | |
| R012 | Initial principal radionuclide (pCi/g): C-14 | 9.780E+02 | 0.000E+00 | --- | S1(1) |
| R012 | Concentration in groundwater (pCi/L): C-14 | not used | 0.000E+00 | --- | W1( 1) |
| | | | | | |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 4.200E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 5.000E+00 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 1.040E+01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 2.000E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 5.000E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 1.000E+00 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 2.000E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| | | | | | |
| R014 | Density of saturated zone (g/cm**3) | 3.700E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 5.000E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 3.600E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3.150E+02 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | 5.300E+00 | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | --- | UW |
| | | | | | |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 6.000E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for C-14 | | | | |
| R016 | Contaminated zone (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCC( 1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCU( 1,1) |
| R016 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | --- | DCNUCS( 1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 3.162E-01 | ALEACH( 1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK( 1) |
| R017 | Inhalation rate (m**3/yr) | 1.140E+04 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 1.700E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 6.000E-02 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE( 1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE( 2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE( 3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE( 4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE( 5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE( 6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE( 7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE( 8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE( 9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA( 1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA( 2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA( 3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA( 4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA( 5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA( 6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA( 7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA( 8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA( 9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | not used | -1 | --- | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | not used | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | --- | TE(3) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | --- | WLAM |
| | | | | | |
| C14 | C-12 concentration in water (g/cm**3) | 2.000E-05 | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3.000E-02 | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | 2.000E-02 | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | 9.800E-01 | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3.000E-01 | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 7.000E-07 | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 1.000E-10 | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | 8.000E-01 | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | 2.000E-01 | 2.000E-01 | --- | AVFG5 |
| | | | | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 2.000E+01 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| | | | | | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| | | | | | |
| TITL | Number of graphical time points | 32 | --- | --- | NPTS |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 1 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|---|---|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | suppressed |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|---|---|---|---|
| Area: | 121.00 square meters | C-14 | 9.780E+02 |
| Thickness: | 1.00 meters | | |
| Cover Depth: | 0.00 meters | | |

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| TDOSE(t): | 4.274E-03 | 4.053E-06 | 3.502E-12 | 3.259E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| M(t): | 1.710E-04 | 1.621E-07 | 1.401E-13 | 1.304E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

Maximum TDOSE(t): 1.694E+01 mrem/yr at t = 9.20 ± 0.02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.199E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.199E+00 years

Water Dependent Pathways

| Radio-Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.694E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.694E+01 | 1.0000 |
| Total | 1.694E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.694E+01 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.340E-04 | 0.0548 | 3.733E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.069E-04 | 0.0718 |
| Total | 2.340E-04 | 0.0548 | 3.733E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.069E-04 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.274E-03 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.274E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.219E-07 | 0.0548 | 3.540E-06 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.910E-07 | 0.0718 |
| Total | 2.219E-07 | 0.0548 | 3.540E-06 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.910E-07 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.053E-06 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.053E-06 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.917E-13 | 0.0548 | 3.058E-12 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.514E-13 | 0.0718 |
| Total | 1.917E-13 | 0.0548 | 3.058E-12 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.514E-13 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.502E-12 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.502E-12 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 3.259E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.259E+00 | 1.0000 |
| Total | 3.259E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.259E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|---|---|
| C-14 | C-14 | 1.000E+00 | 4.370E-06 | 4.144E-09 | 3.580E-15 | 3.332E-03 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| C-14 | 5.721E+06 | 6.033E+09 | *4.479E+12 | 7.503E+03 | *4.479E+12 | *4.479E+12 | *4.479E+12 | *4.479E+12 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 9.20 ± 0.02 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|---|---|---|---|---|---|---|
| C-14 | 9.780E+02 | 9.20 ± 0.02 | 1.732E-02 | 1.443E+03 | 1.732E-02 | 1.443E+03 |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 2 IND C14 V978.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 4.274E-03 | 4.053E-06 | 3.502E-12 | 3.259E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 9.780E+02 | 9.292E-01 | 8.059E-07 | 3.204E-28 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.32 seconds

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary ... 3
Summary of Pathway Selections ... 7
Contaminated Zone and Total Dose Summary ... 8
Total Dose Components
Time = 0.000E+00 ... 9
Time = 1.000E+00 ... 10
Time = 3.000E+00 ... 11
Time = 1.000E+01 ... 12
Time = 3.000E+01 ... 13
Time = 1.000E+02 ... 14
Time = 3.000E+02 ... 15
Time = 1.000E+03 ... 16
Dose/Source Ratios Summed Over All Pathways ... 17
Single Radionuclide Soil Guidelines ... 17
Dose Per Nuclide Summed Over All Pathways ... 18
Soil Concentration Per Nuclide ... 18

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Dose Conversion Factor (and Related) Parameter Summary
Dose Library: DCFPAK3.02 (Adult)

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|---|---|---|---|---|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | C-14 (Source: DCFPAK3.02) | 1.106E-05 | 1.106E-05 | DCF1( 1) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | C-14(p) (Class: S) | 2.120E-05 | 2.120E-05 | DCF2( 1) |
| B-1 | C-14(g) (Class: G Dioxide) | 2.310E-08 | 2.310E-08 | C14GInhDCF |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | C-14 | 2.150E-06 | 2.150E-06 | DCF3( 1) |
| D-34 | Food transfer factors: | | | |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | 5.500E+00 | 5.500E+00 | RTF( 1,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.100E-02 | 3.100E-02 | RTF( 1,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTF( 1,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | C-14 , fish | 5.000E+04 | 5.000E+04 | BIOFAC( 1,1) |
| D-5 | C-14 , crustacea and mollusks | 9.100E+03 | 9.100E+03 | BIOFAC( 1,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R011 | Area of contaminated zone (m**2) | 1.210E+02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 2.000E+00 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 1.550E+01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T( 2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T( 3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T( 4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T( 5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T( 6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T( 7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T( 8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T( 9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| | | | | | |
| R012 | Initial principal radionuclide (pCi/g): C-14 | 1.890E+02 | 0.000E+00 | --- | S1(1) |
| R012 | Concentration in groundwater (pCi/L): C-14 | not used | 0.000E+00 | --- | W1( 1) |
| | | | | | |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 4.200E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 5.000E+00 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 1.040E+01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 2.000E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 5.000E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 1.000E+00 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 2.000E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| | | | | | |
| R014 | Density of saturated zone (g/cm**3) | 3.700E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 5.000E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 3.600E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3.150E+02 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | 5.300E+00 | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | --- | UW |
| | | | | | |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 6.000E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for C-14 | | | | |
| R016 | Contaminated zone (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCC( 1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCU( 1,1) |
| R016 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | --- | DCNUCS( 1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.581E-01 | ALEACH( 1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK( 1) |
| R017 | Inhalation rate (m**3/yr) | 1.140E+04 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 1.700E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 6.000E-02 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE( 1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE( 2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE( 3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE( 4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE( 5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE( 6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE( 7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE( 8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE( 9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA( 1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA( 2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA( 3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA( 4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA( 5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA( 6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA( 7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA( 8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA( 9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | not used | -1 | --- | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | not used | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | --- | TE(3) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | --- | WLAM |
| | | | | | |
| C14 | C-12 concentration in water (g/cm**3) | 2.000E-05 | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3.000E-02 | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | 2.000E-02 | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | 9.800E-01 | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3.000E-01 | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 7.000E-07 | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 1.000E-10 | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | 8.000E-01 | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | 2.000E-01 | 2.000E-01 | --- | AVFG5 |
| | | | | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 2.000E+01 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| | | | | | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| | | | | | |
| TITL | Number of graphical time points | 32 | --- | --- | NPTS |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 257 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|---|---|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | suppressed |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|---|---|---|---|
| Area: | 121.00 square meters | C-14 | 1.890E+02 |
| Thickness: | 2.00 meters | | |
| Cover Depth: | 0.00 meters | | |

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| TDOSE(t): | 1.602E-03 | 4.943E-05 | 4.656E-08 | 2.204E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| M(t): | 6.409E-05 | 1.977E-06 | 1.863E-09 | 8.816E-02 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

Maximum TDOSE(t): 5.828E+00 mrem/yr at t = 9.27 ± 0.02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 7.703E-19 | 0.0000 | 1.229E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.010E-18 | 0.0000 |
| Total | 7.703E-19 | 0.0000 | 1.229E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.010E-18 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Dependent Pathways

| Radio-Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 5.828E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.828E+00 | 1.0000 |
| Total | 5.828E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.828E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 8.774E-05 | 0.0548 | 1.400E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.151E-04 | 0.0718 |
| Total | 8.774E-05 | 0.0548 | 1.400E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.151E-04 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.602E-03 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.602E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.706E-06 | 0.0548 | 4.317E-05 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.549E-06 | 0.0718 |
| Total | 2.706E-06 | 0.0548 | 4.317E-05 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.549E-06 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.943E-05 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.943E-05 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.550E-09 | 0.0548 | 4.067E-08 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.343E-09 | 0.0718 |
| Total | 2.550E-09 | 0.0548 | 4.067E-08 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.343E-09 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.656E-08 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.656E-08 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 5.889E-20 | 0.0000 | 9.394E-19 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.722E-20 | 0.0000 |
| Total | 5.889E-20 | 0.0000 | 9.394E-19 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.722E-20 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.204E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.204E+00 | 1.0000 |
| Total | 2.204E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.204E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|---|---|
| C-14 | C-14 | 1.000E+00 | 8.478E-06 | 2.615E-07 | 2.464E-10 | 1.166E-02 | 3.868E-33 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| C-14 | 2.949E+06 | 9.559E+07 | 1.015E+11 | 2.144E+03 | *4.479E+12 | *4.479E+12 | *4.479E+12 | *4.479E+12 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 9.27 ± 0.02 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|---|---|---|---|---|---|---|
| C-14 | 1.890E+02 | 9.27 ± 0.02 | 3.084E-02 | 8.107E+02 | 3.084E-02 | 8.107E+02 |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 049 1 IND C14 V2.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 1.602E-03 | 4.943E-05 | 4.656E-08 | 2.204E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 1.890E+02 | 5.835E+00 | 5.506E-03 | 1.279E-13 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.46 seconds

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary ... 3
Summary of Pathway Selections ... 7
Contaminated Zone and Total Dose Summary ... 8
Total Dose Components
Time = 0.000E+00 ... 9
Time = 1.000E+00 ... 10
Time = 3.000E+00 ... 11
Time = 1.000E+01 ... 12
Time = 3.000E+01 ... 13
Time = 1.000E+02 ... 14
Time = 3.000E+02 ... 15
Time = 1.000E+03 ... 16
Dose/Source Ratios Summed Over All Pathways ... 17
Single Radionuclide Soil Guidelines ... 17
Dose Per Nuclide Summed Over All Pathways ... 18
Soil Concentration Per Nuclide ... 18

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Dose Conversion Factor (and Related) Parameter Summary
Dose Library: DCFPAK3.02 (Adult)

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|---|---|---|---|---|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | C-14 (Source: DCFPAK3.02) | 1.106E-05 | 1.106E-05 | DCF1( 1) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | C-14(p) (Class: S) | 2.120E-05 | 2.120E-05 | DCF2( 1) |
| B-1 | C-14(g) (Class: G Dioxide) | 2.310E-08 | 2.310E-08 | C14GInhDCF |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | C-14 | 2.150E-06 | 2.150E-06 | DCF3( 1) |
| D-34 | Food transfer factors: | | | |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | 5.500E+00 | 5.500E+00 | RTF( 1,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.100E-02 | 3.100E-02 | RTF( 1,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTF( 1,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | C-14 , fish | 5.000E+04 | 5.000E+04 | BIOFAC( 1,1) |
| D-5 | C-14 , crustacea and mollusks | 9.100E+03 | 9.100E+03 | BIOFAC( 1,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R011 | Area of contaminated zone (m**2) | 1.210E+02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 2.000E+00 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 1.550E+01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T( 2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T( 3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T( 4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T( 5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T( 6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T( 7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T( 8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T( 9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| | | | | | |
| R012 | Initial principal radionuclide (pCi/g): C-14 | 4.220E+02 | 0.000E+00 | --- | S1(1) |
| R012 | Concentration in groundwater (pCi/L): C-14 | not used | 0.000E+00 | --- | W1( 1) |
| | | | | | |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 4.200E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 5.000E+00 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 1.040E+01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 2.000E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 5.000E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 1.000E+00 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 2.000E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| | | | | | |
| R014 | Density of saturated zone (g/cm**3) | 3.700E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 5.000E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 3.600E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3.150E+02 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | 5.300E+00 | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | --- | UW |
| | | | | | |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 6.000E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for C-14 | | | | |
| R016 | Contaminated zone (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCC( 1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCU( 1,1) |
| R016 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | --- | DCNUCS( 1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.581E-01 | ALEACH( 1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK( 1) |
| R017 | Inhalation rate (m**3/yr) | 1.140E+04 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 1.700E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 6.000E-02 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE( 1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE( 2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE( 3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE( 4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE( 5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE( 6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE( 7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE( 8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE( 9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA( 1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA( 2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA( 3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA( 4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA( 5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA( 6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA( 7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA( 8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA( 9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | not used | -1 | --- | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | not used | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | --- | TE(3) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | --- | WLAM |
| | | | | | |
| C14 | C-12 concentration in water (g/cm**3) | 2.000E-05 | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3.000E-02 | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | 2.000E-02 | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | 9.800E-01 | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3.000E-01 | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 7.000E-07 | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 1.000E-10 | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | 8.000E-01 | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | 2.000E-01 | 2.000E-01 | --- | AVFG5 |
| | | | | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 2.000E+01 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| | | | | | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| | | | | | |
| TITL | Number of graphical time points | 32 | --- | --- | NPTS |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 1 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|---|---|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | suppressed |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|---|---|---|---|
| Area: | 121.00 square meters | C-14 | 4.220E+02 |
| Thickness: | 2.00 meters | | |
| Cover Depth: | 0.00 meters | | |

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| TDOSE(t): | 3.578E-03 | 1.104E-04 | 1.040E-07 | 4.921E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| M(t): | 1.431E-04 | 4.414E-06 | 4.159E-09 | 1.969E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

Maximum TDOSE(t): 1.301E+01 mrem/yr at t = 9.27 ± 0.02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.720E-18 | 0.0000 | 2.744E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.256E-18 | 0.0000 |
| Total | 1.720E-18 | 0.0000 | 2.744E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.256E-18 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Dependent Pathways

| Radio-Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.301E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.301E+01 | 1.0000 |
| Total | 1.301E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.301E+01 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.959E-04 | 0.0548 | 3.125E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.569E-04 | 0.0718 |
| Total | 1.959E-04 | 0.0548 | 3.125E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.569E-04 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.578E-03 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.578E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 6.043E-06 | 0.0548 | 9.640E-05 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.924E-06 | 0.0718 |
| Total | 6.043E-06 | 0.0548 | 9.640E-05 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.924E-06 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.104E-04 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.104E-04 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 5.693E-09 | 0.0548 | 9.081E-08 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.465E-09 | 0.0718 |
| Total | 5.693E-09 | 0.0548 | 9.081E-08 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.465E-09 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.040E-07 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.040E-07 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.315E-19 | 0.0000 | 2.097E-18 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.724E-19 | 0.0000 |
| Total | 1.315E-19 | 0.0000 | 2.097E-18 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.724E-19 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 4.921E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.921E+00 | 1.0000 |
| Total | 4.921E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.921E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|---|---|
| C-14 | C-14 | 1.000E+00 | 8.478E-06 | 2.615E-07 | 2.464E-10 | 1.166E-02 | 3.868E-33 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| C-14 | 2.949E+06 | 9.559E+07 | 1.015E+11 | 2.144E+03 | *4.479E+12 | *4.479E+12 | *4.479E+12 | *4.479E+12 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 9.27 ± 0.02 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|---|---|---|---|---|---|---|
| C-14 | 4.220E+02 | 9.27 ± 0.02 | 3.084E-02 | 8.107E+02 | 3.084E-02 | 8.107E+02 |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 047 2 IND C14 V422.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 3.578E-03 | 1.104E-04 | 1.040E-07 | 4.921E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 4.220E+02 | 1.303E+01 | 1.229E-02 | 2.857E-13 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.31 seconds

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
Site-Specific Parameter Summary ... 3
Summary of Pathway Selections ... 7
Contaminated Zone and Total Dose Summary ... 8
Total Dose Components
Time = 0.000E+00 ... 9
Time = 1.000E+00 ... 10
Time = 3.000E+00 ... 11
Time = 1.000E+01 ... 12
Time = 3.000E+01 ... 13
Time = 1.000E+02 ... 14
Time = 3.000E+02 ... 15
Time = 1.000E+03 ... 16
Dose/Source Ratios Summed Over All Pathways ... 17
Single Radionuclide Soil Guidelines ... 17
Dose Per Nuclide Summed Over All Pathways ... 18
Soil Concentration Per Nuclide ... 18

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Dose Conversion Factor (and Related) Parameter Summary
Dose Library: DCFPAK3.02 (Adult)

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|---|---|---|---|---|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | C-14 (Source: DCFPAK3.02) | 1.106E-05 | 1.106E-05 | DCF1( 1) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | C-14(p) (Class: S) | 2.120E-05 | 2.120E-05 | DCF2( 1) |
| B-1 | C-14(g) (Class: G Dioxide) | 2.310E-08 | 2.310E-08 | C14GInhDCF |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | C-14 | 2.150E-06 | 2.150E-06 | DCF3( 1) |
| D-34 | Food transfer factors: | | | |
| D-34 | C-14 , plant/soil concentration ratio, dimensionless | 5.500E+00 | 5.500E+00 | RTF( 1,1) |
| D-34 | C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.100E-02 | 3.100E-02 | RTF( 1,2) |
| D-34 | C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.200E-02 | 1.200E-02 | RTF( 1,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | C-14 , fish | 5.000E+04 | 5.000E+04 | BIOFAC( 1,1) |
| D-5 | C-14 , crustacea and mollusks | 9.100E+03 | 9.100E+03 | BIOFAC( 1,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.
*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R011 | Area of contaminated zone (m**2) | 1.210E+02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 2.000E+00 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 1.550E+01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T( 2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T( 3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T( 4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T( 5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T( 6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T( 7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T( 8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T( 9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| | | | | | |
| R012 | Initial principal radionuclide (pCi/g): C-14 | 4.830E+02 | 0.000E+00 | --- | S1(1) |
| R012 | Concentration in groundwater (pCi/L): C-14 | not used | 0.000E+00 | --- | W1( 1) |
| | | | | | |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 4.200E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 5.000E+00 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 1.040E+01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 2.000E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 5.000E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 1.000E+00 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 2.000E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| | | | | | |
| R014 | Density of saturated zone (g/cm**3) | 3.700E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 5.000E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 3.600E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 2.000E-01 | 2.000E-01 | --- | FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3.150E+02 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 2.000E-02 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | 5.300E+00 | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 1.000E-03 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 1.000E+01 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | 2.500E+02 | 2.500E+02 | --- | UW |
| | | | | | |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 6.000E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.500E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 4.000E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.000E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 5.300E+00 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 1.000E+01 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for C-14 | | | | |
| R016 | Contaminated zone (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCC( 1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 8.000E-01 | 0.000E+00 | --- | DCNUCU( 1,1) |
| R016 | Saturated zone (cm**3/g) | 0.000E+00 | 0.000E+00 | --- | DCNUCS( 1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.581E-01 | ALEACH( 1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK( 1) |
| R017 | Inhalation rate (m**3/yr) | 1.140E+04 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 7.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 1.700E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 6.000E-02 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE( 1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE( 2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE( 3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE( 4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE( 5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE( 6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE( 7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE( 8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE( 9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA( 1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA( 2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA( 3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA( 4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA( 5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA( 6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA( 7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA( 8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA( 9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3.650E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 5.100E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | not used | -1 | --- | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | not used | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | --- | TE(3) |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | --- | WLAM |
| | | | | | |
| C14 | C-12 concentration in water (g/cm**3) | 2.000E-05 | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3.000E-02 | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | 2.000E-02 | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | 9.800E-01 | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3.000E-01 | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 7.000E-07 | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 1.000E-10 | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | 8.000E-01 | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | 2.000E-01 | 2.000E-01 | --- | AVFG5 |
| | | | | | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 2.000E+01 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| | | | | | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| | | | | | |
| TITL | Number of graphical time points | 32 | --- | --- | NPTS |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---|---|---|---|---|---|
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 1 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|---|---|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | suppressed |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|---|---|---|---|
| Area: | 121.00 square meters | C-14 | 4.830E+02 |
| Thickness: | 2.00 meters | | |
| Cover Depth: | 0.00 meters | | |

Total Dose TDOSE(t), mrem/yr
Basic Radiation Dose Limit = 2.500E+01 mrem/yr
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| TDOSE(t): | 4.095E-03 | 1.263E-04 | 1.190E-07 | 5.633E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |
| M(t): | 1.638E-04 | 5.053E-06 | 4.760E-09 | 2.253E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

Maximum TDOSE(t): 1.489E+01 mrem/yr at t = 9.27 ± 0.02 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.969E-18 | 0.0000 | 3.140E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.582E-18 | 0.0000 |
| Total | 1.969E-18 | 0.0000 | 3.140E-17 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.582E-18 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.267E+00 years

Water Dependent Pathways

| Radio-Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.489E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.489E+01 | 1.0000 |
| Total | 1.489E+01 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.489E+01 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 2.242E-04 | 0.0548 | 3.577E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.940E-04 | 0.0718 |
| Total | 2.242E-04 | 0.0548 | 3.577E-03 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.940E-04 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.095E-03 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.095E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 6.916E-06 | 0.0548 | 1.103E-04 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.070E-06 | 0.0718 |
| Total | 6.916E-06 | 0.0548 | 1.103E-04 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.070E-06 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.263E-04 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.263E-04 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 6.516E-09 | 0.0548 | 1.039E-07 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.544E-09 | 0.0718 |
| Total | 6.516E-09 | 0.0548 | 1.039E-07 | 0.8734 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.544E-09 | 0.0718 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.190E-07 | 1.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.190E-07 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 1.505E-19 | 0.0000 | 2.401E-18 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.973E-19 | 0.0000 |
| Total | 1.505E-19 | 0.0000 | 2.401E-18 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.973E-19 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 5.633E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.633E+00 | 1.0000 |
| Total | 5.633E+00 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.633E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| C-14 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|---|---|
| C-14 | C-14 | 1.000E+00 | 8.478E-06 | 2.615E-07 | 2.464E-10 | 1.166E-02 | 3.868E-33 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|---|---|---|---|---|---|---|---|---|
| C-14 | 2.949E+06 | 9.559E+07 | 1.015E+11 | 2.144E+03 | *4.479E+12 | *4.479E+12 | *4.479E+12 | *4.479E+12 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 9.27 ± 0.02 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|---|---|---|---|---|---|---|
| C-14 | 4.830E+02 | 9.27 ± 0.02 | 3.084E-02 | 8.107E+02 | 3.084E-02 | 8.107E+02 |

Summary : RESRAD Default Parameters
File : E:\FMS RESRAD\FMS EMC SITE SPECIFIC DCGL 29 061 2 IND C14 V2.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 4.095E-03 | 1.263E-04 | 1.190E-07 | 5.633E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| C-14 | C-14 | 1.000E+00 | 4.830E+02 | 1.491E+01 | 1.407E-02 | 3.270E-13 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.29 seconds