

Facility: Ginna		Date of Exam: 9/27/2018		Exam Level: RO X		SRO X	
Item Description				Initial			
				a	b*	c*#	
1.	Questions and answers are technically accurate and applicable to the facility.			RO	N/A	RO	
2.	a.	NRC K/As are referenced for all questions.				RO	
	b.	Facility learning objectives are referenced as available.					
	c.	Correct answer explanation and distractor analysis provided (ES-401, D.2.g)					
3.	SRO questions are appropriate in accordance with Section D.2.d of ES-401					RO	
4.	The sampling process was random and systematic. (If more than four RO or two SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).					RO	
5.	Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate.  ___ The audit exam was systematically and randomly developed, or ___ the audit exam was completed before the license exam was started, or <input checked="" type="checkbox"/> the examinations were developed independently, or ___ the licensee certifies that there is no duplication, or ___ other (explain).					RO	
6.	Bank use meets limits (no more than 75% from the bank, at least 10% new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New			RO
		44% 33	6.7% 5	0% 0	49.3% 37		
7.	Between 38 and 45 questions of the questions on the RO exam and at least 13 questions of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level (see ES-401, D.2.c); enter the actual RO/SRO-only question distribution(s) at right.	Memory	C/A				RO
		36 <del>38</del>	18	39	17 <del>18</del>		
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.					RO	
9.	Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.					RO	
10.	Question psychometric quality and format meet the guidelines in Appendix B.					RO	
11.	The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.			↓	↓	RO	
Printed Name/Signature						Date	
a.	Author	Multiple Region 1 examiners (**)			N/A		
b.	Facility Reviewer (*)	N/A			N/A		
c.	NRC Chief Examiner (#)	Peter Presby / Peter Presby (***)			5/3/19		
d.	NRC Regional Supervisor	Donald Jackson / [Signature]			5/6/19		
Note: * The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence is required.							

\*\*\* Form not completed prior to exam administration. However, this exam ~~was~~ was reviewed in its entirety by headquarters 10LB prior to finalization and all quality attributes were verified by Chief Examiner prior to exam administration.