

Facility: <u>Dresden Generating Station</u>		Date of Examination: <u>4/8/19</u>
Examination Level: RO <input checked="" type="checkbox"/> SRO <input type="checkbox"/>		Operating Test Number: <u>2019-301</u>
Administrative Topic (see Note)	Type Code*	Describe activity to be performed
Conduct of Operations	R, D	Perform NSO Daily Logs to Calculate Sump Flowrates Generic 2.1.18 3.6 / --
Conduct of Operations	R, N	Perform Torus Water Level Correction Generic 2.1.25 3.9 / --
Equipment Control	R, D, P	Verify Standby Liquid Control Heater Surveillance Generic 2.2.12 3.7 / --
Radiation Control	R, D	Perform Calculation for Radioactive Discharge to River Generic 2.3.11 3.8 / --
Emergency Plan		
NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).		
* Type Codes and Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs and RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1 , randomly selected)		

Facility: <u>Dresden Generating Station</u>		Date of Examination: <u>4/8/19</u>
Examination Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>		Operating Test Number: <u>2019-301</u>
Administrative Topic (see Note)	Type Code*	Describe activity to be performed
Conduct of Operations	R, D	Initiate a Firewatch Generic 2.1.8 -- / 4.1
Conduct of Operations	R, D	Determine Actions Required for a Security Threat Generic 2.1.20 -- / 4.6
Equipment Control	R, D	Verify Semi-Annual HRSS AFU Operability Test Generic 2.2.12 -- / 4.1
Radiation Control	R, D, P	Select Personnel for Radiation Work Generic 2.3.13 -- / 3.8
Emergency Plan	S, N	EAL Determination – Failure of Fission Product Barriers Generic 2.4.41 -- / 4.6
NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).		
* Type Codes and Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs and RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1 , randomly selected)		