

## Gryglak, Magdalena

---

**From:** Gryglak, Magdalena  
**Sent:** Thursday, May 16, 2019 12:07 PM  
**To:** mary.hennings-frank@dmshealth.com  
**Subject:** CN 612028, Request to remove a location of use, NRC License no. 10-29283-02, Digirad Imaging Solutions Inc.

Good afternoon Ms. Hennings-Frank:

I am reviewing your request to remove a location of use at 901 E. Lincolnway, Ste. 102, LaPorte, Indiana, from your license.

In order to proceed with the amendment, I need some additional information:

Please provide a signed and dated letter containing the following information:

- 1) A list of the radioisotopes (unsealed material) used and the last date the material was used at the location of use;
- 2) A list/inventory of sealed sources used at this location of use;
- 3) The leak test results for each sealed sources (if required) before the sources were transferred;
- 4) Indicate disposition of each source (i.e. sources transferred to another location on license/state the location, low level waste disposal facility, another authorized recipient etc.);
- 5) Provide receipt acknowledgement letter (from the recipient licensee Radiation Safety Officer) for each source transferred to another authorized recipient, confirming such receipt;
- 6) Provide the background reading (mR/hr) at the location;
- 7) Provide your guidance/actions levels for the ambient exposure and contamination readings;
- 8) Provide the calibration date for the Ludlum survey meter, SN 90202.
- 9) Confirm that all radioactive waste has been decayed to background and has been disposed.
- 10) Confirm that all sealed sources were removed from the location of use.
- 11) Confirm that there is no radioactive material present at the location of use.

You may provide your response via email (as a pdf document) directly to me.

Please let me know if you have any questions.

Thank you

Magdalena R. Gryglak  
US. NRC Region III  
630-829-9875