



**UNITED NUCLEAR CORPORATION**

6  
Folder 3  
91  
5/3  
BY TERRY HENRY  
MORRISVILLE, CONNECTICUT  
TEL. 860-2511

In Reply, Please  
Refer To: NIS: 75-3-25

ITD

March 12, 1976

Mr. Paul R. Nelson, Chief  
Radiological and Environmental  
Protection Branch  
Directorate of Regulatory Operations  
Region I  
631 Park Avenue  
King of Prussia, Pennsylvania 19406

ATTN: Mr. Karl Plunias

Gentlemen:

This letter verifies that the calibration sources which were located in our H-Tract facility during the NRC inspection of March 8th through March 10, 1976 have been transferred to our Morrisville site as of March 12, 1976. Specifically these are two (2) 50 milligram Radium 226 sources; one (1) approximately three millicurie Cobalt 60 source; one (1) approximately 10 microcurie Cesium 137 source; one (1) .01 microcurie Plutonium 239 source; one .0026 microcurie Strontium 90 source and two (2) alpha check sources of approximately 4000 counts per minute each.

Sincerely yours,

R.J. Pyzel, Manager  
Nuclear and Industrial  
Safety Department

RJP:cjm

INFORMATION CATEGORY

UNCLASIFIED  
  
3-15-76  
DATE