



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
2443 WARRENVILLE RD. SUITE 210  
LISLE, IL 60532-4352

July 12, 2019

Dr. Richard S. Longley, M.D.  
Radiation Safety Officer  
Thyroid and Diabetes Management Center  
8939 Broadway  
Merrillville, IN 46410

SUBJECT: NRC OFFICE OF INVESTIGATIONS REPORT NO. 3-2018-010

Dear Dr. Longley:

This refers to an investigation conducted by the U.S. Nuclear Regulatory Commission (NRC) Office of Investigations (OI) to determine whether you, as the Radiation Safety Officer at the Thyroid and Diabetes Management Center, willfully violated a number of regulatory requirements by neither keeping a medical physics consultant nor performing the work to maintain compliance with NRC requirements. Based on the evidence developed during the investigation, we did not substantiate the allegation. The synopsis from the OI Report of Investigation is enclosed.

If you have any questions or comments regarding this matter, please contact an NRC Region III Office Allegation Coordinator by calling (800) 522-3025. The NRC Region III Office Allegation Coordinators are Jim Heller, Paul Pelke, and Sarah Bakhsh.

In accordance with Title 10 of the *Code of Federal Regulations* (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter, its enclosure, and your response, if any, will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room). You should note that final NRC documents, including the final OI reports, may be made available to the public under the Freedom of Information Act (FOIA) subject to redaction of information pursuant to the FOIA. Requests under the FOIA should be made in accordance

R. Longley

- 2 -

with 10 CFR 9.23, Request for Records. The instructions for making a request for information under the FOIA are accessible at <http://www.nrc.gov/reading-rm/foia/foia-request.html>.

Sincerely,

*/RA/*

Aaron T. McCraw, Chief  
Materials Inspection Branch  
Division of Nuclear Materials Safety

Docket No. 030-35963  
License No. 13-32380-01

Enclosure:  
OI Synopsis

Letter to R. Longley from A. McCraw; dated July 12, 2019

SUBJECT: NRC OFFICE OF INVESTIGATIONS REPORT NO. 3-2018-010

bcc w/encl: AMS File No. RIII-2018-A-0024

ADAMS Accession No.: ML19193A175

FILE NAME: G:\OR\III\EICS\ALLEGATIONS\AMS-LTRS\18 AMS\180024\ Thyroid and Diabetes Management Center \180024\ OI synopsis to lic.docx

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	N	OI:RIII	N	RIII	N	RIII	N
NAME	PRPelke		PMeyer*		Cameron**		McCraw	
DATE	07/11/19		07/11/19		07/11/19		07/12/19	

**OFFICIAL RECORD COPY**

\* For permission to release OI synopsis. \*\* The 3-week e-mail has expired.

## SYNOPSIS

This investigation was initiated on September 18, 2018, by the U.S. Nuclear Regulatory Commission (NRC), Office of Investigations, Region III, to determine whether a radiation safety officer (RSO) at the Thyroid and Diabetes Management Center in Merrillville, Indiana, willfully violated a number of regulatory requirements by neither keeping a medical physics consultant nor performing the work to maintain compliance with NRC requirements.

Based on the evidence developed, the allegation that an RSO willfully violated a number of regulatory requirements by neither keeping a medical physics consultant nor performing the work to maintain compliance with NRC requirements is not substantiated.