



UNITED STATES  
ATOMIC ENERGY COMMISSION  
DIRECTORATE OF REGULATORY OPERATIONS  
REGION I  
970 BROAD STREET  
NEWARK, NEW JERSEY 07102

Reg. File Cy. DR Central File

OCT 31 1972

Metropolitan Edison Company  
Attention: Mr. J. G. Miller  
Vice President  
P.O. Box 542  
Reading, Pennsylvania

Docket No. 50-289

Gentlemen:

This refers to the inspection conducted by Mr. B. K. McLeod and Mr. T. A. Re-  
belowski of this office on October 18, 19, 26 and 27, 1972, of activities  
authorized by AEC Construction Permit No. CPPR-40 and to the discussions of  
our findings held by Mr. McLeod with Messrs. Barton and Wise of your staff  
at the conclusion of the inspection visits.

Areas examined during this inspection included the preoperational testing  
program, post erection cleaning and quality assurance. Within these areas,  
the inspection consisted of selective examinations of procedures and re-  
presentative records, interviews with plant personnel, and observations by  
our inspectors.

In addition, our inspector examined the areas identified in our letter to  
you dated September 26, 1972. We have no further questions with regard to  
those items identified in our September 26, 1972 letter.

During this inspection, it was found that certain activities appeared to be  
in violation of Part 50 of the Commission's regulations. The item and  
references to the pertinent requirement are listed in the enclosure to this  
letter. This notice is sent to you pursuant to the provisions of Section 2.201  
of the AEC's "Rules of Practice", Part 2, Title 10, Code of Federal Regula-  
tions. Section 2.201 requires you to submit to this office within twenty  
(20) days of your receipt of this notice, a written statement or explana-  
tion in reply including: (1) Corrective steps which have been taken by you,  
and the results achieved; (2) Corrective steps which will be taken to avoid  
further violations; and (3) The date when full compliance will be achieved.

Should you have any questions concerning this inspection, we will be pleas-  
ed to discuss them with you.

Sincerely,

1566 199

*James P. O'Reilly*  
James P. O'Reilly  
Director

Enclosure:  
Description of Violation

911110004

*Ret*  
Q

cc: Mr. J. L. Wise, Superintendent  
Three Mile Island Nuclear Station

bcc: RO Chief, Reactor Construction Branch, HQ  
RO Chief, Reactor Test & Operations Branch, HQ  
RO:HQ (4)  
Region III  
Directorate of Licensing, HQ (4)  
DR Central Files  
PDR  
Local PDR  
NSIC  
DTIE  
State of Pennsylvania

1566 200