

OCT 19 1979

DISTRIBUTION

Docket File OELD
 NRR Reading M. Groff EDO-
 RAB Reading G. Ertter (6888)
 W. Pasciak C. Paul
 F. Congel A. Ferguson
 T. Murphy SECY (3) 79-2108
 W. Kreger OCA (3)
 D. Muller TMI PS Reading
 H. Denton TMI A/D Reading
 E. Case NRC/Local PDR

For: The Commissioners
Thru: Executive Director for Operations
 (Signed) Harold R. Denton
From: Harold R. Denton, Director
 Office of Nuclear Reactor Regulation

Subject: INFORMATION REQUEST CONCERNING RADIOLOGICAL RELEASES AT TMI

Purpose: Approval of a letter to Congressman Morris Udall and Congressman James Weaver

Discussion: On July 13, 1979, Congressman Morris Udall and Congressman James Weaver requested information (see Enclosure 2) concerning the magnitude of radiological releases as a result of the incident at Three Mile Island Nuclear Station, and estimates of the degree of uncertainty in the calculations of human exposure.

The proposed response to these Congressmen (Enclosure 1) addresses their concerns. It relies on data collected by Metropolitan Edison (the licensee), on a report prepared by the Ad Hoc Interagency Dose Assessment Group for Releases to the Atmosphere, and on a draft document for the releases to the aquatic environment that is being prepared by the Radiological Assessment Branch staff.

1546 262

POOR ORIGINAL

Original signed by
E. G. Case

Harold R. Denton, Director
Office of Nuclear Reactor Regulation

- Enclosures:
 1. Proposed Response
 2. Ltr fm. Congressman Udall and Congressman Weaver, dtd 7/13/79

*b.c.c. Bill Shotton
40 [initials] 10-22-79*

Contact:
W. Pasciak, NRR

OFFICE	RAB:DSE	RAB:DSE	RAB:DSE	DSE:SA	DSE	NRR
SURNAME	WPasciak:pc	FCongel	TMurphy	WKreger	DMiller	HDenton
DATE	10/2/79	10/3/79	10/3/79	10/3/79	10/4/79	10/ /79

7912180 37!

IDENTICAL LTR (w/o cc to ~~Syams~~) SENT TO
REPRESENTATIVE JAMES WEAVER

The Honorable Morris K. Udall, Chairman
Subcommittee on Energy & the Environment
Committee on Interior & Insular Affairs
U.S. House of Representatives
Washington, D. C. 20515

POOR ORIGINAL

Dear Mr. Chairman:

This letter is in response to your letter dated July 13, 1979, requesting information regarding the releases of radioactive materials to the environment for the period of March 28, 1979 through April 7, 1979, at Three Mile Island Nuclear Station. You requested our position regarding the following points:

1. The magnitude of the release that occurred each day during the period March 28 through April 7 of iodine, xenon, and other isotopes that might have contributed significantly to human exposure.
2. The degree of uncertainty and sources thereof in estimates of the radiological release and resulting human exposure.
3. The staff's calculations leading to estimates of the release of iodine, xenon, and other isotopes, and calculations of human exposure to ionizing radiation.

With regard to the magnitude of releases that occurred, enclosure 1 lists data collected by Metropolitan Edison's consultants, Porter-Certz Consultants, Inc., for releases that were made to the atmosphere. Based on radioactivity species measurements made both in the plume and at off-site locations, only iodine and noble gases are listed in the enclosure because they were the only radioactive materials that were released of any consequence.

The radioiodine releases were determined from an analysis of iodine collecting charcoal cartridges in the effluent sampling system for the Unit 2 station exhaust vent. For I-131, the licensee has estimated approximately 14 curies released through May, 1979. Since this estimate was made from measurements of samples from the source of release, we independently estimate that it is accurate within a factor of about two.

The station noble gas monitoring system was made inoperative by high radioactivity levels very early in the accident. Therefore, noble gas releases were estimated from offsite TLD measurements, the meteorological dispersion characteristics during the accident, and the plume radionuclide composition as determined by helicopter measurements. This calculational procedure has substantial uncertainty in estimating noble gas releases. The detailed

OFFICE >

SURNAME >

DATE >

procedures for estimating a source term in this manner are described in a report by the licensees' consultants, Pickard, Lowe, and Garrick.⁽¹⁾ In this report the activity of noble gases released is estimated to be about 10 million curies during the first month after the accident, most of which was released during the first few days. It should also be mentioned that an alternative method for measuring the source term which is based on a correlation of recordings from an area radiation monitor inside the building near the release duct with the effluent monitor, has been developed by Dr. Carol Burger of Oak Ridge National Laboratory for the President's Commission on TMI.⁽²⁾ Her results were that the total noble gas activity released was about 2.4 million curies. The staff will review that report when it is released by the President's Commission on TMI. The NRC currently has a Task Force reviewing whether the TMI accident was an Extraordinary Nuclear Occurrence (10 CFR 140.83). In this connection, we are again reviewing the releases from TMI and will make publicly available the results of this review when available near the end of October.

Based on our analysis of the uncertainties existing in the factors above, the estimate that 10 million curies of Xe-133 were released could range from about 1 million curies to 40 million curies. However, it is important to note that this uncertainty in the noble gas source does not affect our confidence in the population doses or the associated health effects in any way. The reason for this lies with the fact that the doses were measured directly in the environment and do not depend on knowledge of source magnitude. Enclosure 2 describes and provides an analysis of the magnitude of the releases that were made to the river. These values were determined from actual measurements of samples of effluents prior to release. At no time were the licensee's release limits as set by the technical specifications violated for the liquid discharges when the release rates are averaged over one day.⁽³⁾ Operating within the technical specifications limits would assure that the resulting radiological impact is minimal or non-existent.

- (1) Woodard, Keith, "Assessment of Offsite Radiation Doses from the Three Mile Island Unit 2 Accident", July 31, 1979, Report TDR-TMI-116, Pickard, Lowe and Garrick, Consultants.
- (2) Burger, Carol, "Report by the Task Group on Health Physics and Dosimetry", Sept. 28, 1979, President's Commission on TMI.
- (3) Executive Summary of Liquid and Gaseous Releases from TMI Porter-Gertz Consultants, Inc., August 24, 1979.

1546 264

POOR ORIGINAL

OFFICE					
SURNAME					
DATE					

Our response to your question regarding the uncertainties in the health impacts requires rather detailed discussion. Presently, the NRC staff and the Metropolitan Edison consultants have relied on off-site dose data (from TLD's) to estimate both the magnitude of the noble gas releases and the magnitude of human exposure. Estimations of human exposure for various distances and directions from TMI were interpolated from the TLD data using several calculational procedures. These procedures are described in the Ad Hoc Committee Report⁽⁴⁾ and enclosure 3. It is the NRC staff's position that the individual doses estimated in this way are reasonable and most likely overestimate the doses received by real individuals. Nevertheless, the doses calculated in this manner were used to estimate the cumulative population dose and health effects. Based on the Ad Hoc Committee Report,⁽⁴⁾ the estimated population dose is 3300 man-rem with a range from 1600 to 5300 man-rem. Using the 3300 man-rem value, less than one additional fatal cancer (0.7) is expected over the lifetime of the exposed population (about 2,000,000 people). Depending upon the opinion of various experts in the field of risk estimation, the health impact can range from a minimum of zero (0) to as much as about 10 additional fatal cancers. We are not aware of any new information that would significantly affect these conclusions.

The staff calculation of doses and health effects are contained in the Ad Hoc Committee Report⁽⁴⁾ for air releases and in enclosure 2 for river releases. Enclosure 3 describes the staff's procedure for estimating noble gas releases. In addition, enclosure 3 contains a more detailed description of a procedure to estimate population doses. The licensee's radioiodine releases information listed in enclosure 1 is primarily based on direct measurements of activity in charcoal cartridges. Samples of liquid were analyzed prior to discharge; thus, the liquid releases are based on direct measurements rather than on calculations. Hence, no calculational methods were needed for the radioiodine or liquid release values.

Sincerely,

1546 265

Joseph M. Hendrie
Chairman

Enclosures: see attached page

POOR ORIGINAL

(4) Population Dose and Health Impact of the Accident at Three Mile Island Nuclear Station, U.S. Nuclear Regulatory Commission, Washington, D. C. 20555, May 1979.

OFFICE	▶	Washington, D. C. 20555, May 1979.				
SURNAME	▶					
DATE	▶					

The Honorable Morris Udall 4

Enclosures:

1. Summary of Gaseous Releases to the Environment
at TMI During the Period of 3/28-3/31/79
2. Releases of Radionuclides into the Susquehanna River
from TMI During the Period of 3/28-5/11/79 -
Data and Analysis
3. A Method for Calculating Doses to the Population from
Xe-133 Releases During the Three Mile Island Accident

~~cc: Rep. STEVEN S. S~~

1546 266

POOR ORIGINAL

OFFICE ▶
SURNAME ▶
DATE ▶