## INTERIM REPORT

	Contractor's Report No.
Contract Program or Project Title:	Experimental Criticality Data for Code
Validation	
Subject of this Document: Informa	al monthly progress report
Type of Document: Progress report	ted for November 1979
Author(s): S. R. Bierman	
Date of Document: December 3, 197	79
Responsible NRC Individual and NRC	Office or Division:
Donald E. Solberg, Chief, Systems F	Performance Research Branch, SAFER:RES

This document was prepared primarily for preliminary or internal use. It has not received full review and approval. Since there may be substantive changes, this document should not be considered final.

Prepared by
Battelle
Pacific Northwest Laboratories
P.O. Box 999
Richland, Washington, 99352

Prepared for U.S. Nuclear Regulatory Commission Washington, D.C. 20555

NRC FIN No. B2094

1599 057

Waginging

INTERIM REPORT

Fin B2094



Pacific Northwest Laboratories P.O. Box 999 Richland, Washington U.S.A. 99352 Telephone (509) 442-2270 FTS 444-2270 Telex 15-2874

1599 058

December 3, 1979

Mr. Donald E. Solberg Fuel Cycle Research Branch Division of Safeguards, Fuel Cycle & Environment Office of Nuclear Regulatory Research Nuclear Regulatory Commission Mail Stop 1130 Washington, DC 20555

Dear Mr. Solberg:

Subject: Review of Program - Experimental Criticality Data for Code Validation (Fin. No. B2094, TD0-777)

Data reduction and analysis is continuing for the criticality experiments completed in FY-1979 with 2.35 wt% and 4.3 wt%  $^{235}$ U enriched UO $_2$  rods in water at a water-to-fuel ratio of 1.6. Also the experimental assembly is being modified to permit completing the experiments, at this moderation ratio, with Boral, Boroflex, and Cadmium plates in a three fuel cluster arrangement. As you probably recall, and as anticipated, there was insufficient 2.35 wt%  $^{235}\text{U}$  enriched fuel for these experiments in a four cluster arrangement.

Very truly yours,

& R Bierman S. R. Bierman, Project Manager

Criticality Analysis

SRB:1t

cc: Mr. Richard H. Odegaarden