UNITED STATES

October 5, 1979

OFFICE OF THE SECRETARY

MEMORANDUM FOR:

Leonard Bickwit, General Counsel Lee V. Gossick, Executive Director for Operations

Samuel J. Chilk, Hecretary

FROM:

SUBJECT:

STAFF REQUIREMENTS - DISCUSSION OF RADIOACTIVELY CONTAMINATED WATER AT THREE MILE ISLAND AND RELATED SUBJECTS (EPICOR II) (SEE SECY-79-561), 9:45 A.M., THURSDAY, OCTOBER 4, 1979, COMMISSIONERS' CONFERENCE ROOM, D. C. OFFICE (OPEN TO PUBLIC ATTENDANCE)

The Commission discussed the proposed use of EPICOR II at Three Mile Island Unit 2, and the solidification of radioactive wastes there.

The Commission requested:

- that OGC provide a legal assessment of the various options for Commission action in these matters; (OGC) (SECY Suspense: 10/9/79)
- that the staff be prepared to address the points raised in the substantive letters commenting on the Environmental Assessment published on 8/20/79; (NRR) (SECY Suspense: 10/9/79)
- 3. that the Office of the Secretary schedule two briefings on this subject, one to discuss with the staff the comments on the Environmental Assessment, and the other to discuss with OGC the legal aspects of EPICOR II use at Three Mile Island.
 (Subsequently, the briefings were scheduled for 10/10/79).

Commissioner Ahearne requested:

4. an analysis of whether each step in the proposed decontamination process can be considered separately in the legal process, or whether the process must be considered all at once. (OGC) (SECY Suspense: 10/9/79)

cc: Chairman Hendrie Commissioner Gilinsky Commissioner Kennedy Commissioner Bradford Commissioner Ahearne Commission Staff Offices

8001150112

1744 132

1

- a program of inspection of NRC licensees only at a frequency of once each three years;
- ar. FY 80 supplemental request for 11 positions and \$100,000, ar.d a corresponding addition to the FY 81 budget.
 (NMSS) (SECY Suspense: December, 1979)

cc: Chairman Hendrie Commissioner Gilinsky Commissioner Kennedy Commissioner Bradford Commissioner Ahearne Commission Staff Offices

..

1744 133