



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SECOND

ERRATA SHEET

FOR

COMMIX-1: A Three-Dimensional Transient
Single-Phase Component Computer Program
For the Thermal-Hydraulic Analysis

PERFORMED BY

Argonne National Laboratory

for the

U.S. Nuclear Regulatory Commission

Correct as follows:

Change: NUREG-0415

To: NUREG/CR-0785

DIVISION OF TECHNICAL INFORMATION AND
DOCUMENT CONTROL

120555008386 2 ANR7
US NRC
SECY PUBLIC DOCUMENT ROOM
BRANCH CHIEF DC 20555
WASHINGTON

455 303

②
7908020 391



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SECOND

ERRATA SHEET

FOR

COMMIX-1: A Three-Dimensional Transient
Single-Phase Component Computer Program
For the Thermal-Hydraulic Analysis

PERFORMED BY

Argonne National Laboratory

for the

U.S. Nuclear Regulatory Commission

Correct as follows:

Change: NUREG-0415

To: NUREG/CR-0785

DIVISION OF TECHNICAL INFORMATION AND
DOCUMENT CONTROL

455 304