

Facility: Monticello Date of Exam: 11-8-18 Exam Level: RO SRO

Item Description	Initials		
	a	b	c
1. Clean answer sheets copied before grading	B	CRS	A BBS
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)	N/R B	N/R AS	A BBS
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	B	CRS	A BBS
4. Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail	N/R B	N/R AS	A BBS
5. All other failing examinations checked to ensure that grades are justified	N/R B	N/R AS	A BBS
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants	B	CRS	A BBS

	Printed Name/Signature	Date
a. Grader	<u>Barnan Boeker</u>	<u>11-12-18</u>
b. Facility Reviewer(*)	<u>Chase Griest</u> <i>Bryan A. Bergeson</i>	<u>11/12/18</u> <u>12/4/18</u>
c. NRC Chief Examiner (*)	<u>Joseph DeMarshall</u>	<u>11/28/18</u>
d. NRC Supervisor (*)	<u>[Signature]</u>	<u>12/4/18</u>

(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.