

50-320

Core Temperature Sheets (Summary)

110

552332

7907160080

P

FOOR ORIGINAL

CORE TEMPERATURE SHEET

552333

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	K12	L11	H5	E9	M9	H8	G11
4-17-79	2100	872	234	541	239	238	238	245	219	253	242	254	237	236	331	251	288	317	246
4-17-79	2300	895	235	542	238	238	238	245	219	253	243	254	237	236	330	251	288	316	246
4-18-79	000L	867	234	538	238	238	238	244	218	252	247	253	237	236	330	250	287	316	245
"	0200	870	233	542	237	237	237	244	217	252	241	253	236	235	329	249	287	317	244
"	1400	895	235	544	239	239	239	245	218	253	243	254	238	237	329	251	287	317	246
"	0600	912	232	545	236	235	236	243	217	251	240	252	252	233	328	248	285	315	243
"	0800	920	234	545	238	237	238	243	219	252	243	253	237	235	328	249	286	316	244
"	1000	899	235	546	239	239	239	245	220	253	244	255	238	237	330	257	290	317	246
"	1200	924	234	544	239	239	239	246	222	254	244	255	237	236	330	252	290	317	246
"	1400	873	234	539	239	238	238	245	220	253	243	254	237	236	329	251	289	316	245
"	1600	830	233	538	238	237	237	244	219	252	242	253	236	235	329	250	288	315	245
"	1800	836	233	537	237	237	237	244	219	252	241	252	235	235	329	249	290	315	243
"	2000	856	233	536	240	239	240	246	221	254	244	255	239	238	330	252	292	315	246
"	2200	852	235	538	239	239	239	249	221	253	243	255	238	237	330	252	292	315	245
4/19/79	0000	808	232	534	236	236	236	244	219	251	240	252	234	235	328	248	290	313	243
4/19/79	0200	845	233	539	238	237	237	244	219	252	241	253	236	236	328	250	291	312	244
4/19/79	0400	791	235	533	239	239	239	246	221	253	243	255	238	238	329	251	291	314	246
"	0600	844	233	537	237	236	237	245	220	252	240	252	235	235	329	249	288	311	243
"	0800	841	234	538	238	237	238	245	220	252	242	251	237	237	328	250	290	312	245
"	1000	843	233	541	238	237	237	244	220	252	242	253	236	236	328	249	290	312	244
"	1400	873	223	542	228	228	228	238	217	244	231	245	226	227	320	241	280	304	234
"	1700	905	222	542	217	215	216	228	210	235	221	234	214	216	311	215	270	294	222
"	1900	840	209	542	212	211	212	224	207	231	216	229	209	211	308	226	266	292	217
"	2100	858	203	544	207	205	207	219	203	226	211	223	203	205	303	221	259	285	212
"	2300	887	200	543	204	202	204	216	201	223	208	221	200	204	300	218	256	282	208
4/20/79	0100	869	194	540	198	196	197	210	198	217	202	214	193	197	294	211	248	274	202
4/20/79	0300	894	188	543	191	189	191	204	195	212	195	208	186	191	290	205	243	269	195
4/20/79	0500	796	183	536	186	184	186	199	191	207	190	203	182	185	284	200	241	263	188
4/20/79	0700	799	180	531	182	179	182	195	187	203	186	198	176	182	280	195	234	259	183
"	0900	862	177	542	180	176	180	193	185	201	184	196	173	180	278	193	233	257	181
"	1100	942	175	550	178	175	178	190	183	199	182	195	172	178	277	191	232	255	179

POOR ORIGINAL

CORE TEMPERATURE SHEET

552334

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	K12	L11	H5	E9	M9	H8	G11
4/12/79	2200	955	279	552	288	287	287	289	254	298	290	302	286	286	380	299	339	385	298
4/13/79	0000	972	282	552	288	287	287	289	255	298	290	302	286	286	380	299	339	384	297
4/13/79	0200	973	283	554	288	288	288	290	256	299	291	303	287	287	381	299	340	382	298
4/13/79	0400	923	284	546	289	288	287	291	256	299	291	303	287	287	380	300	340	379	298
4/13/79	0600	954	281	550	288	287	287	290	256	298	290	303	286	286	380	299	340	379	297
"	0800	945	284	552	289	288	288	291	256	299	291	303	287	287	380	300	340	381	299
"	1000	799	284	533	289	289	288	291	256	299	292	304	288	288	380	300	340	381	299
"	1200	815	265	533	270	270	270	279	251	285	273	287	267	269	366	284	325	365	280
"	1400	839	256	536	261	260	259	268	242	275	264	276	259	260	357	274	317	357	270
"	1600	793	253	532	257	256	256	263	238	272	260	273	255	256	354	269	312	351	267
"	1800	830	252	534	256	255	255	261	236	270	259	271	254	254	351	268	309	347	265
"	2000	830	250	537	255	254	254	260	235	269	258	270	253	254	351	267	309	347	265
"	2200	840	249	536	254	253	253	259	233	268	257	269	252	253	349	265	310	345	263
4/14/79	0000	838	250	537	255	254	254	259	233	268	257	270	253	253	349	266	310	345	264
"	0200	849	250	537	255	254	254	260	234	269	258	270	253	253	350	267	309	345	264
"	0400	853	248	537	254	252	252	259	233	267	256	269	252	252	349	265	307	343	263
"	0600	851	249	537	254	254	254	259	232	268	257	270	253	253	349	266	308	344	264
"	0800	851	250	538	255	253	253	259	233	268	259	270	253	253	349	266	308	347	264
"	1000	851	248	538	253	252	252	259	234	268	256	268	251	252	349	265	306	347	262
"	1200	841	247	538	251	250	250	258	233	266	254	269	249	250	347	264	303	345	260
"	1400	853	248	537	253	251	252	259	231	266	256	268	251	252	347	264	304	345	262
"	1600	848	246	537	251	249	250	256	232	264	253	266	249	249	346	262	302	344	259
"	1800	890	246	541	251	250	250	257	231	265	255	266	250	250	347	263	304	345	260
"	2000	840	247	537	252	251	251	257	232	266	255	267	250	251	347	264	304	345	261
"	2200	850	247	540	253	251	250	257	231	266	255	267	250	250	348	264	304	346	261
4/15/79	0000	810	247	533	252	252	252	257	231	266	255	267	251	250	348	264	305	346	262
"	0200	917	247	542	252	251	251	257	231	266	255	267	251	251	348	264	305	345	261
"	0400	916	247	545	252	251	250	256	231	265	254	267	250	249	347	263	303	346	260
"	0600	885	247	542	252	251	251	257	231	265	255	267	250	249	348	263	305	345	261
"	0800	870	247	543	252	250	251	256	231	265	255	267	250	250	347	263	304	344	260

POOR ORIGINAL

552335

CORE TEMPERATURE SHEET

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	K12	L11	H5	E9	M9	H8	G11
4-10-79	0800	873	280	539	287	286	286	288	252	303	288	306	285	287	379	303	339	400	-
"	1200	816	-	529	-	288	287	291	254	305	289	308	287	288	380	-	341	400	-
"	1400	608	280	498	287	286	285	290	255	303	288	307	285	286	378	303	341	400	-
"	1620	450	278	476	285	284	284	290	255	303	287	306	283	285	382	302	340	402	-
4-10-79	1800	445	281	472	287	287	286	292	257	305	290	308	286	287	385	304	344	405	-
"	2000	800	280	527	286	285	285	290	255	304	288	305	-	286	376	303	339	400	-
"	2200	959	282	548	288	288	287	289	257	304	291	306	-	288	379	304	340	398	-
4/11/79	0100	951	285	547	292	292	291	291	257	306	294	309	-	291	384	306	343	400	-
4/11/79	0300	892	286	543	293	292	291	291	256	306	295	309	-	292	386	306	344	401	-
"	0500	912	283	544	289	289	288	290	254	304	292	307	-	289	384	304	342	399	-
"	0700	929	281	547	287	287	286	287	255	301	289	305	-	286	382	302	339	395	-
"	0800	960	280	547	287	286	285	287	255	-	-	304	-	285	382	-	338	395	-
"	1000	928	280	546	286	286	285	290	255	300	289	303	-	285	381	301	337	395	-
"	1200	1016	280	555	286	286	285	289	255	300	289	303	-	284	381	301	336	395	-
"	1400	996	281	555	287	287	286	290	256	300	290	304	-	286	382	301	339	394	-
"	1600	630	283	507	289	289	289	292	255	302	292	307	-	288	383	303	342	395	-
"	1800	624	283	499	289	288	288	293	256	303	291	307	288	287	383	303	343	395	-
"	2000	509	283	486	289	288	288	294	256	304	291	307	288	287	384	304	342	396	-
"	2208	421	281	459	288	287	286	294	256	303	291	306	286	285	385	303	342	398	-
4/12/79	0000	306	280	436	287	286	286	294	258	303	291	305	286	284	388	302	344	401	-
"	0200	420	279	467	286	285	285	293	257	302	289	304	284	283	384	301	342	398	-
"	0400	730	278	522	285	284	284	290	255	298	287	302	283	282	377	298	337	391	-
"	0600	1019	279	558	285	285	284	287	254	297	288	302	284	283	376	296	337	386	-
"	0700	971	282	552	-	-	-	-	-	-	-	-	-	-	377	337	-	387	-
"	0800	990	283	554	290	289	289	291	254	300	293	306	289	288	381	300	340	388	-
"	1000	1007	283	555	290	289	289	291	256	300	292	306	289	287	381	300	340	388	-
"	1200	965	283	553	289	288	288	290	257	299	292	303	289	287	370	297	339	387	-
"	1400	973	283	552	289	288	288	291	257	299	291	303	288	277	370	300	339	387	299
"	1600	950	283	552	289	289	288	290	256	299	292	304	288	287	380	300	339	387	290
"	1756	990	281	553	288	287	286	289	255	297	290	302	286	285	379	298	339	385	297
"	2000	989	278	553	285	285	284	288	254	295	288	300	284	284	378	296	337	382	7

POOR ORIGINAL

552336

CORE TEMPERATURE SHEET

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	STET	L11	↓	↓	↓	G11	
													K12		H5	E9	M9		H8
4/8/79	0850	549	279	495	-	-	-	-	-	-	-	-	-	-	349	-	335	442	-
"	0907	550	279	492	-	-	-	-	-	-	-	-	-	-	349	-	335	442	-
"	1002	535	277	481	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1004	508	278	483	-	-	-	-	-	-	-	-	(K12)	-	-	-	-	-	-
"	10 ¹⁸ 18	-	-	-	287	285	284	297	266	323	291	311	284	287	³⁵¹ 357	314	336	442	-
"	1049	493	281	480	-	-	-	-	-	-	-	-	-	-	356	-	337	444	-
"	1152	507	283	481	-	-	-	-	-	-	-	-	(K12)	-	357	-	339	450	-
"	1220	545	282	484	292	289	289	301	289	328	297	317	289	293	359	322	342	452	-
"	12 26	503	284	481	-	-	-	-	-	-	-	-	(E12)	-	360	-	342	452	-
"	1404	727	276	519	284	282	281	297	268	318	288	305	281	283	344	314	333	436	-
"	1600	791	283	528	292	290	289	295	263	317	296	314	289	292	354	316	340	426	-
"	1800	801	284	531	292	290	290	294	262	315	423	314	290	293	354	315	342	423	-
"	2030	680	280	515	288	287	286	290	259	310	291	308	286	289	356	310	340	415	-
"	2130	600	282	501	290	289	288	291	259	312	293	310	288	291	356	311	339	418	-
"	2300	570	283	480	290	280	287	293	260	313	293	311	287	291	362	312	344	424	-
4/9/79	0001	543	282	490	289	288	287	293	261	313	293	311	287	290	364	313	344	NOT TAKEN	-
"	0200	515	282	492	290	289	288	294	261	313	294	313	288	290	367	313	347	424	-
"	0420	415	282	465	291	289	289	297	262	315	296	314	289	291	377	315	349	428	-
"	0600	455	287	472	291	286	286	295	262	313	293	311	285	289	374	312	305	427	-
"	0745	832	278	531	286	285	284	291	260	309	290	308	284	287	357	308	337	415	-
"	1000	945	279	548	285	285	284	286	256	304	291	305	284	286	362	304	337	404	-
"	1400	950	281	554	287	287	286	287	254	304	289	306	286	290	367	304	337	405	-
"	1600	838	280	532	287	286	286	288	254	304	288	306	285	289	369	303	337	404	-
"	1900	923	290	543	286	286	285	287	254	303	288	305	285	287	369	303	339	403	-
"	2000	940	279	546	286	285	285	287	254	303	288	305	285	287	370	302	338	402	-
"	2200	931	280	544	287	286	286	288	254	303	289	305	285	287	373	303	339	402	-
"	2300	861	280	537	286	286	285	288	253	304	288	305	285	287	376	304	339	402	-
4/10/79	0100	880	279	540	285	285	284	288	254	302	287	303	284	286	377	302	338	400	-
"	0300	905	278	545	285	284	284	287	254	302	287	303	83	286	376	302	339	400	-
"	0500	859	278	537	285	284	283	286	254	302	287	304	83	285	376	302	337	399	-
"	0700	854	279	539	286	285	285	286	252	302	287	304	84	286	377	302	337	399	-

POOR ORIGINAL 552337

CORE TEMPERATURE SHEET

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11		L11	H5	E9	M9	H8	G11
4/7/79	2300	700	281	518	289	286	286	296	263	322	292	314		290	346	317	331	441	-
4/7/79	2345	751	281	519	290	287	287	297	263	322	292	314		290	347	317	332	441	-
4/8/79	0030	698	281	518	-	-	-	-	-	-	-	-		-	347	-	332	440	-
"	0049	675	281	518	-	-	-	-	-	-	-	-		-	346	-	333	440	-
"	0058	651	281	510	289	286	286	297	264	322	294	313		289	347	317	333	441	-
"	0124	695	281	513	-	-	-	-	-	-	-	-		-	347	-	333	441	-
"	0133	653	281	515	-	-	-	-	-	-	-	-		-	347	-	335	440	-
"	0221	624	281	510	-	-	-	-	-	-	-	-		-	346	-	333	440	-
"	0232	604	281	507	290	287	287	298	265	324	293	314		290	348	318	334	441	-
"	0300	628	281	504	290	287	287	299	266	325	295	314		290	350	319	335	442	-
"	0344	600	281	500	-	-	-	-	-	-	-	-		-	350	-	335	443	-
"	0353	649	281	503	-	-	-	-	-	-	-	-		-	348	-	333	443	-
"	0455	SAME AS D.A.	281	505	288	286	285	297	266	323	291	311		287	348	317	333	440	-
"	0515	650	280	505	-	-	-	-	-	-	-	-		-	347	-	334	440	-
"	0545	628	280	503	-	-	-	-	-	-	-	-		-	346	-	335	440	-
"	0555	585	280	499	-	-	-	-	-	-	-	-		-	348	-	335	441	-
"	0600	565	280	499	-	-	-	-	-	-	-	-		-	349	-	335	441	-
"	0609	560	280	498	-	-	-	-	-	-	-	-		-	348	-	336	441	-
"	0615	585	280	498	-	-	-	-	-	-	-	-		-	348	-	335	441	-
"	0621	599	280	500	-	-	-	-	-	-	-	-		-	347	-	335	441	-
"	0630	581	280	500	-	-	-	-	-	-	-	-		-	347	-	335	441	-
"	0645	585	280	499	-	-	-	-	-	-	-	-		-	348	-	335	441	-
"	0650	598	280	500	-	-	-	-	-	-	-	-		-	347	-	335	442	-
4/8/79	0700	598	279	500	287	285	285	297	265	323	290	312		288	348	-	336	441	-
4/8/79	0700	578	279	500	287	285	285	297	265	323	290	312		288	348	-	336	441	-
"	0707	544	281	490	-	-	-	-	-	-	-	-		-	350	-	336	442	-
"	0722	596	280	497	-	-	-	-	-	-	-	-		-	347	-	336	442	-
"	0735	555	280	495	-	-	-	-	-	-	-	-		-	348	-	335	442	-
"	0808	580	279	495	-	-	-	-	-	-	-	-		-	348	-	335	443	-
"	0822	570	279	495	-	-	-	-	-	-	-	-		-	349	-	333	442	-
"	0837	563	279	493	-	-	-	-	-	-	-	-		-	349	-	335	442	-

POOR ORIGINAL

CORE TEMPERATURE SHEET

552338

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11		L11	H5	E9	M9	H8	G11
4/6/79	0009	1061	285	557	*	329	*	306	268	337	307	358	-	337	293	354	324	369	440
"	0244	1075	286	555	448	329	410	304	267	333	307	358	-	335	294	354	323	368	441
"	0400	1039	285	556	453	331	407	306	268	332	306	357	-	333	292	356	321	368	438
"	0547	1160	285	561	444	325	409	304	267	337	307	357	-	334	292	351	323	372	440
4/6	1000	1125	285	560	436	322	400	302	267	341	307	358	-	337	294	347	325	374	437
"**	1447	-	-	-	319	293	295	313	276	336	296	324	-	293	335	340	355	468	327
"	1600	1110	286	560	312	292	294	312	278	335	296	314	-	296	336	339	340	461	322
"	1847	-	-	-	305	291	291	309	276	333	295	313	-	290	335	336	329	453	318
"	2000	1000	287	550	299	291	291	307	276	335	295	313	-	291	334	333	331	454	317
"	2207	970	285	545	295	289	288	304	275	336	293	312	-	292	355	331	334	456	314
4/7/79	0001	950	285	540	293	268	297	304	276	337	292	312	-	291	306	329	334	444	315
"	0210	1045	285	550	294	290	172	302	273	335	294	313	-	291	339	328	334	455	315
"	0316	1075	285	550	294	290	172	302	272	334	292	314	-	292	340	326	334	453	313
"	0550	1025	285	555	294	290	290	299	270	333	296	315	-	293	342	324	337	450	314
"	0930	1060	290	548	295	293	292	299	267	323	298	313	-	295	347	319	337	441	317
JK	1205	1060	285	560	295	293	291	298	265	336	297	317	-	294	346	320	340	443	316
JK	1440	930	285	540	291	289	288	294	262	318	292	311	-	-	-	-	-	-	-
4/7/79	1205	1060	285	560	295	293	291	298	265	323	237	317	-	294	346	320	340	443	316
JK	1440	930	285	560	295	293	291	298	265	323	-	-	-	-	-	-	-	-	-
4/7/79	1440	930	285	540	291	289	288	294	262	318	292	311	-	291	346	315	334	436	311
4/7/79	1645	900	285	555	291	288	288	295	262	320	294	311	-	290	345	316	332	437	311
"	1800	900	-	555	290	288	288	296	263	321	293	312	-	291	347	317	331	438	312
"	2000	825	282	536	289	287	287	295	276	320	291	311	-	289	347	316	332	437	-
"	2034	775	280	530	-	-	-	-	-	-	-	-	-	-	347	-	332	437	-
"	2039	751	281	528	289	286	286	295	263	319	291	311	-	288	348	315	331	436	-
"	2055	-	-	-	289	287	286	295	263	320	291	312	-	289	346	313	330	436	-
"	2206	796	281	523	290	288	287	296	263	323	294	313	-	290	347	317	331	440	-
"	2219	754	281	523	289	287	287	296	263	322	291	314	-	290	346	317	332	439	-
"	2236	702	281	522	289	287	287	296	263	322	291	314	-	290	346	317	332	439	-
** These readings follow shift in MCPs from 1A to 2A																			
* COMPUTER BEING USED FOR OTHER PROGRAMS																			

POOR ORIGINAL

552339

CORE TEMPERATURE SHEET

Data Recopied on
4/5/79 By J. Stone
to include thermocouple
G 11.

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	K12	L11	H5	E9	M9	H8	G11
4/3/79	0200	975	279	552	*	*	*	316	*	*	*	*	*	*	*	*	*	*	*
4/3/79	0430	995	280	551	477	320	414	315	272	339	308	361	331	316	288	368	317	372	437
	0615	1046	280	556	472	319	414	313	273	343	310	363	333	321	289	365	319	376	438
	0730	1076	280	556	470	322	416	314	273	344	309	363	334	322	289	362	323	375	437
	1015	1030	281	555	472	323	417	311	273	343	309	362	334	322	289	364	321	375	437
	1500	995	279	550	460	319	410	310	272	343	308	361	334	321	288	358	320	370	438
	1700	979	282	550	472	326	412	315	272	334	309	359	336	324	290	370	318	368	438
	1930	1025	280	554	459	320	410	310	311	341	310	361	335	325	288	361	320	373	440
✓	2100	1046	280	555	463	320	411	311	271	340	308	359	334	327	289	361	319	371	440
4/3/79	2300	1055	279	556	468	321	411	307	271	339	306	357	332	325	287	363	311	368	437
4/4/79	0118	1053	282	557	466	325	410	310	271	339	308	359	334	325	289	363	311	371	439
	0325	1066	283	558	461	328	413	309	272	341	311	361	336	331	291	362	322	373	441
	0535	1070	284	558	466	330	412	309	272	339	311	361	338	330	292	364	321	372	442
	0700	1073	284	559	456	326	410	310	293	343	311	363	337	332	292	361	321	374	440
	1000	1075	283	558	- REGROUPING TC'S By NRR & MET. ED														
	1234	1031	283	555	467	332	418	311	272	336	309	358	-	331	292	365	320	369	441
	1443	1217	283	552	459	327	411	308	272	341	309	360	-	334	291	360	321	373	443
	1700	1050	282	558	447	320	409	305	270	346	307	362	-	332	289	352	320	375	442
	1900	1050	282	558	457	323	411	308	269	340	308	359	-	333	290	356	-	371	442
✓	2100	1060	282	558	456	323	411	307	270	339	307	359	-	329	290	356	-	370	442
4/4/79	2300	1050	282	558	456	325	410	307	270	342	309	360	-	332	292	358	321	372	444
4/5/79	0047	1003	282	558	462	325	405	311	272	341	311	360	-	333	293	360	321	372	445
4/5/79	0250	965	286	555	†	330	†	311	273	341	313	361	-	334	294	362	322	374	446
4/5/79	0537	990	285	550	455	327	414	310	273	344	312	361	-	332	293	357	322	375	445
4/5/79	0648	1046	285	556	462	335	†	310	273	339	312	360	-	335	294	362	324	371	444
4/5	1000	1080	287	556	454	327		309	273	342	309	361	-	336	294	359	322	375	444
4/5	1155	966	286	548	460	329	409	309	273	339	309	361	-	335	293	362	323	373	445
"	1600	1025	288	550	445	328	407	308	†	340	306	360	-	337	293	357	322	372	442
"	1800	1075	286	555	459	330	409	309	272	337	306	360	-	335	293	360	322	371	444
"	2000	1020	287	550	458	328	404	308	272	337	307	358	-	337	293	360	321	370	440
"	2200	1150	288	550	452	327	408	307	269	342	308	360	-	338	293	355	323	374	441
†	NOT AVAILABLE BECAUSE OF COMPUTER USE																		
†	COMPUTER BEING USED TO RUN OTHER PROGRAMS																		

POOR ORIGINAL

Core Temperature Sheet

552340

Date	Time	Press	Tin	Tsat	D10	F12	E11	E7	F7	G9	H9	K11	K12	L11	H5	E9	M9	H8
1/1/99	0723	976	280	547	492	311	416	340	283	350	311	376	330	308	291	407	323	393
	0850	1003	280	552	497	315	413	339	281	334	308	371	331	307	290	414	317	383
	1020	1031	280	556	490	312	421	340	281	345	307	371	329	307	291	403	321	354
	1130	1028	280	555	490	315	421	338	280	338	309	369	331	308	290	407	318	384
	1255	979	280	549	487	314	421	336	279	340	306	370	330	309	290	401	320	384
	1515	981	281	549	486	316	424	333	279	341	309	370	329	389	291	394	323	312
	1650	1023	280	555	481	316	428	335	279	343	309	370	331	309	291	391	322	382
	1924	957	278	550	476	315	424	327	377	348	301	371	330	308	289	383	320	381
	2052	1058	279	558	478	317	428	331	276	338	305	368	331	311	288	390	319	375
	2200	1018	277	553	482	316	427	330	275	345	305	368	328	306	288	378	320	377
	2330	1040	277	558	478	317	424	329	275	345	304	367	327	307	288	380	321	378
1/2/99	0045	957	278	539	476	314	416	328	276	344	304	368	327	314	288	-	320	374
	0147	1020	278	547	479	315	415	330	276	343	304	368	OPEN	316	288	379	322	378
	0245	989	278	543	479	315	414	327	276	344	302	366	325	311	288	374	320	377
	0336	904	278	543	473	317	419	325	275	339	303	366	326	312	287	384	318	375
	0535	1015	278	547	485	319	423	324	274	339	305	366	329	315	288	381	321	376
	0725	1026	277	548	482	318	422	322	272	336	302	365	329	312	287	381	319	374
	0920	1032	280	549	487	320	424	322	273	340	303	365	331	311	290	380	321	375
	1500	1043	280	556	479	318	422	317	272	350	302	365	331	313	288	371	319	374
	1700	1000	280	564	475	318	420	315	271	344	304	365	332	315	287	372	319	373
	1920	949	-	559	476	319	417	316	271	335	307	361	331	310	285	376	315	369
	2130	1026	275	553	475	322	-	314	271	338	307	360	331	311	286	368	317	370

POOR ORIGINAL

Core Temperature Station

552341

Date	Time	Inlet T	T sat	D ₁₀	F ₁₂	E ₁₁	E ₇	F ₇	G ₇	H ₇	K ₁₁	K ₁₂	L ₁₁	H ₅	E ₇	M ₇	H ₈
3/31/79	0435	280	554	533	302	-	356	294	383	317	427	326	29	332	452	341	775
	0533	280	554	519	301	405	356	293	390	316	433	326	300	295	444	341	747
	0630	280	553	515	302	407	443	292	388	319	432	326	300	294	443	341	725
	0730	280	554	509	303	-	355	294	390	316	423	327	302	293	442	338	695
	0835	280	549	507	303	-	356	293	393	314	421	327	303	294	443	345	679
	0942	280	548	515	305	405	354	294	385	313	417	328	304	293	445	343	650
	1045	280	547	513	305	407	351	297	383	309	418	329	304	293	445	346	611
	1147	280	550	509	305	408	353	293	386	310	413	328	304	292	440	342	548
	1250	281	554	496	306	411	352	291	380	311	417	331	306	293	435	340	543
	1410	280	552	502	307	347	413	290	373	310	403	329	306	291	438	333	526
	1520	280	550	504	307	-	346	288	373	311	400	328	305	291	436	332	513
	1630	278	546	511	304	413	349	287	381	312	401	327	304	291	430	333	512
	1730	279	545	510	302	410	345	285	379	311	402	329	305	292	429	327	500
	1830	278	549	509	302	409	345	286	376	309	398	328	304	291	429	327	491
	1940	278	553	503	302	415	345	286	377	309	400	329	304	290	426	327	488
	2035	279	546	506	303	410	-	286	370	308	393	329	304	289	430	320	478
	2130	278	546	506	304	411	347	284	366	309	392	389	305	286	430	321	465
	2230	277	548	499	302	414	344	285	372	309	394	339	306	288	424	326	460
	2330	277	552	500	303	415	343	283	358	307	382	327	303	287	419	321	438
4/1/79	0030	279	556	496	305	417	342	282	363	311	383	330	307	289	417	324	430
	0130	279	557	497	305	418	341	284	367	311	383	309	309	290	408	325	412
	0235	279	554	495	306	416	340	284	356	311	381	352	306	289	419	321	404
	0340	279	553	495	306	415	342	284	353	309	379	332	309	290	415	322	399
	0450	280	549	496	308	415	346	284	345	308	374	329	307	280	415	320	393
	0552	280	556	495	312	420	341	284	349	311	375	331	303	291	411	322	372
	0643	281	554	494	310	419	342	283	352	310	376	332	309	291	410	322	374