

Facility: Monticello		Date of Exam: 10/29/18		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>		
Item Description	Initial					
	a	b*	c#			
1. Questions and answers are technically accurate and applicable to the facility.	B	ME	2 BAB			
2. a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available. c. Correct answer explanation and distractor analysis provided (ES-401, D.2.g)	B	ME	2 BAB			
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	B	ME	2 BAB			
4. The sampling process was random and systematic. (If more than four RO or two SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).	B	ME	2 BAB			
5. Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate. <input type="checkbox"/> The audit exam was systematically and randomly developed, or <input type="checkbox"/> the audit exam was completed before the license exam was started, or <input type="checkbox"/> the examinations were developed independently, or <input checked="" type="checkbox"/> the licensee certifies that there is no duplication, or <input type="checkbox"/> other (explain).	B	ME	2 BAB			
6. Bank use meets limits (no more than 75% from the bank, at least 10% new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New	B	ME	2 BAB
	51/10	7/2	17/13	B	ME	2 BAB
7. Between 38 and 45 questions of the questions on the RO exam and at least 13 questions of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level (see ES-401, D.2.c); enter the actual RO/SRO-only question distribution(s) at right.	Memory	C/A		B	ME	2 BAB
	33/4	42/21		B	ME	2 BAB
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	B	ME	2 BAB			
9. Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	B	ME	2 BAB			
10. Question psychometric quality and format meet the guidelines in Appendix B.	B	ME	2 BAB			
11. The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.	B	ME	2 BAB			
Printed Name/Signature		Date				
a. Author	Roman Becker		7-30-18			
b. Facility Reviewer (*)	BRENDEN EAGLE		7/30/18			
c. NRC Chief Examiner (#)	Jesse Seymour for Joe DeMarshall / Bryan A. Bugeon		9/6/18 9/10/18			
d. NRC Regional Supervisor	Robert J. Orlikowski		10/23/2018			
Note:	* The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence is required.					