

TMI DOCUMENTS

DOCUMENT NO: TM-0640

COPY MADE ON 6/5/79 OF DOCUMENT PROVIDED BY
METROPOLITAN EDISON COMPANY.

POA
Supervisor, Document Control, NRC

7906180701

229 144

| Time | Check | Mil/Rens Inside | Hourly | 3/29/79 |
|------|-------|--------------------|--------|---------|
| 1630 | 5 | 0.2 | | |
| 1700 | 5 | 0.2 | | |
| 1800 | 5 | 0.2 | | |
| 1900 | 5 | 0.2 | | |
| 2000 | 5 | 0.2 | | |
| 2100 | 5 | 0.2 | | |
| 2200 | 5 | 0.2 | | |
| 2300 | 5 | 0.2 | | |
| 2400 | 5 | 0.2 | | |


MAR 30 1979

| | | | | |
|------|---|---|--|--|
| 0100 | 5 | 0.2 | | |
| 0200 | 5 | 0.2 | | |
| 0300 | 5 | 0.2 | | |
| 0400 | 5 | 0.2 | | |
| 0500 | 5 | 0.2 | | |
| 0600 | 5 | 0.1 1/2 of 0.1 | | |
| 0700 | 5 | 0.2 | | |
| 0800 | 5 | 0.2 | | |
| 0900 | 5 | 0.2 | | |
| 1000 | 5 | 0.2 | | |
| 1100 | 5 | 0.2 | | |
| 1200 | 5 | 0.2 | | |
| 1300 | 5 | 0.2 | | |
| 1400 | 5 | 0.3 | | |
| 1500 | 5 | 0.4 | | |
| 1600 | 5 | 0.4 | | |
| 1700 | 5 | 0.4 | | |

0.2

OUTS' se check 10 M.S. 3-30-77

| TMI | check | mmR/hr. |
|-------|-------|---------|
| 09:20 | 5 | 4.0 |
| 09:30 | 5 | 3.0 |
| 09:40 | 5 | 3.0 |
| 09:50 | 5 | 2.0 |
| 10:00 | 5 | 1.0 |
| 10:10 | 5 | 1.0 |
| 10:20 | 5 | 1.0 |
| 10:30 | 5 | 1.0 |
| 10:40 | 5 | 1.0 |
| 10:50 | 5 | 1.0 |
| 11:00 | 5 | 1.0 |
| 11:10 | 5 | 1.0 |
| 11:20 | 5 | 1.0 |
| 11:30 | 5 | 1.0 |
| 11:40 | 5 | 1.0 |
| 11:50 | 5 | 1.0 |
| 12:00 | 5 | 0.9 |
| 12:10 | 5 | 0.9 |
| 12:20 | 5 | 0.8 |
| 12:30 | 5 | 0.8 |
| 12:40 | 5 | 0.8 |
| 12:50 | 5 | 0.8 |
| 13:00 | 5 | 0.6 |
| 13:10 | 5 | 0.6 |
| 13:20 | 5 | 0.6 |
| 13:40 | 5 | 0.5 |
| 13:30 | 5 | 0.4 |
| 13:40 | 5 | 0.4 |
| 13:50 | 5 | 0.4 |
| 14:00 | 5 | 0.4 |
| 14:10 | 5 | 0.4 |
| 14:20 | 5 | 0.4 |
| 14:30 | 5 | 0.4 |
| 14:40 | 5 | 0.4 |
| 14:50 | 5 | 0.4 |
| 15:00 | 5 | 0.4 |
| 15:10 | 5 | 0.4 |
| 15:20 | 5 | 0.4 |
| 15:30 | 5 | 0.4 |
| 15:40 | 5 | 0.4 |
| 15:50 | 5 | 0.4 |
| 16:00 | 5 | 0.4 |
| 16:10 | 5 | 0.4 |
| 16:20 | 5 | 0.4 |



(Milltrans)
Inside check

(Hourly)

3/30/79

| | | |
|------------------|---|-----|
| 1800 | 5 | 0.4 |
| 1900 | 5 | 0.4 |
| 2000 | 5 | 0.4 |
| 2100 | 5 | 0.4 |
| 2200 | 5 | 0.4 |
| 2300 | 5 | 0.3 |
| 2400 | 5 | 0.3 |
| Int. -- 3/31/79. | | |
| 0100 | 5 | 0.3 |
| 0200 | 5 | 0.3 |
| 0300 | 5 | 0.2 |
| 0400 | 5 | 0.2 |
| 0500 | 5 | 0.2 |
| 0600 | 5 | 0.2 |
| 0700 | 5 | 0.2 |
| 0800 | 5 | 0.2 |
| 0900 | 5 | 0.2 |
| 1000 | 5 | 0.2 |
| 1100 | 5 | 0.2 |
| 1200 | 5 | 0.2 |
| 1300 | 5 | 0.1 |
| 1400 | 5 | 0.1 |
| 1500 | 5 | 0.1 |
| 1600 | 5 | 0.1 |
| 1700 | 5 | 0.1 |
| 1800 | 5 | 0.1 |
| 1900 | 5 | 0.1 |
| 2000 | 5 | 0.1 |
| 2100 | 5 | 0.1 |
| 2200 | 5 | 0.1 |
| 2300 | 5 | 0.1 |

Outside Check (ICM) 3/30/79

| | | | | | |
|-----|---|------|-----|-----|------|
| 0.3 | 5 | 2340 | 0.4 | 0.4 | 1630 |
| 0.3 | 5 | 2350 | 0.4 | 0.4 | 1650 |
| 0.3 | 5 | 2400 | 0.4 | 0.4 | 1700 |
| 0.2 | 5 | 0010 | 0.4 | 0.4 | 1710 |
| 0.2 | 5 | 0020 | 0.4 | 0.4 | 1720 |
| 0.2 | 5 | 0030 | 0.4 | 0.4 | 1730 |
| 0.2 | 5 | 0040 | 0.4 | 0.4 | 1740 |
| 0.2 | 5 | 0050 | 0.4 | 0.4 | 1750 |
| 0.2 | 5 | 0100 | 0.4 | 0.4 | 1760 |
| 0.2 | 5 | 0110 | 0.4 | 0.4 | 1770 |
| 0.2 | 5 | 0120 | 0.4 | 0.4 | 1780 |
| 0.2 | 5 | 0130 | 0.4 | 0.4 | 1790 |
| 0.2 | 5 | 0140 | 0.4 | 0.4 | 1800 |
| 0.2 | 5 | 0150 | 0.4 | 0.4 | 1810 |
| 0.2 | 5 | 0200 | 0.4 | 0.4 | 1820 |
| 0.2 | 5 | 0210 | 0.4 | 0.4 | 1830 |
| 0.2 | 5 | 0220 | 0.4 | 0.4 | 1840 |
| 0.2 | 5 | 0230 | 0.4 | 0.4 | 1850 |
| 0.2 | 5 | 0240 | 0.4 | 0.4 | 1860 |
| 0.2 | 5 | 0250 | 0.4 | 0.4 | 1870 |
| 0.2 | 5 | 0300 | 0.4 | 0.4 | 1880 |
| 0.2 | 5 | 0310 | 0.4 | 0.4 | 1890 |
| 0.2 | 5 | 0320 | 0.4 | 0.4 | 1900 |
| 0.2 | 5 | 0330 | 0.4 | 0.4 | 1910 |
| 0.2 | 5 | 0340 | 0.4 | 0.4 | 1920 |
| 0.2 | 5 | 0350 | 0.4 | 0.4 | 1930 |
| 0.2 | 5 | 0400 | 0.4 | 0.4 | 1940 |
| 0.2 | 5 | 0410 | 0.4 | 0.4 | 1950 |
| 0.2 | 5 | 0420 | 0.4 | 0.4 | 1960 |
| 0.2 | 5 | 0430 | 0.4 | 0.4 | 1970 |
| 0.2 | 5 | 0440 | 0.4 | 0.4 | 1980 |
| 0.2 | 5 | 0450 | 0.4 | 0.4 | 1990 |
| 0.2 | 5 | 0500 | 0.4 | 0.4 | 2000 |
| 0.2 | 5 | 0510 | 0.4 | 0.4 | 2010 |
| 0.2 | 5 | 0520 | 0.4 | 0.4 | 2020 |
| 0.2 | 5 | 0530 | 0.4 | 0.4 | 2030 |
| 0.2 | 5 | 0540 | 0.4 | 0.4 | 2040 |
| 0.2 | 5 | 0550 | 0.4 | 0.4 | 2050 |
| 0.2 | 5 | 0600 | 0.4 | 0.4 | 2060 |
| 0.2 | 5 | 0610 | 0.4 | 0.4 | 2070 |
| 0.2 | 5 | 0620 | 0.4 | 0.4 | 2080 |
| 0.2 | 5 | 0630 | 0.4 | 0.4 | 2090 |
| 0.2 | 5 | 0640 | 0.4 | 0.4 | 2100 |
| 0.2 | 5 | 0650 | 0.4 | 0.4 | 2110 |
| 0.2 | 5 | 0660 | 0.4 | 0.4 | 2120 |
| 0.2 | 5 | 0670 | 0.4 | 0.4 | 2130 |
| 0.2 | 5 | 0680 | 0.4 | 0.4 | 2140 |
| 0.2 | 5 | 0690 | 0.4 | 0.4 | 2150 |
| 0.2 | 5 | 0700 | 0.4 | 0.4 | 2160 |
| 0.2 | 5 | 0710 | 0.4 | 0.4 | 2170 |
| 0.2 | 5 | 0720 | 0.4 | 0.4 | 2180 |
| 0.2 | 5 | 0730 | 0.4 | 0.4 | 2190 |
| 0.2 | 5 | 0740 | 0.4 | 0.4 | 2200 |
| 0.2 | 5 | 0750 | 0.4 | 0.4 | 2210 |
| 0.2 | 5 | 0760 | 0.4 | 0.4 | 2220 |
| 0.2 | 5 | 0770 | 0.4 | 0.4 | 2230 |
| 0.2 | 5 | 0780 | 0.4 | 0.4 | 2240 |
| 0.2 | 5 | 0790 | 0.4 | 0.4 | 2250 |
| 0.2 | 5 | 0800 | 0.4 | 0.4 | 2260 |
| 0.2 | 5 | 0810 | 0.4 | 0.4 | 2270 |
| 0.2 | 5 | 0820 | 0.4 | 0.4 | 2280 |
| 0.2 | 5 | 0830 | 0.4 | 0.4 | 2290 |
| 0.2 | 5 | 0840 | 0.4 | 0.4 | 2300 |
| 0.2 | 5 | 0850 | 0.4 | 0.4 | 2310 |
| 0.2 | 5 | 0860 | 0.4 | 0.4 | 2320 |
| 0.2 | 5 | 0870 | 0.4 | 0.4 | 2330 |
| 0.2 | 5 | 0880 | 0.4 | 0.4 | 2340 |
| 0.2 | 5 | 0890 | 0.4 | 0.4 | 2350 |
| 0.2 | 5 | 0900 | 0.4 | 0.4 | 2360 |

Net - - 3/31/79



MARTIN 02-08



Millimeter
(30 MIN check)

Time 4-2-79


| | | |
|------|---|----|
| 0330 | 5 | .0 |
| 0400 | 5 | .0 |
| 0430 | 5 | .0 |
| 0500 | 5 | .0 |
| 0530 | 5 | .0 |
| 0600 | 5 | .0 |
| 0630 | 5 | .0 |
| 0700 | 5 | .0 |
| 0730 | 5 | .0 |
| 0800 | | |
| 0830 | | |
| 0900 | | |
| 1000 | | |
| 1030 | | |



APR - 2 1979 TMI

MILLRENS Check



| | | | | | | | | |
|------|---|-----|-------|---|-----|------|---|----|
| 0030 | 5 | 0.1 | 11 00 | 5 | .0 | 2200 | 5 | .0 |
| 0100 | 5 | 0 | 11 30 | 5 | .0 | 2230 | 5 | .0 |
| 0130 | 5 | 0 | 12 00 | 5 | .0 | 2300 | 5 | .0 |
| 0200 | 5 | 0 | 12 30 | 5 | .0 | 2330 | 5 | .0 |
| 0230 | 5 | 0 | 13 00 | 5 | .0 | 2400 | 5 | .0 |
| 0300 | 5 | 0.1 | 13 30 | 5 | 0 | | | |
| 0330 | 5 | 0 | 14 00 | 5 | .0 | | | |
| 0400 | 5 | 0 | 14 30 | 5 | 0.1 | | | |
| 0430 | 5 | .0 | 15 00 | 5 | 0.1 | | | |
| 0500 | 5 | .0 | 15 30 | 5 | 0.1 | | | |
| 0530 | 5 | .0 | 16 00 | 5 | .0 | | | |
| 0630 | 5 | .0 | 16 30 | 5 | 0.1 | | | |
| 0600 | 5 | .0 | 17 00 | 5 | 0.1 | | | |
| 0630 | 5 | .0 | 17 30 | 5 | 0.1 | | | |
| 0700 | 5 | .0 | 18 00 | 5 | .0 | | | |
| 0730 | 5 | .0 | 18 30 | 5 | .0 | | | |
| 0800 | 5 | .0 | 19 00 | 5 | . | | | |
| 0830 | 5 | .0 | 19 30 | 5 | .0 | | | |
| 0900 | 5 | .0 | 20 00 | 5 | .0 | | | |
| 0930 | 5 | .0 | 20 30 | 5 | .0 | | | |
| 1000 | 5 | .0 | 21 00 | 5 | .0 | | | |
| 1030 | 5 | .0 | 21 30 | 5 | .0 | | | |



APR - 3 1979 T.M.I.

(30 MIN READINGS) *McClintock Check*

| | | | | | |
|------|---|-----|-----------------|---|-----|
| 0030 | 5 | .0 | 1130 | 5 | 0.1 |
| 0100 | 5 | .0 | 1200 | 5 | 0.1 |
| 0130 | 5 | .0 | 1230 | 5 | 0 |
| 0200 | 5 | .0 | 1300 | 5 | 0.1 |
| 0230 | 5 | 0.1 | 1330 | 5 | 0 |
| 0300 | 5 | 0.1 | 1400 | 5 | 0.1 |
| 0330 | 5 | .0 | 15 Min Readings | | |
| | | | 1430 | 5 | 0.1 |
| | | | 1445 | 5 | 0.1 |
| 0400 | 5 | .0 | 1500 | 5 | 0.1 |
| | | | 1515 | 5 | 0.1 |
| 0430 | 5 | .0 | 1530 | 5 | 0.1 |
| | | | Hour 14 | | |
| 0500 | 5 | .0 | 1630 | 5 | 0.1 |
| 0530 | 5 | .0 | 1730 | 5 | 0.1 |
| 0600 | 5 | .0 | 1800 | 5 | 0.1 |
| 0630 | 5 | 0.1 | 1900 | 5 | 0.1 |
| 0700 | 5 | 0.1 | 2000 | 5 | 0.1 |
| 0730 | 5 | 0.1 | 2100 | 5 | 0.1 |
| 0800 | 5 | 0.1 | 2200 | 5 | 0.1 |
| 0830 | 5 | 0.1 | 2300 | 5 | 0.1 |
| 0900 | 5 | 0.1 | 2400 | 5 | 0.1 |
| 0930 | 5 | 0.1 | | | |
| 1000 | 5 | 0.1 | | | |
| 1030 | 5 | .0 | | | |
| 1100 | 5 | .0 | | | |




229 152

APR - 4 1979 T.M.I.

(Hourly Readings) Milligrams Check

| | | | | | |
|------|---|-----|------|---|-----|
| 0100 | 5 | 0.1 | 2400 | 5 | 0.0 |
| 0200 | 5 | 0.1 | | | |
| 0300 | 5 | 0.0 | | | |
| 0400 | 5 | 0.0 | | | |
| 0500 | 5 | 0.1 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.1 | | | |
| 0900 | 5 | 0.1 | | | |
| 1000 | 5 | 0.1 | | | |
| 1100 | 5 | 0.1 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.1 | | | |
| 1600 | 5 | 0.1 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.1 | | | |
| 1900 | 5 | 0.1 | | | |
| 2000 | 5 | 0.0 | | | |
| 2100 | 5 | 0.0 | | | |
| 2200 | 5 | 0.0 | | | |
| 2300 | 5 | 0.0 | | | |



229 153



APR - 5 1979

T.M.I.

APR 5 1979

(HOURLY
READING)


| | Millimeters | check | MR/hr |
|------------------|-------------|-------|-------|
| 0100 | 5 | 0.0 | |
| 0200 | 5 | 0.0 | 19 30 |
| 0300 | 5 | 0.0 | 20 00 |
| 0400 | 5 | 0.0 | 22 30 |
| 0500 | 5 | 0.0 | 21 00 |
| 0600 | 5 | 0.0 | 21 30 |
| 0700 | 5 | 0.0 | 22 00 |
| 0800 | 5 | 0.0 | 22 30 |
| 0900 | 5 | 0.0 | 23 00 |
| 1000 | 5 | 0.0 | 23 30 |
| 1100 | 5 | 0.0 | 24 00 |
| 1200 | 5 | 0.0 | |
| 1300 | 5 | 0.0 | |
| 1400 (HALF HOUR) | 5 | 0.0 | |
| 1430 | 5 | 0.0 | |
| 1500 | 5 | 0.0 | |
| 1530 | 5 | 0.0 | |
| 1600 | 5 | 0.0 | |
| 1630 | 5 | 0.0 | |
| 1700 | 5 | 0.0 | |
| 1730 | 5 | 0.0 | |
| 1800 | 5 | 0.0 | |
| 1830 | 5 | 0.0 | |
| 1900 | 5 | 0.0 | |



APR - 6 1979

T. M. I.



| HOURLY READINGS | | milliema | check | | |
|--------------------|---|----------|-------|---|-----|
| 0100 | 5 | 0.0 | | | |
| 0200 | 5 | 0.0 | 2400 | 5 | 0.0 |
| 0300 | 5 | 0.0 | | | |
| 0400 | 5 | 0.0 | | | |
| 0500 | 5 | 0.0 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |
| 2100 | 5 | 0.0 | | | |
| 2200 | 5 | 0.0 | | | |
| 2300 | 5 | 0.0 | | | |




229 155

APR - 7 1979

| Hourly Readings | Milligrams | Check | TMI |
|-----------------|------------|-------|------------|
| 0100 | 5 | 0.0 | 2300 5 0.0 |
| 0200 | 5 | 0.0 | 2400 5 0.0 |
| 0300 | 5 | 0.0 | |
| 0400 | 5 | 0.0 | |
| 0500 | 5 | 0.0 | |
| 0600 | 5 | 0.0 | |
| 0700 | 5 | 0.0 | |
| 0800 | 5 | 0.0 | |
| 0900 | 5 | 0.0 | |
| 1000 | 5 | 0.0 | |
| 1100 | 5 | 0.0 | |
| 1200 | 5 | 0.0 | |
| 1300 | 5 | 0.0 | |
| 1400 | 5 | 0.0 | |
| 1500 | 5 | 0.0 | |
| 1600 | 5 | 0.0 | |
| 1700 | 5 | 0.0 | |
| 1800 | 5 | 0.0 | |
| 1900 | 5 | 0.0 | |
| 2000 | 5 | 0.0 | |
| 2100 | 5 | 0.0 | |
| 2200 | 5 | 0.0 | |



APR - 8 1979




| Hourly Readings | | Millimeters | Check | TMI |
|-----------------|---|-------------|-------|-------|
| 0100 | 5 | 0.0 | 2200 | 5 0.0 |
| 0200 | 5 | 0.0 | 2300 | 5 0.0 |
| 0300 | 5 | 0.0 | 2400 | 5 0.0 |
| 0400 | 5 | 0.0 | | |
| 0500 | 5 | 0.0 | | |
| 0600 | 5 | 0.0 | | |
| 0700 | 5 | 0.0 | | |
| 0800 | 5 | 0.0 | | |
| 0900 | 5 | 0.0 | | |
| 1000 | 5 | 0.0 | | |
| 1100 | 5 | 0.0 | | |
| 1200 | 5 | 0.0 | | |
| 1300 | 5 | 0.0 | | |
| 1400 | 5 | 0.0 | | |
| 1500 | 5 | 0.0 | | |
| 1600 | 5 | 0.0 | | |
| 1700 | 5 | 0.0 | | |
| 1800 | 5 | 0.0 | | |
| 1900 | 5 | 0.0 | | |
| 2000 | 5 | 0.0 | | |
| 2100 | 5 | 0.0 | | |



229 157

APR - 9 1979

| Hourly Readings | | Millirems | Check | TMI |
|-----------------|---|-----------|-------|-------|
| 0100 | 5 | 0.0 | 22.00 | 5 0.0 |
| 0200 | 5 | 0.0 | 23.00 | 5 0.0 |
| 0300 | 5 | 0.0 | 24.00 | 5 0.0 |
| 0400 | 5 | 0.0 | | |
| 0500 | 5 | 0.0 | | |
| 0600 | 5 | 0.0 | | |
| 0700 | 5 | 0.0 | | |
| 0800 | 5 | 0.0 | | |
| 0900 | 5 | 0.0 | | |
| 1000 | 5 | 0.0 | | |
| 1100 | 5 | 0.0 | | |
| 1200 | 5 | 0.0 | | |
| 1300 | 5 | 0.0 | | |
| 1400 | 5 | 0.0 | | |
| 1500 | 5 | 0.0 | | |
| 1600 | 5 | 0.0 | | |
| 1700 | 5 | 0.0 | | |
| 1800 | 5 | 0.0 | | |
| 1900 | 5 | 0.0 | | |
| 2000 | 5 | 0.0 | | |
| 2100 | 5 | 0.0 | | |



229 158

APR 10 1979



| Hourly Readings | Millirems | Check | TMI |
|-----------------|-----------|-------|------------|
| 0100 | 5 | 0.0 | 2200 5 0.0 |
| 0200 | 5 | 0.0 | 2300 5 0.0 |
| 0300 | 5 | 0.0 | 2400 5 0.0 |
| 0400 | 5 | 0.0 | |
| 0500 | 5 | 0.0 | |
| 0600 | 5 | 0.0 | |
| 0700 | 5 | 0.0 | |
| 0800 | 5 | 0.0 | |
| 0900 | 5 | 0.0 | |
| 1000 | 5 | 0.0 | |
| 1100 | 5 | 0.0 | |
| 1200 | 5 | 0.0 | |
| 1300 | 5 | 0.0 | |
| 1400 | 5 | 0.0 | |
| 1500 | 5 | 0.0 | |
| 1600 | 5 | 0.0 | |
| 1700 | 5 | 0.0 | |
| 1800 | 5 | 0.0 | |
| 1900 | 5 | 0.0 | |
| 2000 | 5 | 0.0 | |
| 2100 | 5 | 0.0 | |



229 159

APR 11 1979

| Hourly Readings | Millirems | Check TMI |
|----------------------------|-----------|-----------|
| 0100 | 5 | 0.0 |
| 0200 | 5 | 0.0 |
| 0300 | 5 | 0.0 |
| 0400 | 5 | 0.0 |
| 0500 | 5 | 0.0 |
| 0600 | 5 | 0.0 |
| 0700 | 5 | 0.0 |
| 0800 | 5 | 0.0 |
| 0900 | 5 | 0.0 |
| 1000 (Replacing Batteries) | ✓ | |
| 1100 | 5 | 0.0 |
| 1200 | 5 | 0.0 |
| 1300 | 5 | 0.0 |
| 1400 | 5 | 0.0 |
| 1500 | 5 | 0.0 |
| 1600 | 5 | 0.0 |
| 1700 | 5 | 0.0 |
| 1800 | 5 | 0.0 |
| 1900 | 5 | 0.0 |
| 2000 | 5 | 0.0 |
| 2100 | 5 | 0.0 |



229 160

APR 12 1979


Hourly Readings Millirems Check TMI

| | | | | | |
|------|---|-----|------|---|-----|
| 0100 | 5 | 0.0 | 2200 | 5 | 0.0 |
| 0200 | 5 | 0.0 | 2300 | 5 | 0.0 |
| 0300 | 5 | 0.0 | 2400 | 5 | 0.0 |
| 0400 | 5 | 0.0 | | | |
| 0500 | 5 | 0.0 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |
| 2100 | 5 | 0.0 | | | |

229 161

APR 13 1979


| Hourly Readings | Milligrams | Check | TMI |
|-----------------|------------|-------|------------|
| 0100 | 5 | 0.0 | 2200 5 0.0 |
| 0200 | 5 | 0.0 | 2300 5 0.0 |
| 0300 | 5 | 0.0 | 2400 5 0.0 |
| 0400 | 5 | 0.0 | |
| 0500 | 5 | 0.0 | |
| 0600 | 5 | 0.0 | |
| 0700 | 5 | 0.0 | |
| 0800 | 5 | 0.0 | |
| 0900 | 5 | 0.0 | |
| 1000 | 5 | 0.0 | |
| 1100 | 5 | 0.0 | |
| 1200 | 5 | 0.0 | |
| 1300 | 5 | 0.0 | |
| 1400 | 5 | 0.0 | |
| 1500 | 5 | 0.0 | |
| 1600 | 5 | 0.0 | |
| 1700 | 5 | 0.0 | |
| 1800 | 5 | 0.0 | |
| 1900 | 5 | 0.0 | |
| 2000 | 5 | 0.0 | |
| 2100 | 5 | 0.0 | |



229 162

SAT - APR 14 1979



| T.M.I. | | Millivens Check | | T.M.I. | |
|--------|---|-----------------|------|--------|-----|
| 0100 | 5 | 0.0 | 2100 | 5 | 0.0 |
| 0200 | 5 | 0.0 | 2200 | 5 | 0.0 |
| 0300 | 5 | 0.0 | 2300 | 5 | 0.0 |
| 0400 | 5 | 0.0 | 2400 | 5 | 0.0 |
| 0500 | 5 | 0.0 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |





229 163

APR 15 1979

| T.M.I | Millivens | Check | T.M.I | | |
|-------|-----------|-------|-------|---|-----|
| 0100 | 5 | 0.0 | 2100 | 5 | 0.0 |
| 0200 | 5 | 0.0 | 2200 | 5 | 0.0 |
| 0300 | 5 | 0.0 | 2300 | 5 | 0.0 |
| 0400 | 5 | 0.0 | 2400 | 5 | 0.0 |
| 0500 | 5 | 0.0 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |



229 165




| | | | | | |
|-----|---|------|-----|---|------|
| 0.0 | 5 | 2100 | 0.0 | 5 | 0100 |
| 0.0 | 5 | 2200 | 0.0 | 5 | 0200 |
| 0.0 | 5 | 2300 | 0.0 | 5 | 0300 |
| 0.0 | 5 | 2400 | 0.0 | 5 | 0400 |
| 0.0 | 5 | | 0.0 | 5 | 0500 |
| 0.0 | 5 | | 0.0 | 5 | 0600 |
| 0.0 | 5 | | 0.0 | 5 | 0700 |
| 0.0 | 5 | | 0.0 | 5 | 0800 |
| 0.0 | 5 | | 0.0 | 5 | 0900 |
| 0.0 | 5 | | 0.0 | 5 | 1000 |
| 0.0 | 5 | | 0.0 | 5 | 1100 |
| 0.0 | 5 | | 0.0 | 5 | 1200 |
| 0.0 | 5 | | 0.0 | 5 | 1300 |
| 0.0 | 5 | | 0.0 | 5 | 1400 |
| 0.0 | 5 | | 0.0 | 5 | 1500 |
| 0.0 | 5 | | 0.0 | 5 | 1600 |
| 0.0 | 5 | | 0.0 | 5 | 1700 |
| 0.0 | 5 | | 0.0 | 5 | 1800 |
| 0.0 | 5 | | 0.0 | 5 | 1900 |
| 0.0 | 5 | | 0.0 | 5 | 2000 |

TAI Millie's Checks TMI

MON APR 16 1979

Tue, APR 17 1979

| T.M.I. | | MILLIREMS | CHECK | | T.M.I. |
|--------|---|-----------|-------|---|--------|
| 0100 | 5 | 00 | 2100 | 5 | 0.0 |
| 0200 | 5 | 00 | 2200 | 5 | 0.0 |
| 0300 | 5 | 00 | 2300 | 5 | 0.0 |
| 0400 | 5 | 00 | 2400 | 5 | 0.0 |
| 0500 | 5 | 00 | | | |
| 0600 | 5 | 00 | | | |
| 0700 | 5 | 00 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |



229 166

Wed. APR 27

| T.M.I. | | | MILLRENS Check | | T.M.I. |
|--------|---|-----|----------------|---|--------|
| 0100 | 5 | 0.0 | 2100 | 5 | 00 |
| 0200 | 5 | 0.0 | 2200 | 5 | 00 |
| 0300 | 5 | 0.0 | 2300 | 5 | 00 |
| 0400 | 5 | 0.0 | 2400 | 5 | 00 |
| 0500 | 5 | 0.0 | | | |
| 0600 | 5 | 0.0 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |



Thur APR 19 1979
T.M.I. Millirems check F.M.I.

| | | | | | |
|------|----|-----|------|---|-----|
| 0100 | 5 | 00 | 2100 | 5 | 5.0 |
| 0200 | 5 | 00 | 2200 | 5 | 0.0 |
| 0300 | 5 | 00 | 2300 | 5 | 00 |
| 0400 | .. | 00 | 2400 | 5 | 00 |
| 0500 | 5 | 00 | | | |
| 0600 | 5 | 00 | | | |
| 0700 | 5 | 0.0 | | | |
| 0800 | 5 | 0.0 | | | |
| 0900 | 5 | 0.0 | | | |
| 1000 | 5 | 0.0 | | | |
| 1100 | 5 | 0.0 | | | |
| 1200 | 5 | 0.0 | | | |
| 1300 | 5 | 0.0 | | | |
| 1400 | 5 | 0.0 | | | |
| 1500 | 5 | 0.0 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0.0 | | | |

229 169



| | | | | | |
|------|---|-----|------|---|-----|
| 0100 | 5 | 00 | 2100 | 5 | 0.0 |
| 0200 | 5 | 00 | 2200 | 5 | 0.0 |
| 0300 | 5 | 00 | 2300 | 5 | 0.0 |
| 0400 | 5 | 00 | 2400 | 5 | 0.0 |
| 0500 | 5 | 00 | | | |
| 0600 | 5 | 00 | | | |
| 0700 | 5 | 00 | | | |
| 0800 | 5 | 00 | | | |
| 0900 | 5 | 00 | | | |
| 1000 | 5 | 00 | | | |
| 1100 | 5 | 00 | | | |
| 1200 | 5 | 00 | | | |
| 1300 | 5 | 00 | | | |
| 1400 | 5 | 00 | | | |
| 1500 | 5 | 00 | | | |
| 1600 | 5 | 0.0 | | | |
| 1700 | 5 | 0.0 | | | |
| 1800 | 5 | 0.0 | | | |
| 1900 | 5 | 0.0 | | | |
| 2000 | 5 | 0 | | | |

Fri APR 20 1979 T.M.I Williams check

